


ANNUAL REPORT ON REGISTRATION OF BIRTHS & DEATHS

IN DELHI - 2023





GOVERNMENT OF NCT OF DELHI DIRECTORATE OF ECONOMICS & STATISTICS

&

OFFICE OF THE CHIEF REGISTRAR (BIRTHS & DEATHS)
VIKAS BHAWAN - II. 3rd FLOOR. 'B' WING
UPPER BELA ROAD, NEAR METCALF HOUSE, DELHI - 110054



GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI

ANNUAL REPORT ON REGISTRATION OF BIRTHS & DEATHS IN DELHI – 2023



DIRECTORATE OF ECONOMICS & STATISTICS &

OFFICE OF THE CHIEF REGISTRAR
(BIRTHS & DEATHS)

3rd FLOOR, B-WING, VIKAS BHAWAN-II,
CIVIL LINES, DELHI -110054

Tel:23812851, Email: jddes.delhi@gov.in Visit our website: www.des.delhi.gov.in

PREFACE

The Annual Report on Registration of Births and Deaths in N.C.T. of Delhi has been brought out for the year 2023 by the Directorate of Economics and Statistics & Office of Chief Registrar (Births & Deaths) under Sections 4(4) and 19(2) Registration of Births & Deaths Act, 1969, which makes it mandatory to bring out the Annual Report on Registration of Births and Deaths.

This report presents an overview of the working of the Civil Registration System (CRS) in the NCT of Delhi and provides good source of information on the vital rates at all levels. The Report elicits very useful statistical information on registered births, deaths, infant deaths and still births and sex ratio at birth based on Civil Registration Records. Many valuable indicators are presented in the Report like birth rate, death rate, trends in birth order and its relation with level of literacy of parents, type of medical attention at the time of birth, deaths by age group, leading medically certified causes of deaths and a host of many other features in an exhaustive manner. The information would be very useful for evolving policies for improved health management in the state.

The report is presented in five sections. The first section gives details of the administrative set-up of the Civil Registration System, registration initiatives taken for effective implementation of the provisions of the Registration of Births & Deaths Act, 1969 and other related aspects, whereas, sections three and four covers birth profile and death profile respectively. Detailed statistical tables are given in section five. Maximum number of tables as prescribed by the Office of RGI, have been presented in the Report.

The Report has been prepared by the Vital Statistics Unit of the Directorate of Economics & Statistics, Delhi with IT support from the EDP Section. I sincerely acknowledge the sincere efforts of all the officers and officials associated in this exercise. My special thanks are to the functionaries of the local bodies (MCD, NDMC & DCB) engaged in the Civil Registration work for providing the basic data on registration of births & deaths in Delhi.

I hope, this report will be of immense help to the Policy makers, Planners and Research Scholars interested in the study of Vital Statistics in N.C.T. of Delhi. It will be our constant endeavor to improve the quality of the publication, for which, we invite the valuable comments and suggestions from the readers of this Report.

DELHI July, 2024 NIHARIKA RAI (I.A.S) SECRETARY, PLANNING

TEAM OF OFFICERS/OFFICIALS ASSOCIATED

WITH THE PREPARATION OF THE REPORT

VITAL STATISTICS UNIT

SH. G. S. RAWAT : DIRECTOR AND CHIEF

REGISTRAR (BIRTHS & DEATHS)

SH. SHAN-E-ALAM : JOINT DIRECTOR

SH. S. S. RAWAT : ASSISTANT DIRECTOR

MS. ARCHANA : STATISTICAL OFFICER

MS. SEEMA RAJPUT : STATISTICAL OFFICER

MS. UPASANA : STATISTICAL ASSISTANT

SH. SANJAY MEENA : STATISTICAL ASSISTANT

MS. SHALINI : DATA ENTRY OPERATOR

EDP UNIT

SH. ASHOK KUMAR : SYSTEM ANALYST

MS. TRIPTI AGGARWAL : SYSTEM ANALYST

Annual Report on "Registration of Births and Deaths in N.C.T. of Delhi for the year 2023"

TABLE OF CONTENTS

	CONTENTS	PAGE NO.
	EXECUTIVE SUMMARY	i - iii
SECTION ONE	INTRODUCTION	1-14
SECTION TWO	ANNUAL RESULTS AT A GLANCE	15-24
SECTION THREE	BIRTH REGISTRATION PROFILE	25-34
SECTION FOUR	DEATH REGISTRATION PROFILE	35-41
SECTION FIVE	STATISTICAL TABLES	42-113
SECTION SIX	ANNEXURE	114-115

ANNUAL REPORT ON REGISTRATION OF BIRTHS & DEATHS IN DELHI – 2023

EXECUTIVE SUMMARY

The following are the main highlights of the "Annual Report on Registration of Births & Deaths in Delhi - 2023.

A. PRIME VITAL INDICATORS:

- i) **Birth Rate:** The birth rate worked out to 14.66 per thousand of population during 2023 as against 14.24 for the year 2022.
- ii) **Death Rate:** The Death Rate per thousand of population worked out to 6.16 during 2023 as against 6.07 in 2022.
- iii) **Infant Mortality Rate:** The infant mortality rate per thousand live births was 23.61 during 2023 as against 23.82 during 2022.
- iv) **Maternal Mortality Rate:** Maternal mortality rate per thousand live births was 0.45 in 2023 while it was 0.49 in 2022.
- v) **Sex Ratio at Birth:** The Sex Ratio is 922 females per thousand males during 2023 as against 929 during 2022.

B. BIRTH REGISTRATION: The brief profile of birth registration is as under:

- i) The total number of births registered during 2023 was 3,15,087 as against 3,00,350 during 2022.
- ii) Average number of births per day in Delhi worked out to 863 in 2023 as against 823 in 2022.
- Out of the total births registered, 1,63,900 (52.02%) were males, 1,51,107 (47.96%) females and 80 (0.02%) others ("others" includes transgender/ ambiguous/ not stated).
- iv) Out of the total births, 3,01,168 (95.58%) were institutional and 13,919 (4.42%) domiciliary in nature.

- v) Out of 3,01,168 institutional births, 1,94,428 (64.56%) births occurred in govt. hospitals. Out of the total institutional births, 1,43,891 (47.78%) were females.
 - Out of 13,919 non institutional births, 7216 (51.84 %) were females.
- vi) MCD accounted for 2,71,158 (86.06%) of total births whereas 40,515 (12.86%) occurred in NDMC areas and 3414 (1.08%) in DCB. Further, the analysis as per three local bodies shows that maximum (86.06%) births were occurred in Municipal Corporation of Delhi.
- vii) Out of total births, 13.79% births were rural and 86.21% were urban according to place of residence of mother.
- viii) Out of the total births, 57.24% were of first order, 32.10% of second order, 8.99% of third order and 1.67% were of fourth or higher order.
- Analysis of domiciliary birth events with respect to the type of medical assistance available at the time of delivery revealed that in 99.68% of cases, the doctor/ nurse/ trained mid-wife was present and in 0.30% of cases, attendance of un-trained mid-wife/ traditional birth attendant was available. In 0.01% cases, the delivery occurred with the help of relatives/others/not stated.
- Age-group of the mother at the time of delivery was analyzed and it was revealed that in maximum (42.95%) cases, it was 25-29 years followed by 24.71% cases in 30-34 years group and in 23.08% cases, the age of mother was 20-24 years. Further, it is observed that in 0.88% cases, the age of mother was even 19 years or less.
- There is a close relationship between the level of educational attainment of the mother and order of births. It is observed that out of total births of fourth and higher birth order, in 43.84% cases, the level of education of mother was 'matric but below graduate' and in 18.83% cases, the mothers were illiterate. Obviously, in case of fourth and higher order of birth proportion of births was 7.95% in the category of mother having 'graduation or above qualification'.

C. DEATH REGISTRATION:- A brief profile of death registration is as under:

- i) In Delhi, 1,32,391 deaths were registered during 2023 as compared to 1,28,106 deaths registered during 2022.
- ii) Out of the total deaths registered 81,500 (61.56%) were males, 50,868 (38.42%) were females and 23 (0.02%) cases of deaths were having sex "others" (includes transgender/ ambiguous/ not stated).
- iii) MCD accounted for 73.45% of total registered deaths while the share of NDMC was 25.16% and DCB registered only 1.39% of the total deaths.
- iv) The average number of deaths per day in Delhi worked out to 363 in the year 2023 as against 351 during 2022.
- v) 66.94% of the total deaths were reported by the medical institutions and the remaining 33.06% were domiciliary deaths during 2023.
- vi) Out of total 1,32,391 deaths registered during the year 2023, the infant deaths were 7439.
- vii) Deaths by age group revealed that maximum (39.28%) deaths occurred in 65 years & above age group followed by 17.40% in 55-64 years age group, 14.12% in 45-54 age group and remaining 29.20% deaths were in the age of below 45 years including age not stated.
- viii) The analysis of major causes of institutional deaths during 2023 as per ICD 10 (i.e. International Classification of Diseases-10th Revision) reflect that 17.30% deaths were occurred due to septicemia, 10.62% deaths due to shock not elsewhere classified, 4.73% deaths due to diseases of liver, 4.65% deaths were due to diseases of pulmonary circulation and other forms of heart diseases, 4.63% deaths due to Hypertension, 4.40% deaths were due to tuberculosis and 0.11% deaths were due to COVID-19 virus identified and not identified. The remaining MCCD deaths were due to other causes.

-: SECTION ONE :INTRODUCTION

(Review of the Working of Act)

SECTION ONE INTRODUCTION

The Civil registration is the continuous, permanent, compulsory and universal recording of the occurrence and characteristics of events, including vital events, pertaining to the population, as provided by decree or regulation, in accordance with the legal requirements of a country. Civil Registration is carried out primarily for the purpose of establishing the legal documents provided for by law. These records are also the best source of vital statistics.

The Civil Registration System (CRS) aimed at proper accounting of vital events for the issuance of certificates as well as generation of valuable data for plan & policy formulation on health sector, received a big boost with the promulgation of the Registration of Births and Deaths Act, 1969 (RBD Act, 1969) in all States/ UTs in the country. This Act came into force in Delhi w.e.f. 1st July, 1970 and accordingly the Delhi Registration of Births and Deaths Rules, 1970 have also been notified w.e.f. 1st January, 1971. These rules were modified and made more people friendly in December 1999 and came into force w.e.f. 1st January, 2000. Prior to the implementation of the Registration of Births and Deaths Act, 1969 (Act No. 18 of 1969), Registration of Births and Deaths in Delhi was governed by multiple Acts/ Rules. The urban area of Municipal Corporation of Delhi (MCD) was covered under the provisions of the Delhi Municipal Corporation Act, 1957 (Section 394-96) and by laws made there under, whereas this function in the rural area of MCD was carried out under the Panchayat Raj Act, 1959. Further, the MCD had been trifurcated w.e.f. May, 2012 into three corporations namely East Delhi Municipal Corporation (East DMC), North Delhi Municipal Corporation (North DMC) and South Delhi Municipal Corporation (South DMC) and re-unified into a single entity on 22nd day of May 2022 as Municipal Corporation of Delhi. On the other hand, the registration within the limits of New Delhi Municipal Council (NDMC) was governed by section 188 (c) and subsection (1) of section 199 of the Punjab Municipal Act, 1911. In the area under Delhi Cantonment this function was performed under clause (1) of section 281 of Cantonment Act, 1924.

MEANING & SCOPE OF CRS

According to the United Nations, civil registration is defined as the continuous permanent and compulsory recording of the occurrence of vital events, like, live births, deaths, fetal deaths, marriages, divorces as well as annulments, judicial separation, adoptions, legitimations and recognitions. Civil registration is performed under a law, decree or regulation so as to provide a legal basis to the records and certificates made from the system,

which has got several civil uses in the personal life of individual citizens. Moreover, the information collected through the registration process provides very useful and important vital statistics also on a continuous basis at the national level starting from the smallest administrative unit. In fact, obtaining detailed vital statistics on a regular basis is one of the major functions of the Civil Registration System (CRS) in several countries of the world. Vital records obtained under CRS have got administrative uses in designing and implementing public health programmes and carrying out social, demographic and historical research. For an individual, the birth registration records provide legal proof of identity and civil status, age, nationality, dependency status etc., on which depend a wide variety of rights.

Civil Registration System may be defined as the legal recording of the occurrence of vital events (births and deaths) through a network of government offices and designated officials, together with certain identifying or descriptive characteristics of the events on a continuous, permanent and compulsory basis. Civil Registration System also serves as the tool for measuring the changes in the population. In other words, population census held once in a period of 10 years gives stock of population at a point of time whereas, vital statistics presents the flow of population.

ADMINISTRATIVE SET UP

National level Machinery:

The Registrar General, India is appointed by the Central Government under section 3(1) of the Act and is the central authority to coordinate and unify the activities of the Chief Registrars of Births & Deaths in States and Union Territories and to provide general directions and guidance in the matter of registration of births and deaths and working of the Act. He has to submit to the Central Government an annual report on the working of the Act in the various states as stipulated in section 3(3) of the Act.

At the national level, all matters relating to vital registration and vital statistics are handled by the Vital Statistics (Civil Registration) Division. The Division assists the Registrar General, India in (i) coordinating and unifying the work of registration and compilation of vital statistics in the states, (ii) providing direction and guidance to the state authorities, (iii) standardization of forms and procedures for registration and compilation of vital statistics for promoting uniformity and comparability, (iv) providing clarifications on various provisions of the Act and ensuring uniform interpretations of the law, (v) organizing training programmes, (vi) initiating publicity and other promotional measures, (vii) preparation of annual report on the working of the Act in different states for submission to the Central Government, (viii) preparation of annual statistical report for the country entitled 'Vital Statistics of India'

and (ix) various other matters for securing a uniform and efficient system of registration throughout the country.

State level Machinery:


Director, Directorate of Economics and Statistics, Govt. of NCT of Delhi also functions as the **Chief Registrar** (**Births & Deaths**) for the NCT of Delhi. The Chief Registrar is responsible for the proper implementation of the RBD Act, 1969 and the rules made there under and keeps a close liaison with the Registrar General of India, Ministry of Home Affairs, which is the nodal agency for such matters at the national level. The Chief Registrar is assisted by a secretariat in the form of vital statistics unit of the Directorate.

Local Authority level Machinery:

The actual registration of births and deaths in Delhi was done by three local bodies viz MCD, NDMC and Delhi Cantonment Board through a network of centers spread all over Delhi and with effect from May 2012 five local bodies were doing the civil registration work due to trifurcation of MCD into North/South/East Delhi Municipal Corporations. The three existing civic bodies, East DMC, North DMC and South DMC are re-unified into a single entity on 22nd day of May, 2022 as Municipal Corporation of Delhi. Each local body has a notified Additional Chief Registrar to coordinate the functions in the designated geographical area. The administrative set up of the civil registration system in Delhi may be seen from the organization chart.

REGISTRATION PROCEDURE

Registration of births, still births and deaths is compulsory under the Registration of Births & Deaths Act, 1969 and rules framed there under. According to the Act, it is the duty of the head of the household and if he is not present in the house the nearest relative of the head present in the house and in the absence of any such person, the oldest adult person present in the house to report the occurrence of any live birth or still birth or death. For births and deaths in hospitals/ health centers/ maternity homes/ nursing homes, other similar institutions or in jail or in dharamshala or in hostels etc., it is the responsibility of the In-charge of the institution to report birth, still birth and death to the Registrar (B&D) in their respective area within the prescribed time limit. Further, Registrar (Births & Deaths) can act suo moto and direct concerned to report the event under section 21 of the RBD Act 1969, if he/ she comes to know that a vital event has occurred in the area under jurisdiction.



As per Delhi Registration of Births & Deaths Rules, 1999, all births, still births and deaths within 21 days of the occurrence are to be reported to the Registrar/ Sub-Registrar of the concerned local area. The information is to be given in live birth report (Form-1), still-birth report (Form-3) and death report (Form-2). To get the birth registration of adopted child in the name of adoptive parents, the provision of Form 1-A has been made. Further, as per direction of ORGI, the UID number has been incorporated in the Forms. As soon as registration of birth or death is completed, a certificate in form No. 5 or 6 respectively containing essential particulars of the event is given free of cost to the applicant under Section 12 of the R.B.D. Act 1969. Additional copies of the birth/ death certificates may be obtained by the applicant by paying the prescribed fee under section 17 of the RBD Act.

ADDITION OF NAME IN BIRTH RECORD

In case, where the birth of any child had been registered without a name, the parents or guardian of such a child may approach the Registrar (B&D) for addition of the name of the child in the birth certificate free of cost within 12 months from the date of registration of the birth of a child. In case where the registration had been made prior to 01.01.2000 or in case where the registration is made after the date of the commencement of DRBD Rules 1999, the name of child can also be entered in the record after 12 months of registration but within a period of fifteen years on payment of a late fee of rupees five. Further five years extension has been given for addition of name of child vide Gazette Notification No F.13(1)/VS/DES/2006/9742-78 dated 08/12/2014.

Vide Gazette Notification No. F. 4(18)/VS/DES/2020/10020, dated 09/07/2021, for clause (i) and (ii) of sub-rule-1 of rule 10 of the Delhi Registration of Births and Deaths Rules, 1999, the following provisions for extension of further five years for addition of name of child in birth record has been notified:-

- (i) (a) In case where the registration had been made prior to the date of commencement of the principal rule, further five years period from the date of commencement of this rule (i.e. Registration of Births & Deaths (Amendment) Rules, 2021) shall be given. Or
- (b) In case where the registration had been made after the date of commencement of the principal rule and fifteen years period from date of registration has already been lapsed, they shall also be given five years period from the date of commencement of this rule (i.e. Registration of Births & Deaths (Amendment) Rules, 2021). In respect of those cases, where fifteen years period from the date of registration has not yet been lapsed, they shall be allowed to avail the fifteen years period. Or

- (ii) In case where the registration is made after the date of commencement of the Registration of Births & Deaths (Amendment) Rules, 2021, the period of fifteen years from the date of such registration, subject to the provisions of sub-section (4) of section 23. the Registrar shall-
 - (a) If the register is in his possession forthwith enter the name in the relevant column of the concerned form in the birth register on payment of a late fee of rupees five.
 - (b) If the register is not in his possession and if the information is given orally, make a report giving necessary particulars, and if the information is given in writing, forward the same to the officer specified by the State Government in this behalf for making the necessary entry on payment of a late fee of rupees five.

DELAYED REGISTRATION

Any vital event not reported to the appropriate authority with in a period of 21 days from date of occurrence constitutes delay. The following procedure is to be followed in such situations:

- (a) Any birth or death of which information is given to the Registrar after the expiry of the specified period of **21 days** but within thirty days of its occurrence shall be registered on payment of a late fee of Rs. 2/-.
- (b) Any birth or death of which information is given to Registrar after **30 days**, but within one year of its occurrence shall be registered only with the written permission of the concerned Registrar on payment of late fee of Rs. 5/-.
- (c) Any birth or death which has not been registered **within one year** of its occurrence, shall be registered only on an order of Area Sub-Divisional Magistrate and payment of late fee of Rs. 10/-.

MEDICAL CERTIFICATION OF CAUSE OF DEATH

One important aspect of vital statistics is the certification of cause of death. Medical Certification of Cause of Death (MCCD) provides reliable data on cause of mortality. This data serves as a valuable tool for public health planners, administrators, medical professionals and research workers to study cause of death in the population. Keeping in view the importance of this information, the provision has been made u/s 10(2) and 10(3) of the Registration of Births & Deaths Act, 1969 for cause of death certification by the medical practitioner of the hospital last attended by the deceased and report it on Form No. 4 (in case of institutional death) and on Form No. 4A (for domiciliary death) for further submission of it along with death reporting form (Form No. 2) to the Registrar's office at the time of registration of death. Form 4 has two parts, Part-I provides for entering the diseases in a specific sequence of events leading to death so that the immediate cause is shown first

and the underlying cause is shown last. The underlying cause is that morbid condition which initiated the chain of events leading to death.

In Delhi, the reporting of Medical Certification of Cause of Death has been made compulsory since the year 2003 in respect of institutional deaths. The domiciliary deaths have not been brought under the ambit of MCCD due to various practical problems such as lack of awareness among the citizens, economic conditions and also due to non-availability of adequate health infrastructure.

LEVEL OF COMPUTERIZATION & FLOW OF DATA

All local bodies have computerized the births & deaths registration system and all hospitals are reporting the events online to the concerned Registrar (B&D). NIC has developed new software for Birth and Death Registration process, addition of name of child, correction in birth/death records in Municipal Corporation of Delhi. This has enabled a complete online system to facilitate citizen to apply Birth & Death registration/certificates from their home. Birth/death certificates can also be downloaded by the Citizens from the websites of concerned local bodies.

In Municipal Corporation of Delhi, all hospitals/ nursing homes report the vital events through newly developed online system thereby avoiding manual handling for feeding the data/ information and consequently less chances of delays, omissions etc. for reporting the events. In NDMC & DCB, almost all hospitals are reporting the vital events online. Soft copy of the CRS data is supplied along with MCCD to Chief Registrar's Office by the local bodies for preparation of Annual Report.

FUNDS UTILISED FOR CIVIL REGISTRATION SYSTEM

During the year 2023-24, a total amount of Rs. 31,628/- was spent from State budget on training programmes in Delhi. The item wise expenditure is as under:

Statement 1.1: Expenditure incurred on CRS in Delhi

CI		Expenditure incurred from					
Sl. No.	Items	State Bud	lget (Rs)	Central Assistance (Rs)			
110.		2022-23	2023-24	2022-23	2023-24		
1	Printing of reporting forms	1,83,555	-	-	-		
2	Training programmes (MCCD)	-	31,628	-	-		
	Total	1,83,555	31,628	-	-		

LEVEL OF REGISTRATION

The registration of births and deaths varies from state to state and between births and deaths. One way to assess the performance of CRS is to compare the rates derived at state level from CRS with those derived from SRS, which collects these information for the usually resident population and provides reliable estimates of birth and death rates at state level.

The CRS in quantitative terms can be gauged primarily from the level of registration achieved consistently in a given region/ state. The level of registration may be taken as the ratio of actual number of births/ deaths registered as per CRS to the estimated births/ deaths under SRS in a calendar year.

Statement 1.2: Level of Registration in Delhi

Year	Registered U Registration			nder Sample on System	Level of Registration	
	Births	Deaths	Births	Deaths	Births	Deaths
2006	322750	98908	281814	71985	115	137
2007	322044	100974	282595	74942	114	135
2008	333908	107600	292854	76397	114	141
2009	354482	112013	293673	71390	121	157
2010	359463	124353	294412	69468	122	179
2011	353759	112142	295995	72730	120	154
2012	360473	104616	299152	72626	120	144
2013	370000	97185	303924	72447	122	134
2014	373693	121286	303190	68579	123	177
2015	374012	124516	302170	66330	124	188
2016	379161	141632	291447	75212	130	188
2017	367046	136117	291566	70973	126	192
2018	362803	145533	287547	64551	126	225
2019	365868	145284	287136	63808	127	228
2020	301645	142789	288530	73148	105	195
2021	271786	171476	NA	NA	NA	NA
2022	300350	128106	NA	NA	NA	NA
2023	315087	132391	NA	NA	NA	NA

Obviously, Delhi is among the few States/ UTs which have achieved 100% level of birth and death registration. Apart from Delhi, this list includes Andhra Pradesh, Assam, Chandigarh, Goa, Gujarat, Karnataka and Puducherry. The level of registration of births/ deaths in Delhi over a period of time is indicated in the above statement. It is evident from the above statement that the level of registration in Delhi was more than hundred percent mainly because of the existence of good health infrastructure as well as responsive registration mechanism at ground level. Due to this fact, the people from other areas outside Delhi also come to avail better health facilities/ treatment in Delhi's hospitals and consequently the births and deaths pertaining to non-residents of Delhi also occurred here and then the registrations of such vital events are done in Delhi in accordance with

provisions of the RBD Act, 1969 to register the vital event as per the place of occurrence of the event. Evidently, this factor plays a key role in having the number of registered births and deaths higher than the SRS estimates.

MEASURES FOR IMPROVEMENT OF CIVIL REGISTRATION SYSTEM

- (i) A Citizen's Charter for Registration of Births & Deaths has been implemented and the issuance of Births & Deaths certificates has been covered under e-Service Level Agreement (SLA) to facilitate the public. The citizen charter indicates brief procedure and guidelines to be followed by the citizens of Delhi and Local Bodies for registration of Births & Deaths. This may prove helpful to improve the Civil Registration System in Delhi. All registration centers have to display the informative boards regarding various provisions under e-SLA pertains to issuance of Birth & Death certificate to guide the public properly.
- (ii) The Chief Registrar's Office is operating a website 'www.des.delhi.gov.in' giving details of registration procedure, zone wise registration centre, administrative machinery for redressal of grievances etc. Provision has also been made for the general public to give their suggestions for the improvement of the system through email.
- (iii) All the local bodies have computerized their operations resulting in improvement in the quality of service rendered to the public. All hospitals, government/ private have been provided the facility of online reporting of events and this has sped up the process of reporting/ registration of events. Further, online facility to take the birth/ death certificates directly from website is also being provided by all local bodies i.e. NDMC, MCD and DCB.
- (iv) Total 10,527,14 birth certificates and 1,90,191 death certificates were issued under section 12 & 17 of RBD Act, 1969 during the year 2023 in Delhi.
- (v) No penalties have been imposed under section 23 of RBD Act, 1969 on defaulting institution, registrar and the individuals for non-registration, non reporting and for negligence to register any birth/ death in the year 2023.
- (vi) MRD branch of Aruna Asaf Ali Hospital has been jointly inspected by the officers of DCO and Office of Chief Registrar (Births & Deaths) on 20.02.2024.
- (vii) Supply of Registration stationery: The office of Chief Registrar (B&D) provides registration stationary i.e. Birth reporting forms, Death reporting forms, Still birth reporting forms, MCCD forms etc. free of cost to the local bodies, Govt. and Private hospitals, Nursing homes and Maternity Centers.
- (viii) NGOs and other voluntary organizations were involved in the propagation of benefits of registration of births/ deaths and identification of unregistered cases if any, in slum

- areas. The Office of Chief Registrar (Births & Deaths) has cooperated in the mission of Plan India by providing the birth certificate of children in difficult circumstances with the help of zonal offices of Municipal Corporation.
- (ix) As per the initiative of office of RGI, GOI; some new tables based on statistical information reflected in birth & death reporting forms have been added w.e.f. the Annual Report, 2013. These statistical tables (like birth weight of child at the time of birth, age of mother at the time of marriage, the gap in years between marriage and different orders of the children etc.) have been presented in the section 5 of the report.
- During the field visits/surveys in the area/cluster pamphlets containing the advantages of institutional deliveries related benefits under the Government schemes, role of ASHA workers along with list of nearest hospitals were distributed among the citizens by the O/o Chief Registrar (Births & Deaths). Awareness was provided through pamphlets how citizen can get birth certificate without any hassle in case of hospital delivery. It was also appealed that the medical facilities available at nearest Government hospitals may be availed for delivery. Publicity was also done by MCD through handbills, display board and through website mcdonline.nic.in.
- (xi) The Registration of Births and Deaths Act, 1969 has been amended vide the Registration of Births and Deaths (Amendment) Act, 2023 and is notified on 11th August 2023. The provisions of the amended Act came into force with effect from 1st day of October, 2023. The Draft Notification of Delhi Registration of Births and Deaths (Amendment) Rules, 2024 has been submitted to the Hon'ble LG of Delhi for approval.
- (xii) Office of the Chief Registrar (B&D), GNCTD organized a half-day training programme on Medical Certification of Cause of Deaths (MCCD) and assigning of ICD-10 coding on 8th November, 2023. The Municipal Corporation of Delhi also organized 15 training programmes for Civil Registration functionaries during the year.
- (xiii) Office of the Chief Registrar (B&D), GNCTD has arranged a field visit of four newly recruited Indian Statistical Service (ISS) Probationers of 43rd (2021) and 44th (2022) batch to O/o the Registrar (Births & Deaths), NDMC Registration Centre, Mandir Marg, New Delhi on **15.06.2023** as a part of their induction training to interact with the authorities in order to gain some field experience related to Birth & Death registration in Delhi.

Monitoring and Coordination

A high level Interdepartmental Co-ordination Committee (IDCC) has been constituted in Delhi under the Chairmanship of Pr. Secretary (Plg.) and Chief Registrar (B&D) as Member Secretary. This committee consists of representatives from Directorate of Health Services, Education, Police and local bodies etc. to sort out the matters relating to the subject without much delay. This platform is expected to ensure close coordination and effective monitoring of the implementation of the provisions of the Act. Vide Order dated 23.09.2021 it has been decided to reconstitute Inter Departmental Co-ordination Committee (IDCC) to review the progress of registration of births and deaths in NCT of Delhi from time to time and also to ensure proper co-ordination among various departments/ institutions and local bodies entrusted with the responsibilities of the registration of births and deaths in NCT of Delhi. The latest IDCC meeting was held on 18.08.2023 under the Chairmanship of Pr. Secretary (Plg.), GNCTD to discuss further measures to make the Civil Registration System people friendly.

Sex Ratio in Delhi

The main source for bringing out this vital indicator is Population Census data and CRS data. The population data gives universal sex ratio for every 10 years. This data suffers from two major limitations viz. time lag and does not give the realistic situation as it gets affected by the in and out migrations. Therefore, the records of registration of births & deaths become the primary source for compilation of sex ratio at State/ District etc. levels. The CRS data will provide short term and very effective inputs on this burning problem so that remedial measures can be initiated without loss of time.

The sex ratio is expressed as the number of female births to thousand male births for a particular period of time says one year/ month etc. As per the International practice, sex ratio is worked out as number of male births per 100 female births. As per the International standard, sex ratio around 105 males per 100 females is considered as an acceptable level.

Sex Ratio as per Population Census

The universal sex ratio of Delhi as per population census for all age groups taken together was 821 females per 1000 males in 2001 and it has become 868 females per 1000 males as per final data of census - 2011. Child sex ratio (0-6 years) of Delhi went up marginally from 868 (as per census 2001) to 871 (as per census 2011). As can be seen from statement 1.3, at both points of time the figures of Delhi were below the All India level. The district-wise scenario for the children of 0-6 years varies in different districts.

Statement 1.3: Sex ratio of Delhi/All India as per population Census Data

Sl. No.	Item	Censu	ıs year
	District wise sex ratio (children of 0-6 years)	2001	2011
	South	888	885
	South West	846	845
	North West	857	865
A	North	886	873
7.	Central	903	905
	New Delhi	898	894
	East	865	871
	North East	875	880
	West	859	872
	Delhi		
В	Children of 0-6 years	868	871
	All ages	821	868
	All India		
C	Children of 0-6 years	927	919
	All ages	933	943


Source: Population Census -2011.

Sex Ratio as per CRS Data

The data available from Civil Registration System indicates that sex ratio at birth (refer statement 1.4) was 822 females per 1000 males in the year 2005 and it is improving every year and was 848 in the year 2007. However, during 2008 the sex ratio was reversed showing 1004 females per 1000 males which was unprecedented and may be due to implementation of LADLI SCHEME w.e.f. 01.01.2008. Further, the sex ratio at birth has decreased from 929 females per 1000 males in the year 2022 to 922 during the year 2023.

Statement 1.4: Sex ratio of Delhi at birth – CRS Data

Voon	Sex Ratio at Birth (CRS Data)					
Year	No. of Females per 1000 males	No. of Males per 100 females				
2005	822	122				
2006	831	120				
2007	848	118				
2008	1004	100				
2009	915	109				
2010	901	111				
2011	893	112				
2012	886	113				
2013	895	112				
2014	896	111				
2015	898	111				
2016	902	111				
2017	913	110				
2018	924	108				
2019	920	109				
2020	933	107				
2021	932	107				
2022	929	108				
2023	922	108				



MONTHLY MONITORING OF THE SEX RATIO OF INSTITUTIONAL BIRTH

The national conference of Chief Registrars Births & Deaths, held in 2003 unanimously recommended for the monitoring of sex ratio on a regular basis at the State/UT level taking into account the alarming decline in the sex ratio which has become a cause of concern for the policy makers and administrators. In compliance of the mandate of the Chief Registrar Conference, Delhi has started the monthly monitoring of sex ratio of institutional births w.e.f. the year 2004.

The data is collected on monthly basis from 100 major hospitals which account for 71.70% of total registered births in the year 2023 in Delhi. This helps to review the sex ratio at the highest level in the shortest possible time without waiting for the yearly indicators. The sex ratio of institutional births on the basis of these 100 hospitals comes out to 924 in the year 2023.

From the month of January, 2023 onwards data is being collected from 100 major hospitals to increase the coverage of health institutions under the monthly monitoring system to make this exercise meaningful and truly representative of the ground reality.

COMPARISON OF SEX-RATIO AMONG STATES/ UTs

The data pertaining to the scenario of sex ratio in different States/ UTs, given by office of R.G.I. may be seen in Statement 1.5. However, at the time of comparing it should also be kept in mind that Level of Registration is not uniform in all States/ UTs.

Statement 1.5: Sex Ratio at Birth based on registered events

Sl. No.	State/U.T.	2015	2016	2017	2018	2019	2020
	India	881	877	903	921	920	923
1	Andhra Pradesh	971	806	935	931	935	939
2	Arunachal Pradesh	895	964	1047	1084	1024	1011
3	Assam	885	888	921	904	903	956
4	Bihar	870	837	N.A.	N.A.	N.A.	964
5	Chhattisgarh	938	980	968	934	931	940
6	Goa	928	900	910	943	948	947
7	Gujarat	N.A.	N.A.	898	897	901	909
8	Haryana	851	865	N.A.	914	923	916
9	Himachal Pradesh	903	910	934	930	918	936
10	Jharkhand	879	863	N.A.	N.A.	N.A.	948
11	Karnataka	893	896	949	957	947	949
12	Kerala	948	954	965	963	960	969
13	Madhya Pradesh	904	909	N.A.	902	905	921
14	Maharashtra	883	904	N.A.	N.A.	N.A.	N.A.
15	Manipur	686	N.A.	N.A.	757	934	880
16	Meghalaya	975	N.A.	937	942	927	922
17	Mizoram	973	964	964	964	975	954
18	Nagaland	897	967	948	965	1001	953
19	Odisha	866	858	930	928	947	941
20	Punjab	891	857	890	896	914	925
21	Rajasthan	794	806	931	949	916	952
22	Sikkim	973	999	N.A.	N.A.	N.A.	N.A.
23	Tamil Nadu	818	840	932	933	942	939
24	Telangana	834	881	915	924	953	937
25	Tripura	1000	917	962	945	949	974
26	Uttarakhand	862	825	929	956	960	954
27	Uttar Pradesh	877	885	N.A.	N.A.	N.A.	N.A.
28	West Bengal	919	911	N.A.	N.A.	941	951
	Union Territories	007	007	0.55	0.72	0.65	004
1	A&N Islands	925	987	957	953	965	984
2	Chandigarh	898	901	907	909	938	943
3	Dadra & Nagar Haveli	1001	945	936	923	921	898
4	Daman & Diu	924	974	879	877	926	-
5	Delhi	898	902	913	924	920	933
6	Jammu & Kashmir	912	914	909	952	909	
7	Ladakh	N.A.	N.A.	N.A.	N.A.	N.A.	1104
8	Lakshadweep	891	945	914	839	953	957
9	Puducherry	939	931	931	941	934	947

N.A. - Not Available

^{*} Source: Vital Statistics of India based on CRS, 2020 published by Office of the Registrar General, India, Ministry of Home Affairs, Govt. of India and Annual Report on Registration of Births and Deaths in Delhi- 2020.

SECTION TWO RESULTS AT A GLANCE

SECTION TWO

RESULTS AT A GLANCE

This section is devoted to the brief analysis of the vital events registered under the Civil Registration System in Delhi during the calendar year 2023. The main focus will be on number of events, sex-wise distribution, type of event, geographical distribution etc. The total number of vital events registered in Delhi during 2023 were 4,47,478. Out of them 3,150,87 were births and 1,32,391 deaths. Gross natural addition to the population of Delhi during 2023 comes to about 1.83 lakh persons.

Statement 2.1.: Distribution of Vital Events by Sex

Sl. No.	Item	Male	Female	Others #	Total				
	Events								
Λ	Births	163900	151107	80	315087				
A.	Percentage	52.02	47.96	0.02	100				
D	Deaths	81500	50868	23	132391				
В.	Percentage	61.56	38.42	0.02	100				
	Gross natural addition to the population (A) - (B)	82400	100239	57	182696				

[#] Sex "others" includes transgender/ambiguous/ not stated.

Sex wise distribution of births revealed that 52.02% were male, 47.96% female and 0.02% others during 2023. Break up of deaths registration in terms of sex indicated that 61.56% were male, 38.42% female whereas 0.02% were others.

Statement 2.2.: Distribution of Vital Events by Sector

Sl. No.	Item		Dorgontogo					
SI. 1NO.	Hem	Male	Female	Others	Total	Percentage		
A		Births						
(i)	Rural	22788	20640	19	43447	13.79		
(ii)	Urban	141112	130467	61	271640	86.21		
В				Deaths				
(i)	Rural	16093	9181	3	25277	19.09		
(ii)	Urban	65407	41687	20	107114	80.91		

Births and Deaths registered in Delhi during 2023 are presented sector wise in statement 2.2. For births, it is based on the town or village pertains to residence of mother of the new born and for deaths, it is based on the town or village of residence of the deceased.

During 2023, the proportion of urban births has accounted for 86.21% and rural births 13.79%. For deaths, this proportion is 80.91% for urban and 19.09% for rural.

Statement 2.3: Distribution of Vital Events by Type

GL N		Number				_	
Sl. No.	Item	Male	Female	Other	Total	Percentage	
A		Births					
(i)	Institutional	157198	143891	79	301168	95.58	
(ii)	Non-institutional	6702	7216	1	13919	4.42	
В		Deaths					
(i)	Institutional	55146	33463	19	88628	66.94	
(ii)	Non-institutional	26354	17405	4	43763	33.06	

It is observed that during 2023 the institutional births have accounted for 95.58% and domiciliary i.e. non-institutional births 4.42%. On a positive note, it is observed that except 2007, 2008 and 2021, the proportion of institutional births out of total births is continuously increasing. It has increased from 73.72% (in 2005) to 95.58% (in 2023) i.e. more than 21% increase has occurred in proportion of institutional births during preceding 18 years.


During 2023, the proportion of institutional deaths was 66.94% and non-institutional 33.06%.

Statement 2.4:-Proportion of Institutional Vital Events

Year	Percentage of Institutional Births to Total Births	Percentage of Institutional Deaths to Total Deaths
2005	73.72	59.87
2006	77.92	60.92
2007	74.57	58.68
2008	73.45	53.09
2009	75.64	61.04
2010	78.51	61.42
2011	79.51	60.93
2012	81.35	64.86
2013	81.75	70.11
2014	82.83	61.50
2015	84.41	62.70
2016	86.74	63.91
2017	89.10	65.66
2018	90.28	67.44
2019	91.15	65.98
2020	91.94	60.57
2021	91.21	57.79
2022	94.02	63.72
2023	95.58	66.94

The analysis of institutional vital events reflects that the proportion of institutional births to total births is higher than the proportion of institutional deaths to total

deaths. During the last six consecutive years, the proportion of Institutional births to total births has crossed the level of 90%.



Registration of Vital Events by Local body


The responsibility for registration of all types of vital events lies with the local bodies in Delhi. The majority of the registrations were done in Municipal Corporation of Delhi followed by New Delhi Municipal Council and Delhi Cantonment Board. The details about proportion of registered births and deaths in different local bodies during the year 2023 are reflected in statement 2.5.

Statement 2.5: Distribution of Vital Events by Local body during 2023

Sl.	Local Dody	Number		Percentage	
No.	Local Body	Births	Deaths	Births	Deaths
A	Municipal Corporation of Delhi	271158	97244	86.06	73.45
В	New Delhi Municipal Council	40515	33304	12.86	25.16
С	Delhi Cantonment Board	3414	1843	1.08	1.39
	Total (A+B+C)	315087	132391	100.0	100.0

Statement 2.6: Trend of Proportion of Institutional Births (Local Body-Wise)

Year	Percenta	Percentage of institutional					
Tear	North DMC	South DMC	East DMC	Unified MCD	NDMC	DCB	Births to Total Births
2005	NA	NA	NA	69.99	98.50	86.38	73.72
2006	NA	NA	NA	74.61	99.65	89.74	77.92
2007	NA	NA	NA	70.85	98.94	93.44	74.57
2008	NA	NA	NA	68.73	99.66	96.47	73.45
2009	NA	NA	NA	72.18	99.71	95.11	75.64
2010	NA	NA	NA	75.56	99.79	95.63	78.51
2011	NA	NA	NA	77.02	99.80	97.05	79.75
2012	NA	NA	NA	78.77	99.78	97.02	81.35
2013	83.89	75.03	78.45	79.33	99.77	97.02	81.75
2014	84.43	76.56	79.72	80.43	99.85	96.95	82.83
2015	85.78	77.92	82.55	82.16	99.81	97.95	84.41
2016	87.18	80.26	87.31	84.73	99.83	99.37	86.74
2017	90.02	83.89	88.20	87.38	99.87	99.39	89.10
2018	90.85	85.09	90.97	88.74	99.94	99.33	90.28
2019	91.79	85.94	92.25	89.75	99.96	99.66	91.15
2020	92.81	89.91	89.57	90.90	100.00	99.61	91.94
2021	92.04	88.62	88.50	90.00	99.97	99.63	91.21
2022	-	-	-	93.08	99.93	99.88	94.02
2023	-	-	-	94.87	100.00	100.00	95.58




The analysis of trend of proportion of institutional births in local bodies reveals that the NDMC and DCB had 100% births in the institutions/ hospitals whereas this proportion in case of MCD mostly lies in between 68 and 95%.

It is observed that in Delhi, the proportion of institutional births during the six consecutive years was more than 90% in consequence of the positive impact of different government programmes to encourage institutional delivery for safe maternal and child health. Still, there is strong need to take further measures to achieve the milestone of cent-percent institutional delivery.

Statement 2.7: Trend of Proportion of Institutional Deaths (Local Body-Wise)

Year	Percen	Percentage of institutional Deaths to Total					
	North DMC	South DMC	East DMC	Unified MCD	NDMC	DCB	Deaths
2005	NA	NA	NA	49.36	97.67	89.66	59.87
2006	NA	NA	NA	51.35	97.93	89.08	60.92
2007	NA	NA	NA	47.51	98.5	92.42	58.68
2008	NA	NA	NA	72.30	96.22	93.28	53.09
2009	NA	NA	NA	51.00	98.2	87.94	61.04
2010	NA	NA	NA	53.04	98.21	86.74	61.42
2011	NA	NA	NA	51.50	98.25	88.95	60.93
2012	NA	NA	NA	54.82	98.35	89.74	64.86
2013	67.32	43.89	79.06	60.65	100	91.50	70.11
2014	52.95	46.93	60.97	52.58	98.35	92.39	61.50
2015	54.35	47.41	61.32	53.42	98.72	91.73	62.70
2016	53.49	50.25	64.55	54.71	100.00	92.46	63.91
2017	56.29	50.4	65.84	56.35	100.00	100.00	65.66
2018	56.39	52.02	70.23	57.83	99.96	95.80	67.44
2019	55.65	48.91	66.08	55.47	98.82	91.69	65.98
2020	48.14	47.55	55.94	49.54	98.42	90.91	60.57
2021	49.80	45.08	45.02	47.05	98.26	94.16	57.79
2022	-	-	-	51.74	98.67	92.43	63.72
2023	-	-	-	55.61	98.58	93.38	66.94

It is observed that the proportion of institutional deaths in the year 2023 was 66.94%. Further, local body wise analysis clearly reflect that the proportion of institutional deaths in case of NDMC and Delhi Cantt. were 98.58% and 93.38% respectively, whereas it was 55.61% in case of the Municipal Corporation of Delhi.



Main Vital Indicators of Delhi and India

The vital indicators emerged out of the CRS of Delhi are presented in statement 2.8. For the benefit of data users; indicators of national level are also included.

Statement 2.8: Main Vital Indicators of Delhi and India

Sl. No.	Item	Delhi @	India**					
A	Vital Rates (per 1000)							
1	Birth Rate 14.66 19.5							
2	Death Rate	6.16	6.0					
3	Natural growth rate	8.5	13.5					
4	Infant Mortality Rate	23.61	28					
5	Maternal Mortality Rate	0.45	NA					
В	No. of events per day							
1	Births	863	NA					
2	Deaths	363	NA					

[@] Data of Delhi pertains to CRS 2023

Religion wise sex composition of births and deaths is presented in statement 2.9. It can be observed that more or less same pattern was noticed in all religions with regard to sex composition, particularly in birth events.

^{**}Data of India pertains to SRS 2020

Statement 2.9: Distribution of Vital Events by Main Religion

Sl.	Dalladan		Bir		Deaths					
No.	Religion	Male	Female	Other	Total	Male	Female	Other	Total	
A		Number								
1	Hindu	128948	117662	64	246674	66590	41184	16	107790	
2	Muslim	31424	30114	15	61553	10556	6931	5	17492	
3	Sikh	1849	1731	0	3580	1998	1576	0	3574	
4	Christian	612	620	0	1232	413	323	0	736	
5	Others (Including 'Not Stated')	1067	980	1	2048	1943	854	2	2799	
	ALL	163900	151107	80	315087	81500	50868	23	132391	
В				P	ercentage					
1	Hindu	52.27	47.70	0.03	100	61.78	38.21	0.01	100	
2	Muslim	51.05	48.92	0.02	100	60.35	39.62	0.03	100	
3	Sikh	51.65	48.35	0	100	55.90	44.10	0	100	
4	Christian	49.68	50.32	0	100	56.11	43.89	0	100	
5	Others (Including 'Not Stated')	52.10	47.85	0.05	100	69.42	30.51	0.07	100	
	ALL	52.02	47.96	0.03	100	61.56	38.42	0.02	100	

MEDICALLY CERTIFIED CAUSE OF DEATH:

As per the Act and Rule, it is mandatory to provide medically certified cause of death for each institutional death by the doctor who attended the patient / deceased. During the year 2023, total 88628 deaths were reported by the hospitals/ nursing homes and registered in local bodies. These deaths have been provided medically certified cause of

death as per ICD-10 coding of WHO. The medically certified cause-wise broad classification of these deaths is given in statement 2.10.

Statement 2.10: Broad Classification of MCCD by sex during 2023

ICD 10 Chapter	Name of Ducad Disease Chaun		% to			
No.	Name of Broad Disease Group	Male	Female	Other	Total	total
I	Infectious and Parasitic Diseases (A00-B99)	12336	8441	4	20781	23.45
II	Neoplasms (C00-D48)	3457	2597	0	6054	6.83
III	Diseases of the Blood & blood forming organs and certain disorders involving the immune mechanism (D50-D89)	523	426	0	949	1.07
IV	Endocrine, Nutritional and Metabolic Diseases (E00-E90)	961	865	0	1826	2.06
V	Mental and Behavioral disorders (F01-F99)	49	7	0	56	0.06
VI	Diseases of the Nervous System (G00-G98)	776	485	0	1261	1.42
VII	Diseases of the eye and adnexa (H00 - H59)	25	12	0	37	0.04
VIII	Diseases of the ear and mastoid process (H60-H95)	2	1	0	3	0
IX	Diseases of the circulatory system (I00-I99)	9857	5855	2	15714	17.73
X	Diseases of the Respiratory System (J00-J98)	5236	3563	2	8801	9.93
XI	Diseases of the Digestive System (K00-K92)	4013	1248	0	5261	5.94
XII	Diseases of the skin and subcutaneous tissue (L00 - L99)	26	14	0	40	0.05
XIII	Diseases of the Musculoskeletal system connective tissue (M00-M99)	80	65	0	145	0.16
XIV	Diseases of the Genitourinary System (N00 - N99)	1472	988	0	2460	2.78
XV	Pregnancy, Childbirth and the puerperium (O00 - O99)	0	131	0	131	0.15
XVI	Certain conditions originating in the perinatal period (P00-P96)	1621	1131	7	2759	3.11
XVII	Congenital Malformations, Deformations & chromosomal abnormalities (Q00-Q99)	301	172	0	473	0.53
XVIII	Symptoms, Signs and abnormal clinical & laboratory findings n.e.c., (R00 - R99)	11469	6386	3	17858	20.15
XIX	Injury, poisoning and certain other consequences of external causes (S00-T98)	1940	775	0	2715	3.06
XX	External causes of Morbidity and Mortality (V01-Y89)	942	267	1	1210	1.37
XXII	Codes for Special Purposes (U00-U49)	60	34	0	94	0.11
	ALL	55146	33463	19	88628	100


CRS vis-à-vis SRS Results


Any attempt aimed at making a comparison between SRS estimates and CRS results strictly speaking is not tenable as they follow different approaches to determine the basic parameters. However, they can be taken as two alternatives to complement/ supplement each other. SRS estimates which are based on sampling approach serves as a short term tool in the management of health scenario as CRS results are not available at short notice. Moreover SRS covers events pertaining to domicile population whereas CRS is inclusive of vital events of migratory population as events are registered as per place of occurrence under RBD Act. That is the reason why CRS results are usually on the higher side when compared to that of SRS. Further, if CRS results could be brought about in shortest possible timeframe it can supplement the SRS in the times to come. Therefore the following statements are included to serve academic purpose at present.


Statement 2.11: Comparison of Vital Rate on SRS and CRS Results

Year	Birth Rate		Deat	h Rate	Infant Mortality Rate		
1 cai	S.R.S.	*C.R.S.	S.R.S	*C.R.S.	S.R.S.	C.R.S.	
2005	18.6	21.52	4.6	6.24	35	13	
2006	18.4	21.05	4.7	6.45	37	18	
2007	18.1	20.58	4.8	6.46	36	25	
2008	18.4	20.94	4.8	6.77	35	18	
2009	18.1	21.77	4.4	6.89	33	19	
2010	17.8	21.66	4.2	7.48	30	22	
2011	17.5	20.92	4.3	6.63	28	22	
2012	17.3	20.87	4.2	6.05	25	24	
2013	17.2	20.94	4.1	5.50	24	22	
2014	16.8	20.71	3.8	6.72	20	22	
2015	16.4	20.30	3.6	6.76	18	23	
2016	15.5	20.16	4.0	7.53	18	21.35	
2017	15.2	19.13	3.7	7.10	16	20.83	
2018	14.7	18.55	3.3	7.44	13	23.81	
2019	14.4	18.35	3.2	7.29	11	24.12	
2020	14.2	14.85	3.6	7.03	12	20.37	
2021	NA	13.13	NA	8.28	NA	23.60	
2022	NA	14.24	NA	6.07	NA	23.82	
2023	NA	14.66	NA	6.16	NA	23.61	

^{*:-} Revised as per latest Population Projections prepared by National Commission of Population from the year 2011.







-: SECTION THREE :BIRTH REGISTRATION PROFILE

SECTION THREE

PROFILE OF BIRTHS REGISTRATION

In this section various aspects of birth registrations, that had taken place during 2023 under Civil Registration System, are analyzed with special reference to the number of events registered across years, male- female composition, matters relating to birth order and literacy, age of the mother at the time of child birth, the type of medical attention available in case of domiciliary events, local body-wise registration of events etc. The level of birth registration was found to be more than 100% consistently over a period of time thereby indicating the sound health of Civil Registration System in Delhi.

Birth Registration under Civil Registration System

During 2023, a total of 3,15,087 birth events were registered by all the local bodies taken together. Out of them, 1,63,900 (52.02%) were males, 1,51,107 (47.96%) were females and 80 (0.02%) were others.

Statement 3.1: Total Number of Births registered under CRS sex-wise

Year		Nui	Average registered	Sex			
1 cai	Male	Percentage	Female	Percentage	Total	births per day	Ratio
2005	178031	54.89	146305	45.11	324336	889	822
2006	176242	54.61	146508	45.39	322750	884	831
2007	174289	54.12	147755	45.88	322044	882	848
2008	166583	49.89	167325	50.11	333908	915	1004
2009	185131	52.22	169351	47.78	354482	971	915
2010	189122	52.61	170341	47.39	359463	985	901
2011	186870	52.82	166889	47.18	353759	969	893
2012	191129	53.02	169344	46.98	360473	988	886
2013	195226	52.76	174774	47.24	370000	1014	895
2014	197078	52.73	176615	47.26	373693	1024	896
2015	197080	52.69	176932	47.31	374012	1025	898
2016	199358	52.58	179738	47.40	379161	1036	902
2017	191876	52.28	175090	47.70	367046	1006	913
2018	188494	51.96	174196	48.01	362803	994	924
2019	190527	52.08	175267	47.90	365868	1002	920
2020	155973	51.71	145597	48.27	301645	824	933
2021	140604	51.73	131112	48.24	271786	745	932
2022	155670	51.83	144581	48.14	300350	823	929
*2023	163900	52.02	151107	47.96	315087	863	922

^{*} Out of total registered births, 80 births have Sex "Others" during the year 2023.

^{*} Sex "others" includes transgender/ ambiguous/ not stated.

It may be observed from the statement 3.1 that the composition of male and female births in the total births was consistently 50 - 55% and 45 - 50% respectively across the years.

The sex ratio at birth is found to be 922 females per thousand males during 2023. Further analysis of institutional and non-institutional births indicates that sex ratio in respect of institutional births has decreased from 922 (in the year 2022) to 915 in 2023, whereas in domiciliary births sex ratio increased from 1037 in 2022 to 1077 in 2023.

Statement 3.1(A): Comparative Position of Sex Ratio in Institutional and Non-Institutional Births

V	I	nstitution	al Births			Domicilia	ary Births		Sex Ratio
Year	Total	Male	Female	Sex Ratio	Total	Male	Female	Sex Ratio	based on Total Births
2007	240154	129124	111030	860	81890	45165	36725	813	848
2008	245254	128095	117159	915	88654	38488	50166	1303	1004
2009	268119	143210	124909	872	86363	41921	44442	1060	915
2010	282197	150370	131827	877	77266	38752	38514	994	901
2011	282115	150392	131723	876	71644	36478	35166	964	893
2012	293231	157067	136164	867	67242	34062	33180	974	886
2013	302453	160932	141521	879	67547	34294	33253	970	895
2014	309538	164324	145214	884	64155	32754	31401	959	896
2015	315694	167868	147826	881	58318	29212	29106	996	898
2016	328872	173839	154969	891	50289	25519	24769	971	902
2017	327049	171778	155191	903	39997	20098	19899	990	913
2018	327552	170865	156574	916	35251	17629	17622	1000	924
2019	333492	174419	158999	912	32376	16108	16268	1010	920
2020	277334	144035	133224	925	24311	11938	12373	1036	933
2021	247889	128835	118984	924	23897	11769	12128	1031	932
2022	282389	146852	135439	922	17961	8818	9142	1037	929
2023	301168	157198	143891	915	13919	6702	7216	1077	922

^{*}Out of total registered institutional births, 79 births have sex "Others" whereas in domiciliary births 1 case was registered having sex "Others".

The exceptionally higher sex ratio (during 2008) can perhaps be attributed mainly to the implementation of the various welfare schemes of the girl child (including Ladli Scheme w.e.f. 01.01.2008). However, the sex ratio based on total registered births (including institutional and domiciliary) during 2023 has decreased in comparison to the year 2022.


BIRTH RATE

One of the important indicators that emerge out of Civil Registration System is the Birth Rate. Statement 3.2 provides the time series data from 2005-23. The birth rate during the period of the year 2005 to 2019 is hovering between 18-22 per 1000 population. However, after Covid-19, the birth rate ranges between 13-15 per 1000 population during the years 2020-2023. The graph plotting the birth rate for the said period clearly exhibits this fact.

Statement 3.2: Birth Rate as per CRS

Voor	In Lakhs		*Birth Rate
Year	*Mid Year Population as on 1 st July	No. of Births	*Birth Kate
2005	150.54	3.24	21.52
2006	153.47	3.23	21.05
2007	156.45	3.22	20.58
2008	159.49	3.34	20.94
2009	162.58	3.54	21.77
2010	165.74	3.59	21.66
2011	169.14	3.53	20.92
2012	172.92	3.60	20.87
2013	176.70	3.70	20.94
2014	180.47	3.74	20.71
2015	184.25	3.74	20.30
2016	188.03	3.79	20.16
2017	191.82	3.67	19.13
2018	195.61	3.63	18.55
2019	199.40	3.66	18.35
2020	203.19	3.02	14.85
2021	207.03	2.72	13.13
2022	210.96	3.00	14.24
2023	214.90	3.15	14.66

^{*}Revised as per latest Population Projections prepared by National Commission of Population from the year 2011.




DISTRIBUTION OF LIVE BIRTHS BY BIRTH ORDER

Birth order statistics are important indicators for measuring the progress and effectiveness of family welfare activities. Time series data on percentage distribution of births by birth order is given in statement 3.3.

Statement 3.3: Percentage Distribution of Births by Order of birth

Year		Birth Order							
1 cai	1	2	3	4 & above					
2005	50.59	32.42	12.45	4.54					
2006	56.79	28.97	11.08	3.16					
2007	58.98	27.47	9.79	3.76					
2008	55.12	31.24	10.15	3.49					
2009	53.39	32.81	11.01	2.79					
2010	60.33	29.28	8.07	2.32					
2011	56.37	32.39	8.80	2.44					
2012	55.80	33.14	8.83	2.23					
2013	61.19	29.21	7.69	1.91					
2014	55.47	33.75	8.67	2.11					
2015	62.78	32.57	3.93	0.72					
2016	55.78	32.89	9.29	2.04					
2017	54.48	34.24	9.32	1.96					
2018	56.65	32.51	9.03	1.81					
2019	55.90	33.00	9.22	1.88					
2020	55.74	33.47	9.20	1.59					
2021	53.84	35.55	9.41	1.20					
2022	53.49	35.56	9.27	1.68					
2023	57.24	32.10	8.99	1.67					

It is obvious from above statement that the first order of births accounts for 57.24% of the total births registered during 2023. The proportion of first and second order of births taken together accounted for 89.34% in the total registered births of 2023. The share of births beyond third order was only 1.67%.




DISTRIBUTION OF LIVE BIRTHS BY AGE OF MOTHER

The age of the mother at the time of attainment of motherhood will have an influence on the overall health of the child and the safety of mother during the time of delivery. Attainment of motherhood below the age of 18 years is considered to be undesirable in the interest of mother as well as of the newly born child. Though out of the total registered births during 2023, only 0.88% are from the mothers in the age group <=19 years, there is still need to undertake sustained campaign focused towards eligible couples in the age group of up to 18 years and living in slums, advising to avoid attainment of motherhood at such an early age.

Statement 3.4: Percentage Distribution of Births by age of Mother

Year		Age Gro	oup of Mothers	s in Years	
1 ear	<=19	20-24	25-29	30-34	35 & above
2005	2.25	46.62	38.56	9.86	2.71
2006	1.97	45.56	39.67	9.37	3.43
2007	1.97	48.71	37.39	9.61	2.32
2008	1.91	49.86	36.23	9.63	2.37
2009	1.74	45.79	38.90	11.16	2.41
2010	1.62	52.37	34.30	9.46	2.25
2011	1.68	53.35	31.99	10.47	2.51
2012	2.21	51.51	33.00	10.66	2.62
2013	2.03	49.48	34.49	11.21	2.79
2014	1.93	46.69	36.91	11.56	2.91
2015	2.75	43.97	38.00	12.15	3.13
2016	3.10	43.58	36.52	13.35	3.45
2017	2.03	42.85	37.18	14.21	3.74
2018	2.09	39.23	39.20	15.11	4.37
2019	2.36	37.55	39.68	15.76	4.65
2020	2.07	35.34	39.85	17.48	5.26
2021	2.32	31.16	39.05	21.00	6.47
2022	2.23	30.55	37.52	22.40	7.31
2023	0.88	23.08	42.95	24.71	8.39

Statement 3.4 further reveals that 66.03% of births were given by the mothers in the age group of 20 - 29 years followed by 24.71% by the mothers in the age group of 30 - 34 years, while 8.39% of the births were given by the mothers in the age group of 35 & above years.



TYPE OF MEDICAL ATTENTION RECEIVED AT DELIVERY

The type of medical attention received at the time of birth in case of domiciliary events is an important factor in controlling the level of infant mortality. Further, it will have a bearing on the quality of service rendered by health workers involved in the field.

Statement 3.5: Percentage Distribution of Births by type and medical attention

	Percentage of Births								
			Non Institutional						
Year			Type of Medical Attention						
	Institutional	Doctor/Nurse/ Trained Midwife	Untrained Midwife i.e. Traditional Birth Attendant	Relatives/ Others/ Not Stated					
(1)	(2)	(3)	(4)	(5)					
2005	73.72	0.32	19.16	6.80					
2006	77.92	4.56	13.01	4.51					
2007	74.57	5.27	13.86	6.30					
2008	73.45	8.31	11.09	7.15					
2009	75.64	7.18	11.97	5.21					
2010	78.51	14.17	5.73	1.59					
2011	79.75	8.92	8.42	2.91					
2012	81.35	3.30	8.96	6.39					
2013	81.75	3.78	8.89	5.58					
2014	82.83	3.28	8.75	5.14					
2015	84.41	2.66	12.80	0.13					
2016	86.74	1.24	6.37	5.65					
2017	89.10	0.11	6.46	4.33					
2018	90.28	0.09	4.90	4.73					
2019	91.15	0.05	3.52	5.28					
2020	91.94	0.90	1.22	5.94					
2021	91.21	1.21	2.06	5.53					
2022	94.02	0.81	1.55	3.63					
2023	95.58	4.40	0.01	0.00					

Statement 3.5 gives percentage wise distribution of live births by type of medical attention at the time of child birth. It may be seen from the above statement that medical institutions have accounted for more than 95% of the total births during 2023. Obviously, the share of institutional births has gone up continuously. It was only 73.72% in 2005. During 2023, the proportion of institutional births to total registered births has increased (1.56%) in comparison to year 2022. In the year 2023, total 3,01,168 live births occurred in the hospitals i.e. on an average 825 live births occurred daily in the hospitals during 2023.

BIRTH EVENTS - LOCAL BODY WISE

Statement 3.6 reveals the distribution of birth events of 2023 among local bodies of Delhi. Out of the total births, 86.06% were registered in the MCD whereas NDMC accounted for 12.86%. The total registration under DCB constitutes only 1.08% of the total births. Further, break-up of registered birth events reveals that only 13.79% of the births were rural, whereas 86.21% were urban.

Statement 3.6: Distribution of Rural and Urban Births as per Local Bodies

Sl.No.	Name of Local Body	No. of Births					
	•	Rural	Urban	Combined			
A	MCD	33677	237481	271158 (86.06)			
В	NDMC	9657	30858	40515 (12.86)			
С	DCB	113	3301	3414 (1.08)			
	ALL (A+B+C)	43447 (13.79)	271640 (86.21)	315087 (100.00)			

Figures in () indicate % to total

BIRTHS BY BIRTH ORDER VIS-À-VIS LEVEL OF MOTHER'S EDUCATION

It is widely known that there is close relationship between the level of educational attainment of mother and order of births. The data presented in statement 3.7 states that a specific trend has been seen in the level of education of the mother, and the birth order. It is evident from column No. 6 that proportion of births under "Graduate and above" category is decreasing with the higher order of birth.

Further, it is observed that out of total births of fourth and higher birth order, in 43.84% cases the level of education of mother was 'matric but below graduate' and in 18.83% cases, the mothers were illiterate. Obviously, in case of fourth and higher order of birth proportion of births was 7.95% in the category of mother having 'graduation or above qualification'.

.

Statement 3.7: Distribution of Births by birth order and level of education of mother


			Level	s of Literacy	7		
Birth order	Illiterate	Below Primary	Primary but Below Matric	Matric but below Graduate	Graduate and above	Not Stated	Total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1	11027	3781	27250	76437	58230	3621	180346
	6.11	2.10	15.11	42.38	32.29	2.01	100
2	6082	2737	15105	42350	32177	2698	101149
	6.01	2.71	14.93	41.87	31.81	2.67	100
3	3394	822	5736	13176	4370	836	28334
	11.98	2.90	20.24	46.50	15.42	2.95	100
4&Above	990	115	1298	2305	418	132	5258
	18.83	2.19	24.69	43.84	7.95	2.51	100
ALL	21493	7455	49389	134268	95195	7287	315087
	6.82	2.37	15.67	42.61	30.21	2.31	100

DISTRIBUTION OF BIRTHS LOCAL BODY WISE BY TYPE AND SEX

Statement 3.8 gives the distribution of births in institutional (government and non government) and non institutional categories in each local body. It reveals that during 2023, out of total births 95.58% births were institutional including 61.71% births in govt. institutions and 33.88% in non-govt. institutions, whereas, 4.42% were non-institutional i.e. domiciliary births. During 2023, govt. hospitals in Delhi have handled on an average 533 cases of live births per day (512 per day in 2022) as against 292 per day (262 per day in 2022) by non-govt. institutions. The sex composition in birth events in both type of institutions were more or less having same pattern and on the other hand the sex composition in non-institutional i.e. domiciliary cases has different picture.

Statement 3.8: Distribution of Births events by type and sex

				J	Institutiona	al Birth	S			Non	Ingtituti	ional E	liutha
Sl.	Name of Local		Govern	nment]	Non-Go	vernm	ent	Non-Institutional Births			
No.	Body	Male	Female	Other	Total	Male	Female	Other	Total	Male	Female	Other	Total
A	MCD	78125	72338	60	150523	56022	50693	3	106718	6700	7216	1	13917
В	NDMC	21232	19244	16	40492	12	10	0	22	1	0	0	1
C	DCB	1807	1606	0	3413	0	0	0	0	1	0	0	1
(<i>A</i>	ALL A+B+C)	101164	93188	76	194428	56034	50703	3	106740	6702	7216	1	13919
Pe	rcentage	52.03	47.93	0.04	100	52.50	47.50	0	100	48.15	51.84	0.01	100



REGARDING STILLBIRTHS

Of late, it is being observed that data / information which pertains to still births is not reported regularly by the hospitals/ institutions to the concerned Registrar (B&D). The Office of Chief Registrar (B&D) had made a communication to sensitize the Medical Superintendents of the hospitals/institutions to report the vital events inclusive of still births within the stipulated period of 21 days to the concerned Registrar (B&D).

An effort has been made to present the data on still births for the years 2017 to 2023 in the statement 3.9.

Statement 3.9: The Local Body wise No. of Still Births

Sl.	Name of	Sex			Y	ear		
No.	Local Body) SCA	2018	2019	2020	2021	2022	2023
		Male	859	833	838	834	868	891
	MCD	Female	730	675	673	668	725	722
A	MCD	Other	9	7	12	14	15	17
		Total	1598	1515	1523	1516	1608	1630
		Male	615	584	495	453	433	395
D	NDMC	Female	529	476	392	346	362	354
В		Other	15	13	7	16	11	8
		Total	1159	1073	894	815	806	757
		Male	4	21	5	13	02	07
	DCD	Female	7	10	4	10	09	01
C	DCB	Other	0	0	0	0	0	0
		Total	11	31	9	23	11	8
		Male	1478	1438	1338	1300	1303	1293
Tot	al (A+B+C)	Female	1266	1161	1069	1024	1096	1077
			24	20	19	30	26	25
	ALL		2768	2619	2426	2354	2425	2395

-: SECTION FOUR :DEATH REGISTRATION PROFILE

SECTION FOUR

PROFILE OF DEATHS REGISTRATION

This section reflects the information on different aspects of death registrations that had taken place during 2023 under Civil Registration System with special reference to the number of events registered across years, male- female composition, age at the time of death, medically certified causes of deaths, infant and maternal mortality rates, local bodywise registration of death events etc. The level of death registration was found to be more than 100% consistently over a period of time thereby indicating good status of Civil Registration System in Delhi.

Death Registration under Civil Registration System

During 2023, a total of 1,32,391 deaths were registered by three local bodies. Out of total deaths, 81,500 (61.56%) were males, 50,868 (38.42%) were females and 23 (0.02%) were others. Sex ratio of deaths revealed that for every 1000 male deaths, 624 female deaths have occurred during 2023. On an average, 363 number of deaths were registered per day during 2023.

Statement 4.1: Total Number of Deaths registered under CRS, sex-wise

Year		Nu	mber of De	eaths		Average registered	Sex
1 car	Male	Percentage	Female	Percentage	Total	deaths per day	Ratio
2005	58554	62.17	35633	37.81	94187	258	609
2006	64028	64.73	34880	35.27	98908	271	545
2007	63461	62.85	37513	37.15	100974	277	591
2008	68033	62.23	39567	36.77	107600	295	582
2009	70075	62.56	41938	37.44	112013	307	598
2010	78092	62.80	46261	37.20	124353	341	592
2011	69733	62.18	42409	37.82	112142	307	608
2012	64608	61.76	40008	38.24	104616	287	619
2013	60447	62.20	36738	37.80	97185	266	608
2014	75404	62.17	45882	37.83	121286	332	608
2015	76421	61.37	48095	38.63	124516	341	629
2016	87704	61.92	53887	38.05	141632	387	614
2017	83600	61.42	52485	38.56	136117	373	628
2018	89644	61.60	55848	38.37	145533	399	623
2019	89723	61.76	55527	38.22	145284	398	619
2020	88411	61.92	54350	38.06	142789	390	615
2021	103842	60.56	67602	39.42	171476	470	651
2022	79052	61.71	49004	38.25	128106	351	620
*2023	81500	61.56	50868	38.42	132391	363	624

^{*}Total No. of registered deaths also include 23 cases having sex "Others".

DEATH RATE


The time series data on death rate from the year 2005 to 2023 is reflected in the statement 4.2. It is observed that the death rate in Delhi has remained in the range of 6 to 8 per 1000 persons in the population during said period.

The death rate of Delhi (CRS) & All India (SRS) is also presented in graphic form. Due to the non availability of CRS data for the concerned year at national level, a comparative view with SRS results of All India have been taken.

Statement 4.2: Death Rate of Delhi (as per CRS) & All India (as per SRS)

Year	In Lakh	s		th Rate population)
i ear	*Mid Year Population as on 1 st July	Total Number of Deaths	*Delhi (CRS)	All India (SRS)
2005	150.54	0.94	6.24	7.6
2006	153.47	0.99	6.45	7.5
2007	156.45	1.01	6.46	7.4
2008	159.49	1.08	6.77	7.4
2009	162.58	1.12	6.89	7.3
2010	165.74	1.24	7.48	7.2
2011	169.14	1.12	6.63	7.1
2012	172.92	1.05	6.05	7.0
2013	176.70	0.97	5.50	7.0
2014	180.47	1.21	6.72	6.7
2015	184.25	1.25	6.76	6.5
2016	188.03	1.42	7.53	6.4
2017	191.82	1.36	7.10	6.3
2018	195.61	1.46	7.44	6.2
2019	199.40	1.45	7.29	6.0
2020	203.19	1.43	7.03	6.0
2021	207.03	1.71	8.28	NA
2022	210.96	1.28	6.07	NA
2023	214.90	1.32	6.16	NA

*Revised as per latest Population Projections prepared by National Commission of Population from the year 2011.



Local Body –wise Deaths Registration

Distribution of registration of deaths local body-wise is presented in statement 4.3. Municipal Corporation of Delhi accounted for 73.45% deaths whereas 25.16% deaths occurred in NDMC and 1.39% in DCB during 2023. It is observed that out of total registered deaths, 80.91% were in urban sector.

Statement 4.3: Distribution of Deaths Registered by Sector and Local Body

Sl.No.	Name of Local Body		No. of Deaths	5	% to total
S1.1NU.	Name of Local Body	Rural	Urban	Combined	% to total
A	MCD	12228	85016	97244	73.45
В	NDMC	13049	20255	33304	25.16
С	DCB	0	1843	1843	1.39
	ALL (A+B+C)	25277	107114	132391	100.00
	% to Total	19.09	80.91	100.00	100.00

Type of Registration

The registered deaths as per type of registration under institutional and non institutional categories have been shown in Statement 4.4. The ratio of 67: 33 was observed between institutional and domiciliary death events registered in 2023. The proportion of non institutional events decreased from 36.28% in 2022 to 33.06% in 2023.

Statement 4.4: Distribution of Deaths by type of Registration


Year	Total No. of Deaths	Institu	tional	Domic	iliary
1 ear	Total No. of Deaths	Number	%	Number	%
2005	94187	56390	59.87	37797	40.13
2006	98908	60254	60.92	38654	39.08
2007	100974	59256	58.68	41718	41.32
2008	107600	57122	53.09	50478	46.91
2009	112013	68373	61.04	43640	38.96
2010	124353	76373	61.42	47980	38.58
2011	112142	68326	60.93	43816	39.07
2012	104616	67856	64.86	36760	35.14
2013	97185	68135	70.11	29050	29.89
2014	121286	74592	61.5	46694	38.5
2015	124516	78067	62.7	46449	37.3
2016	141632	90517	63.91	51115	36.09
2017	136117	89377	65.66	46740	34.34
2018	145533	98153	67.44	47380	32.56
2019	145284	95860	65.98	49424	34.02
2020	142789	86483	60.57	56306	39.43
2021	171476	99104	57.79	72372	42.21
2022	128106	81630	63.72	46476	36.28
2023	132391	88628	66.94	43763	33.06

Deaths by Age group

Distribution of registered deaths in different age groups is presented in statement 4.5. As per this statement, it is observed that maximum (39.28%) deaths occurred in the age group of 65 years & above followed by 17.40% in the 55-64 years age group. Further, sex wise analysis reflects that the same trend continues for male deaths and female deaths.

Statement 4.5: Distribution of Deaths by Age group and sex

Age Group (Year)	Male	Percentage	Female	Percentage	Others	Percentage	Total	Percentage
Below 1	4432	5.44	2995	5.89	12	52.17	7439	5.62
01-04	1151	1.41	853	1.68	0	0	2004	1.51
05-14	1155	1.42	1009	1.98	0	0	2164	1.63
15-24	3284	4.03	2399	4.72	0	0	5683	4.29
25-34	5849	7.18	2739	5.38	0	0	8588	6.49
35-44	9072	11.13	3367	6.62	4	17.39	12443	9.40
45-54	12878	15.80	5811	11.42	3	13.04	18692	14.12
55-64	14810	18.17	8228	16.18	2	8.70	23040	17.40
65 & above	28681	35.19	23321	45.85	2	8.70	52004	39.28
Not Stated	188	0.23	146	0.29	0	0	334	0.25
ALL	81500	100	50868	100	23	100	132391	100



Infant Deaths

It is evident from statement 4.6 that during the year 2023 the infant deaths were 7439 i.e. 5.62% of the total registered deaths which is slightly more than 5.59% infant deaths during preceding year. Out of these infant deaths, 7419 were institutional and 20 non-institutional i.e. domiciliary. The Infant Mortality Rate per thousand live births during 2023 worked out to be 23.61 which is slightly on lower side as compared to 23.82 observed during preceding year.

Statement 4.6: Distribution of infant Deaths

	Neonatal	Neonatal	Post-natal	Post-natal	Infant	Infant	%
	Deaths	Mortality	deaths	Mortality	deaths	mortality	Infant
Year	(Infants	rate	(infant 28	Rate	(infant	rate	deaths
	below 4		days -12		0-12		to total
	weeks)		months)		months)		deaths
2005	3183	9.81	999	3.08	4182	12.89	4.44
2006	3756	11.64	2069	6.41	5825	18.05	5.89
2007	4917	15.27	3277	10.18	8194	25.44	8.11
2008	4485	13.43	1653	4.95	6138	18.38	5.70
2009	4887	13.79	1834	5.17	6721	18.96	6.00
2010	5509	15.32	2569	7.15	8078	22.47	6.49
2011	5283	14.93	2469	6.98	7752	21.91	6.91
2012	5168	14.33	3460	9.60	8628	23.93	8.25
2013	5687	15.37	2591	7.00	8278	22.37	8.52
2014	5293	14.16	2804	7.50	8097	21.66	6.67
2015	5908	15.8	2787	7.45	8695	23.25	6.98
2016	4878	12.87	3217	8.48	8095	21.35	5.72
2017	5072	13.82	2573	7.01	7645	20.83	5.62
2018	5588	15.40	3051	8.41	8639	23.81	5.94
2019	5920	16.18	2903	7.93	8823	24.12	6.07
2020	4108	13.62	2037	6.75	6145	20.37	4.30
2021	4147	15.26	2266	8.34	6413	23.60	3.74
2022	4726	15.73	2429	8.09	7155	23.82	5.59
2023	4497	14.27	2942	9.34	7439	23.61	5.62

Statement 4.7: Infant mortality rate of Delhi & India

		DELHI (CRS)		INDIA (SRS)
Year	Neonatal Mortality	Post-natal	Infant mortality	Infant mortality
	rate	Mortality Rate	rate	rate
2005	10	3	13	58
2006	12	6	18	57
2007	15	10	25	55
2008	13	5	18	53
2009	14	5	19	50
2010	15	7	22	47
2011	15	7	22	44
2012	14	10	24	42
2013	15	7	22	40
2014	14	8	22	39
2015	16	7	23	37
2016	13	8	21	34
2017	14	7	21	33
2018	15	8	24	32
2019	16	8	24	30
2020	14	7	20	28
2021	15	8	24	NA
2022	16	8	24	NA
2023	14	9	24	NA

The major causes of institutional infant deaths as per medically certified causes of deaths are presented in statement 4.8.

Statement 4.8: Distribution of major causes of infant deaths as per MCCD

]	No. of Infa	ant Death	S	% to
Sl. No.	Cause of Death & ICD-10 Coding	Male	Female	Others	Total	total MCCD Infant Deaths
1	All other conditions originating in the perinatal period (P00-P04,P08,P29-P54,P56-P57,P60-P96)	297	182	0	479	6.46
2	Hypoxia, birth asphyxia and other respiratory conditions (P20-P28)	419	283	2	704	9.49
3	Septicemia (A40-A41)	679	428	2	1109	14.95
4	Slow fetal growth, fetal malnutrition and immaturity (P05-P07)	871	642	4	1517	20.45
5	Pneumonia (J12-J18)	801	570	2	1373	18.51
6	Congenital malformations of the circulatory system (Q20-Q28)	117	57	0	174	2.35
7	Shock, not elsewhere classified (R57)	290	175	0	465	6.27
8	Diseases of pulmonary circulation and other forms of heart disease (I26- I58)	89	56	0	145	1.95
9	Meningitis (G00-G03)	13	16	0	29	0.39
10	Tuberculosis (A15-A19)	83	65	1	149	2.01
	Total (1 to 10)	3659	2474	11	6144	82.81
	All Infant Deaths (MCCD)	4421	2986	12	7419	100.00

Medically Certified Cause of Deaths

Statement 4.9 provides MCCD data pertaining to institutional deaths as per coding of ICD-10. The ICD-10 is used to translate diagnosis and other health related problems from words to alphanumeric code and thereby facilitates the classification and analysis of data. This statement provides the status regarding major causes of deaths as per MCCD for institutional deaths during 2023. In this regard, more details are presented in Table D-11 of the section 5 of the report.

Statement 4.9: Main causes of Death under MCCD by sex

Sl.			No. of I	Persons		% to total
No.	Cause of Death & ICD-10 Coding	Male	Female	Others	Total	MCCD Deaths
1	Septicemia (A40-A41)	8964	6366	2	15332	17.30
2	Tuberculosis (A15-A19)	2447	1455	2	3904	4.40
3	Diseases of pulmonary circulation and other forms of heart disease (I26- I58)	2528	1596	1	4125	4.65
4	Shock, not elsewhere classified (R57)	5762	3648	1	9411	10.62
5	Cerebrovascular diseases (I60-I69)	1674	877	0	2551	2.88
6	Diabetes mellitus (E10-E14)	605	554	0	1159	1.31
7	Diseases of the liver (K70-K76)	3354	839	0	4193	4.73
8	Pneumonia (J12-J18)	2089	1515	2	3606	4.07
9	All other ischaemic heart diseases (I20 & I23-I25)	2139	967	0	3106	3.50
10	Lower respiratory diseases (J20-J22 & J40-J47)	1651	1062	0	2713	3.06
11	Burns and Corrosions (T20-T32)	357	320	0	677	0.76
12	Viral diseases (A70-A74 & A80-B34)	518	350	0	868	0.98
13	Hypoxia, birth asphyxia and other respiratory conditions (P20-P28)	419	283	2	704	0.79
14	Chronic rheumatic heart diseases (I05-I09)	322	314	0	636	0.72
15	Hypertensive disease (I10 - I15)	2427	1674	1	4102	4.63
16	Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81- C96)	647	344	0	991	1.12
17	Renal failure (N17-N19)	1121	726	0	1847	2.08
18	Leukaemia (C91-C95)	380	194	0	574	0.65
19	Malignant neoplasms of digestive organs (C15-C26)	910	658	0	1568	1.77
20	Slow fetal growth, fetal malnutrition and immaturity (P05-P07)	871	642	4	1517	1.71
21	Meningitis (G00 & G03)	74	59	0	133	0.15
22	Malignant neoplasms of lip Oral cavity and pharynx (C00-C14)	572	261	0	833	0.94
23	COVID-19 Virus Identified (U07.1)	54	33	0	87	0.10
24	COVID-19 Virus not Identified (U07.2)	6	1	0	7	0.01
	Total (1 to 24)	39891	24738	15	64644	72.93
	All Institutional Deaths	55146	33463	19	88628	100.00

-: SECTION FIVE :-STATISTICAL TABLES

POPULATION, REGISTRATION UNITS, MONTHLY RETURNS DUE AND RECEIVED

Name of local	Total estimated	No. of Registration	No. of Monthly	No. of Monthly	No. of Monthly	% of Monthly	Proportion of
bodies	Population as on	Units	returns	returns received	returns Not	Received[Col.	Monthly Returns
	01.07.2023		due[Col.3]x12		received	5/Col. 4]x100	Not
							received[Col.6/C
							ol.4]x100
1	2	3	4	5	6	7	8
MCD		12	144	144	0	100	0
NDMC	21,490,000	5	60	60	0	100	0
DCB		1	12	12	0	100	0

						TA	BLE- B-1							
	LIVE BIRTHS BY PLACE OF OCCURRENCE, DISTRICTS AND TOWNS WITH POPULATION ONE LAKH AND ABOVE (URBAN)													
SL.	DICTRICT		INSTIT	UTIONAL			DOM	ICILIARY			,	ALL		
NO.	DISTRICT	MALE	FEMALE	OTHERS #	TOTAL	MALE	FEMALE	OTHERS #	TOTAL	MALE	FEMALE	OTHERS #	TOTAL	
1	MCD	117840	108268	50	226158	5404	5918	1	11323	123244	114186	51	237481	
2	NDMC	16115	14732	10	30857	1	0	0	1	16116	14732	10	30858	
3	DELHI CANTT	1751	1549	0	3300	1	0	0	1	1752	1549	0	3301	
	ALL 135706 124549 60 260315 5406 5918 1 11325 141112 130467 61 271640													

						TA	BLE -B-1						
		ı	LIVE BIRTHS B	Y PLACE OF OC	CURRENCE, D	ISTRICTS AND	TOWNS WIT	H POPULATION	ONE LAKH AN	ND ABOVE (RI	JRAL)		
SL.	DISTRICT		INSTIT	UTIONAL			DOM	ICILIARY			,	ALL	
NO. DISTRICT MALE FEMALE OTHERS# TOTAL MALE FEMALE OTHERS# TOTAL MALE FEMALE OTH													TOTAL
1	MCD	16307	14763	13	31083	1296	1298	0	2594	17603	16061	13	33677
2	NDMC	5129	4522	6	9657	0	0	0	0	5129	4522	6	9657
3	DELHI CANTT	56	57	0	113	0	0	0	0	56	57	0	113
	ALL 21492 19342 19 40853 1296 1298 0 2594 22788 20640 19 43447												

[#] Sex "others" includes transgender/ambiguous/ not stated.

^{*}Note: Urban or Rural pertains to residence of mother of the new born.

										TABLE: I	3-3										
							TII	ME GAP IN	REGISTI	RATION (OF LIVE B	IRTHS (UR	BAN)								
												DELA	AYED RE	GISTRAT	ΓΙΟΝ						
SL. NO.	DISTRICT		WITHIN T	IME LIMIT		AFTE	R 21 DA	YS TO 30 D	AYS	AFTI	ER 30 DA	YS TO 1 Y	EAR		AFTER	1 YEAR		TOTA	DELAYE	D REGISTR	RATION
		MALE	FEMALE	OTHERS #	ALL	MALE	ALE FEMALE OTHERS# ALL MALE FEMALE OTHERS# ALL MALE FEMALE OTHERS# ALL MALE FEMALE OTHER									OTHERS #	ALL				
1	MCD	112695	103633	50	216378	2297									4	61151					
2	NDMC	14737	13533	8	28278	1063	894	2	1959	393	350	0	743	15	24	0	39	1471	1268	2	2741
3	DELHI CANTT	898	804	0	1702	322 287 0 609 613 533 0 1146 16 14 0 30								951	834	0	1785				
All 128330 117970 58 246358 3682 3300 2 6984 16037 16186 1 32224 13255 13211 3 26469 32974 32697 6 65677										65677											

										TABLE:	B-3										
							TI	ME GAP IN	REGIST	RATION	OF LIVE B	IRTHS (RU	IRAL)								
												DEL/	AYED RE	GISTRA [*]	TION						
SL. NO.	DISTRICT WITHIN TIME LIMIT					AFTE	R 21 DA	YS TO 30 E	TO 30 DAYS AFTER 30 DAYS TO 1 YEAR			AFTER 1 YEAR				TOTAL DELAYED REGISTRATION			RATION		
140.		MALE					FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL
1	MCD	15629	14198	13	29840	334	297	0	631	2841	2817	0	5658	2378	2291	0	4669	5553	5405	0	10958
2	NDMC	5073	4487	6	9566	13	4	0	17	49	44	0	93	0	0	0	0	62	48	0	110
3	DELHI CANTT	34	39	0	73	11 5 0 16 13 13 0 26 1 0 0 1								1	25	18	0	43			
	All	20736 18724 19 39479 358 306 0 664 2903 2874 0 5777 2379 2291 0 4670 5640 5471 0 11111																			

[#] Sex "others" includes transgender/ambiguous/ not stated.

							TABLE	: B-4							
				LI	VE BIRTHS	BY SEX A	ND MON	TH OF OC	CURRENC	E (URBAN)					
SI.	DISTRICT	SEX						M	HTMC						ALL
No.	DISTRICT	JLA	JAN												ALL
		MALE 11786 9641 10034 8239 8636 8496 10584 12043 11487 11304 10553 10441 1											123244		
1 MCD FEMALE 11046 9087 9139 7710 8052 7781 9637 10914 10780 10459 9862 9719 1												114186			
OTHERS 4 1 1 5 2 4 4 6 6 9 4 5												51			
		MALE	1952	1536	1461	993	821	636	880	919	1154	2018	1958	1788	16116
2	NDMC	FEMALE	1743	1417	1315	885	746	612	746	872	1108	1877	1796	1615	14732
		OTHERS	1	1	0	0	0	0	0	1	0	2	3	2	10
		MALE	171	122	126	120	136	146	161	183	171	176	151	89	1752
3	DELHI CANTT	FEMALE	119	129	121	116	114	134	155	163	130	147	133	88	1549
	OTHERS 0 0 0 0 0 0 0 0 0 0 0 0												0		
															271640

							TABLE	: B-4							
	1		1	L	IVE BIRTH	S BY SEX A	AND MON			E (RURAL)					
SI.	DISTRICT	SEX				1			ONTH	1			1		ALL
No.			JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEP	ОСТ	NOV	DEC	
		MALE	1352	1169	1434	1119	1188	1258	1569	1757	1840	1735	1666	1516	17603
1	MCD	FEMALE	1189	1108	1334	1001	1046	1069	1429	1678	1639	1695	1431	1442	16061
		OTHERS	0	0	4	0	0	0	1	1	1	3	2	1	13
		MALE	0	7	198	403	664	844	986	1159	823	42	0	3 512	5129
2	NDMC	FEMALE	0	6	175	348	576	732	904	1010	732	35	0	4	4522
		OTHERS	0	0	0	0	0	1	3	1	1	0	0	0	6
		MALE	6	7	4	3	6	3	4	8	6	5	2	2	56
3	DELHI CANTT	FEMALE	7	10	5	2	2	2	9	8	5	1	2	4	57
		OTHERS	0	0	0	0	0	0	0	0	0	0	0	0	0
		TOTAL	2554	2307	3154	2876	3482	3909	4905	5622	5047	3516	3103	2972	43447

TABLE: B-5														
	LIVE BIRTHS BY TYPE OF ATTENTION AT DELIVERY (URBAN)													
	LIVE BIRTHS AT PREGNANCY													
		INSTITU	TIONAL		NON-INSTITUT	TIONAL								
SL. NO.	DISTRICT	GOVT.	PVT.	DOCTOR, NURSE AND TRAINED MID-WIFE	UNTRAINED MID- WIFE	RELATIVES	NOT STATED	TOTAL						
1	MCD	128756	97402	11286	37	0	0	237481						
2	NDMC	30842	15	0	0	1	0	30858						
3	DELHI CANTT	3300	0	1	0	0	0	3301						
	TOTAL	162898	97417	11287	37	1	0	271640						

				TABLE: B-5										
		ı	IVE BIRTHS BY	TYPE OF ATTENTION	AT DELIVERY (RU	JRAL)								
	LIVE BIRTHS AT PREGNANCY													
INSTITUTIONAL NON-INSTITUTIONAL														
SL. NO.	DISTRICT	GOVT.	PVT.	DOCTOR, NURSE AND TRAINED MID-WIFE	UNTRAINED MID- WIFE	RELATIVES NOT STA		TOTAL						
1	MCD	21767	9316	2588	5	1	0	33677						
2	NDMC	9650	7	0	0	0	0	9657						
3 DELHI CANTT 113 0 0 0 0 0														
	TOTAL	31530	9323	2588	5	1	0	43447						

	TABLE: B-6													
	LIVE BIRTHS BY METHOD OF DELIVERY AND TYPE OF INSTITUTION FOR INSTITUTIONAL BIRTHS (URBAN)													
SL.					INSTITU	TIONAL					τO	TAL		
NO.	DELIVERY TYPE		GOVER	NMENT			PRI	/ATE			10	IAL		
140.		MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL	
1	NORMAL	61587	57346	46	118979	19014	17644	0	36658	80601	74990	46	155637	
2	CAESAREAN	22530	20353	11	42894	31379	28229	3	59611	53909	48582	14	102505	
3	FORCEPS	589	436	0	1025	607	541	0	1148	1196	977	0	2173	
4	4 NOT STATED 0 0 0 0 0 0 0 0									0	0	0	0	
	TOTAL 84706 78135 57 162898 51000 46414 3 97417 135706 124549 60 260315													

	TABLE: B-6													
	LIVE BIRTHS BY METHOD OF DELIVERY AND TYPE OF INSTITUTION FOR INSTITUTIONAL BIRTHS (RURAL)													
SL.					INSTITU	TIONAL					TO	TAL		
NO.	DELIVERY TYPE		GOVER	NMENT			PRIN	/ATE			10	IAL		
110.		MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL	
1	NORMAL	13058	12083	14	25155	2014	1772	0	3786	15072	13855	14	28941	
2	CAESAREAN	3305	2888	5	6198	2947	2455	0	5402	6252	11600			
3	FORCEPS	95	82	0	177	73	62	0	135	168	312			
4	4 NOT STATED 0 0 0 0 0 0 0 0 0 0 0 0										0			
	TOTAL	TOTAL 16458 15053 19 31530 5034 4289 0 9323 21492 19342 19 40853												

[#] Sex "others" includes transgender/ambiguous/ not stated.

TABLE: B-7															
	LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER (URBAN)														
SL. BIRTH ORDER															
NO.	NO. MOTHER AGE 1 2 3 4 5 6 7 8 >8 NOT ALL STATED														
1	< 15	< 15 0 0 0 0 0 0 0 0 0 0													
2	15 - 19	2057													
3	20 - 24	48105	10555	1559	91	4	0	0	0	0	0	60314			
4	25 - 29	71434	34639	8953	976	116	12	0	0	0	0	116130			
5	30 - 34	28603	29019	9528	1610	312	42	3	0	0	0	69117			
6	35 - 39	5542	10789	3581	768	179	63	11	0	0	0	20933			
7	40 - 44	798	1019	504	143	35	19	5	0	0	0	2523			
8 45 AND ABOVE 150 134 184 22 10 3 0 0 0 0															
9 NOT STATED 0 0 0 0 0 0 0 0 0 0												0			
	TOTAL	156689	86216	24311	3610	656	139	19	0	0	0	271640			

						ΓABLE: B-7									
			LIV	/E BIRTHS B	Y AGE OF M	OTHER AND	BIRTH ORD	PER (RURAL)							
SL.						BIRTH	ORDER								
NO.	MOTHER AGE	1	2	3	4	5	6	7	8	>8	NOT STATED	ALL			
1	< 15	0	0	0	0	0	0	0	0	0	0	0			
2	15 - 19	607 30 2 0 0 0 0 0 0													
3	20 - 24	9364													
4	25 - 29	10319	6877	1743	227	19	4	0	0	0	0	19189			
5	30 - 34	2813	4168	1402	290	50	12	0	0	0	0	8735			
6	35 - 39	462	1045	458	121	37	11	3	0	0	0	2137			
7	40 - 44	77	111	58	14	10	1	2	0	0	0	273			
8	45 AND ABOVE	15	30	19	4	3	0	0	0	0	0	71			
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0			
	TOTAL	23657	14933	4023	681	120	28	5	0	0	0	43447			

				TABLE: B-9				
		LIVE BI	RTHS BY AGE AN	ID LEVEL OF EDUCA	ATION OF MOTH	ER (URBAN)		
SL. NO.	MOTHER AGE	ILLITERATE	BELOW PRIMARY	BELOW MATRIC	BELOW GRADUATE	GRADUATE AND ABOVE	NOT STATED	ALL
1	< 15	0	0	0	0	0	0	0
2	15 - 19	137	48	323	1419	0	193	2120
3	20 - 24	5071	1854	9795	34327	8029	1238	60314
4	25 - 29	8405	1754	15414	52535	35634	2388	116130
5	30 - 34	3984	1428	7354	22622	32556	1173	69117
6	35 - 39	1130	450	2088	5825	11044	396	20933
7	40 - 44	212	49	235	672	1307	48	2523
8	45 AND ABOVE	34	6	43	152	259	9	503
9	NOT STATED	0	0	0	0	0	0	0
	TOTAL	18973	5589	35252	117552	88829	5445	271640

				TABLE: B-9										
	LIVE BIRTHS BY AGE AND LEVEL OF EDUCATION OF MOTHER (RURAL)													
SL. NO.	MOTHER AGE	ILLITERATE	BELOW PRIMARY	BELOW MATRIC	BELOW GRADUATE	GRADUATE AND ABOVE	NOT STATED	ALL						
1	< 15	0	0	0	0	0	0	0						
2														
3	3 20 - 24 717 672 4109 5542 894 469 12403													
4	25 - 29	1110	618	6278	7211	3124	848	19189						
5	30 - 34	492	426	2797	2792	1893	335	8735						
6	35 - 39	135	114	715	671	396	106	2137						
7	40 - 44	28	15	79	88	45	18	273						
8	45 AND ABOVE	9	1	14	31	14	2	71						
9	NOT STATED	0	0	0	0	0	0	0						
	TOTAL	2520	1866	14137	16716	6366	1842	43447						

	TABLE: B-10												
	LIVE BIRTHS BY LEVEL OF EDUCATION OF FATHER AND BIRTH ORDER (URBAN)												
SL.						BIRTH	ORDER						
NO.	NO. EDUCATION OF FATHER 1 2 3 4 5 6 7 8 >8 NOT STATED											ALL	
1	ILLITERATE	8733	4648	2356	499	112	27	4	0	0	0	16379	
2	BELOW PRIMARY	5570	4048	1210	150	0	0	0	0	0	0	10978	
3	PRIMARY & BELOW MATRIC	18405	9221	4316	805	167	39	5	0	0	0	32958	
4	MATRIC & BELOW GRADUATE	66320	37408	11988	1715	294	56	9	0	0	0	117790	
5	GRADUATE & ABOVE	57661	30891	4441	441	58	12	1	0	0	0	93505	
6 NOT STATED 0 0 0 0 25 5 0 0 0 0												30	
	TOTAL	156689	86216	24311	3610	656	139	19	0	0	0	271640	

TABLE: B-10												
		LIVE BIRT	THS BY LEVI	EL OF EDUC	CATION OF	FATHER AN	ND BIRTH O	RDER (RUF	AL)			
SL. BIRTH ORDER												
NO.	EDUCATION OF FATHER	1	2	3	4	5	6	7	8	>8	NOT STATED	ALL
1	ILLITERATE	900	568	308	104	20	4	2	0	0	0	1906
2	BELOW PRIMARY	1832	319	435	50	0	0	0	0	0	0	2636
3	PRIMARY & BELOW MATRIC	7785	5439	1034	195	25	7	1	0	0	0	14486
4	MATRIC & BELOW GRADUATE	9115	5451	1850	283	54	12	1	0	0	0	16766
5	GRADUATE & ABOVE	4025	2105	396	49	9	1	1	0	0	0	6586
6 NOT STATED 0 1051 0 0 12 4 0 0 0 0												1067
TOTAL 23657 14933 4023 681 120 28 5 0 0 0 0												43447

					TABLE: B	-11								
	LIVE BIRTH BY LEVEL OF EDUCATION OF MOTHER AND BIRTH ORDER (URBAN)													
SL.	SI. BIRTH ORDER													
NO. EDUCATION OF MOTHER 1 2 3 4 5 6 7									8	>8	NOT STATED	ALL		
1	ILLITERATE	9826	5364	2971	635	146	26	5	0	0	0	18973		
2	BELOW PRIMARY	2861	2030	611	73	14	0	0	0	0	0	5589		
3	PRIMARY & BELOW MATRIC	19710	9827	4654	847	165	43	6	0	0	0	35252		
4	MATRIC & BELOW GRADUATE	67220	36917	11426	1645	284	53	7	0	0	0	117552		
5	GRADUATE & ABOVE	54364	30044	4040	332	36	12	1	0	0	0	88829		
6 NOT STATED 2708 2034 609 78 11 5 0 0 0 0												5445		
	TOTAL	156689	86216	24311	3610	656	139	19	0	0	0	271640		

					TABLE: B	-11						
		LIVE BIRT	H BY LEVEL	OF EDUCA	TION OF N	OTHER AN	ID BIRTH O	RDER (RUF	RAL)			
SL.						BIRTH	ORDER					
NO.	EDUCATION OF MOTHER	1	2	3	4	5	6	7	8	>8	NOT STATED	ALL
1	ILLITERATE	1201	718	423	147	22	7	2	0	0	0	2520
2	BELOW PRIMARY	920	707	211	20	6	2	0	0	0	0	1866
3	PRIMARY & BELOW MATRIC	7540	5278	1082	197	31	8	1	0	0	0	14137
4	MATRIC & BELOW GRADUATE	9217	5433	1750	256	50	8	2	0	0	0	16716
5	GRADUATE & ABOVE	3866	2133	330	31	5	1	0	0	0	0	6366
6	NOT STATED	913	664	227	30	6	2	0	0	0	0	1842
	TOTAL	23657	14933	4023	681	120	28	5	0	0	0	43447

						TABLE: B-12	2							
	LIV	'E BIRTHS B'	Y AGE OF M	OTHER AND	BIRTH ORD	ER FOR EAC	H LEVEL OF I	EDUCATION	OF THE MO	THER (URBA	AN)			
				MOTH	IER EDUCAT	ION (GRADI	JATE AND A	BOVE)						
SL. NO. AGE OF MOTHER BIRTH ORDER														
SL. NO.	AGE OF MOTHER	1 2 3 4 5 6 7 8 >8 CTATED												
1	< 15	0	0	0	0	0	0	0	0	0	0	0		
2	15 - 19	0	0	0	0	0	0	0	0	0	0	0		
3	20 - 24	7153	816	59	1	0	0	0	0	0	0	8029		
4	25 - 29	26466	8252	873	41	2	0	0	0	0	0	35634		
5	30 - 34	16734	13810	1834	160	15	3	0	0	0	0	32556		
6	35 - 39	3421	6495	1001	103	17	6	1	0	0	0	11044		
7	40 - 44	495	601	181	25	2	3	0	0	0	0	1307		
8	45 AND ABOVE	95	70	92	2	0	0	0	0	0	0	259		
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0		
	TOTAL	54364	30044	4040	332	36	12	1	0	0	0	88829		

						TABLE: B-12									
	LIV	/E BIRTHS B	Y AGE OF M	OTHER AND	BIRTH ORD	ER FOR EAC	H LEVEL OF	EDUCATION	OF THE MO	THER (RUR	AL)				
				MOTH	IER EDUCAT	ION (GRADI	JATE AND A	BOVE)							
SL. NO. AGE OF MOTHER BIRTH ORDER															
SL. NO.	AGE OF WIOTHER	1	. 2 3 4 5 6 7 8 >8 NOT STATE												
1	< 15	0	0 0 0 0 0 0 0 0												
2	15 - 19	0	0 0 0 0 0 0 0 0												
3	20 - 24	787	102 5 0 0 0 0 0 0												
4	25 - 29	2131	895	90	7	1	0	0	0	0	0	3124			
5	30 - 34	810	895	167	19	1	1	0	0	0	0	1893			
6	35 - 39	114	219	56	5	2	0	0	0	0	0	396			
7	40 - 44	20	16	8	0	1	0	0	0	0	0	45			
8	45 AND ABOVE	4	4 6 4 0 0 0 0 0 0 0												
9	NOT STATED	0	0 0 0 0 0 0 0 0 0												
	TOTAL	3866	2133	330	31	5	1	0	0	0	0	6366			

						TABLE: B-12								
	L	IVE BIRTHS	BY AGE OF N	OTHER AND	BIRTH ORDI	ER FOR EACH	LEVEL OF ED	DUCATION O	F THE MOTH	ER (URBAN)			
				MOTHER E	DUCATION	(MATRIC BU	T BELOW GR	ADUATE)						
CI NO	ACE OF MOTUED					BIRTH	ORDER					ALL		
SL. NO.	AGE OF MOTHER	1	L 2 3 4 5 6 7 8 >8 NOT STATED											
1	< 15	0	0	0	0	0	0	0	0	0	0	0		
2	15 - 19	1382	35	2	0	0	0	0	0	0	0	1419		
3	20 - 24	27210	6198	871	46	2	0	0	0	0	0	34327		
4	25 - 29	29903	17506	4571	492	57	6	0	0	0	0	52535		
5	30 - 34	7279	10159	4331	704	134	13	2	0	0	0	22622		
6	35 - 39	1258	2730	1413	323	71	27	3	0	0	0	5825		
7	40 - 44	162	245	169	69	19	6	2	0	0	0	672		
8	45 AND ABOVE	26	26 44 69 11 1 1 0 0 0											
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0		
	TOTAL	67220	36917	11426	1645	284	53	7	0	0	0	117552		

						TABLE: B-12								
	L	IVE BIRTHS	BY AGE OF N	10THER AND	BIRTH ORD	ER FOR EACH	LEVEL OF E	DUCATION O	F THE MOTH	ER (RURAL))			
				MOTHER E	DUCATION	(MATRIC BU	T BELOW GR	ADUATE)						
							BIRTH ORDE	R						
SL. NO.	AGE OF MOTHER	1	2 3 4 5 6 7 8 >8 NOT STATED ALL											
1	< 15	0	0	0	0	0	0	0	0	0	0	0		
2	15 - 19	356	24	1	0	0	0	0	0	0	0	381		
3	20 - 24	4148	1213	169	12	0	0	0	0	0	0	5542		
4	25 - 29	3706	2626	768	97	12	2	0	0	0	0	7211		
5	30 - 34	850	1241	580	96	20	5	0	0	0	0	2792		
6	35 - 39	129	286	201	40	13	1	1	0	0	0	671		
7	40 - 44	20	33	22	8	4	0	1	0	0	0	88		
8	45 AND ABOVE	8	10	9	3	1	0	0	0	0	0	31		
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0		
	TOTAL	9217	5433	1750	256	50	8	2	0	0	0	16716		

						TABLE: B-12	<u></u>								
	LIV	'E BIRTHS B'	Y AGE OF M	OTHER AND	BIRTH ORD	ER FOR EAC	H LEVEL OF I	EDUCATION	OF THE MO	THER (URB	AN)				
	MOTHER EDUCATION (PRIMARY BUT BELOW MATRIC)														
SL. NO. AGE OF MOTHER BIRTH ORDER															
SL. NO.	AGE OF MOTHER	1	1 2 3 4 5 6 7 8 >8 NOT STATED												
1	< 15	0	0	0	0	0	0	0	0	0	0	0			
2	15 - 19	319	4	0	0	0	0	0	0	0	0	323			
3	20 - 24	7792	1651	325	27	0	0	0	0	0	0	9795			
4	25 - 29	8655	4673	1827	230	27	2	0	0	0	0	15414			
5	30 - 34	2445	2601	1825	377	91	14	1	0	0	0	7354			
6	35 - 39	422	814	603	189	37	19	4	0	0	0	2088			
7	40 - 44	63	75	66	20	4	6	1	0	0	0	235			
8	45 AND ABOVE	14	14 9 8 4 6 2 0 0 0 0												
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0			
	TOTAL	19710	9827	4654	847	165	43	6	0	0	0	35252			

						TABLE: B-12	2								
	LIV	E BIRTHS B	Y AGE OF M	OTHER AND	BIRTH ORD	ER FOR EAC	H LEVEL OF	EDUCATION	OF THE MO	THER (RUR	AL)				
				MOTHER	EDUCATION	I (PRIMARY	BUT BELOW	/ MATRIC)							
CL NO	ACE OF MOTUED					BIRTH	ORDER					ALL			
SL. NO.	AGE OF MOTHER	1	1 2 3 4 5 6 7 8 >8 NOT STATED												
1	< 15	0	0 0 0 0 0 0 0 0												
2	15 - 19	141													
3	20 - 24	3170													
4	25 - 29	3295	2424	490	64	5	0	0	0	0	0	6278			
5	30 - 34	774	1546	378	84	12	3	0	0	0	0	2797			
6	35 - 39	135	414	107	43	12	4	0	0	0	0	715			
7	40 - 44	23	40	11	2	1	1	1	0	0	0	79			
8	45 AND ABOVE	2	9	3	0	0	0	0	0	0	0	14			
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0			
	TOTAL	7540	5278	1082	197	31	8	1	0	0	0	14137			

						TABLE: B-12	2								
	l	LIVE BIRTHS	BY AGE OF I	MOTHER ANI	D BIRTH ORD	DER FOR EAC	H LEVEL OF I	EDUCATION	OF THE MOT	HER (URBA	N)				
	MOTHER EDUCATION (BELOW PRIMARY)														
SL. NO. AGE OF MOTHER BIRTH ORDER															
JL. 140.	AGE OF WIGHTER	1	1 2 3 4 5 6 7 8 >8 NOT STATED												
1	< 15	0	0 0 0 0 0 0 0 0 0												
2	15 - 19	44	4	0	0	0	0	0	0	0	0	48			
3	20 - 24	1260	522	67	4	1	0	0	0	0	0	1854			
4	25 - 29	898	640	196	17	3	0	0	0	0	0	1754			
5	30 - 34	533	633	228	28	6	0	0	0	0	0	1428			
6	35 - 39	114	207	105	20	4	0	0	0	0	0	450			
7	40 - 44	10	23	12	4	0	0	0	0	0	0	49			
8	45 AND ABOVE	2	2 1 3 0 0 0 0 0 0 0												
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0			
	TOTAL	2861	2030	611	73	14	0	0	0	0	0	5589			

						TABLE: B-12	2								
		LIVE BIRTHS	BY AGE OF I	MOTHER AN	D BIRTH ORD	DER FOR EAC	H LEVEL OF	EDUCATION	OF THE MO	THER (RURA	L)				
				N	OTHER EDU	CATION (BEI	LOW PRIMA	RY)							
SI NO	SL. NO. AGE OF MOTHER BIRTH ORDER														
SL. NO.	AGE OF MOTHER	1	1 2 3 4 5 6 7 8 >8 NOT STATED												
1	< 15	0	0	0	0	0	0	0	0	0	0	0			
2	15 - 19	20													
3	20 - 24	451													
4	25 - 29	278													
5	30 - 34	133	198	81	11	2	1	0	0	0	0	426			
6	35 - 39	33	52	24	3	2	0	0	0	0	0	114			
7	40 - 44	5	5	5	0	0	0	0	0	0	0	15			
8	45 AND ABOVE	0	0 0 0 1 0 0 0 0												
9	NOT STATED	0	0 0 0 0 0 0 0 0 0 0												
	TOTAL	920	707	211	20	6	2	0	0	0	0	1866			

						TABLE: B-12	2								
	LI	VE BIRTHS I	BY AGE OF N	OTHER AND	BIRTH ORD	ER FOR EAC	H LEVEL OF I	EDUCATION	OF THE MOT	THER (URBA	N)				
					MOTHER E	DUCATION (ILLITERATE)								
SL. NO. AGE OF MOTHER BIRTH ORDER															
JL. NO.	AGE OF WIOTHER	1	1 2 3 4 5 6 7 8 >8 NOT STATED												
1	< 15	0													
2	15 - 19	137													
3	20 - 24	3862													
4	25 - 29	4377	2625	1211	168	23	1	0	0	0	0	8405			
5	30 - 34	1168	1317	1117	310	61	11	0	0	0	0	3984			
6	35 - 39	217	352	376	122	49	11	3	0	0	0	1130			
7	40 - 44	58	57	63	20	9	3	2	0	0	0	212			
8	45 AND ABOVE	7													
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0			
	TOTAL	9826	5364	2971	635	146	26	5	0	0	0	18973			

						TABLE: B-12	<u>)</u>								
	L	IVE BIRTHS	BY AGE OF N	OTHER AND	BIRTH ORD	ER FOR EAC	H LEVEL OF	EDUCATION	OF THE MO	THER (RURA	AL)				
					MOTHER E	DUCATION (ILLITERATE)								
SL. NO. AGE OF MOTHER BIRTH ORDER															
SL. NO.	AGE OF MOTHER	1	1 2 3 4 5 6 7 8 >8 NOT STATED												
1	< 15	0	0	0	0	0	0	0	0	0	0	0			
2	15 - 19	28													
3	20 - 24	512													
4	25 - 29	517	350	200	42	0	1	0	0	0	0	1110			
5	30 - 34	118	157	135	70	11	1	0	0	0	0	492			
6	35 - 39	21	29	45	26	7	5	2	0	0	0	135			
7	40 - 44	4	8	9	4	3	0	0	0	0	0	28			
8	45 AND ABOVE	1													
9	NOT STATED	0	0 0 0 0 0 0 0 0 0												
	TOTAL	1201	718	423	147	22	7	2	0	0	0	2520			

						TABLE: B-12									
	LIVE	BIRTHS BY	AGE OF MO	THER AND I	BIRTH ORDE	R FOR EACH	H LEVEL OF	EDUCATION	OF THE MO	THER (UR	BAN)				
	MOTHER EDUCATION (NOT STATED)														
SL. NO. AGE OF MOTHER BIRTH ORDER															
3L. 140.	AGE OF WOTTER	1	1 2 3 4 5 6 7 8 >8 NOT STATED												
1	< 15	0	0	0	0	0	0	0	0	0	0	0			
2	15 - 19	175	18	0	0	0	0	0	0	0	0	193			
3	20 - 24	828	362	45	3	0	0	0	0	0	0	1238			
4	25 - 29	1135	943	275	28	4	3	0	0	0	0	2388			
5	30 - 34	444	499	193	31	5	1	0	0	0	0	1173			
6	35 - 39	110	191	83	11	1	0	0	0	0	0	396			
7	40 - 44	10	18	13	5	1	1	0	0	0	0	48			
8	45 AND ABOVE	6	6 3 0 0 0 0 0 0 0												
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0			
	TOTAL	2708	2034	609	78	11	5	0	0	0	0	5445			

	TABLE: B-12													
	LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER FOR EACH LEVEL OF EDUCATION OF THE MOTHER (RURAL)													
	MOTHER EDUCATION (NOT STATED)													
SL. NO.	AGE OF MOTHER		BIRTH ORDER											
SL. NO.	AGE OF WIGHER	1	2	3	4	5	6	7	8	>8	NOT STATED	ALL		
1	< 15	0	0	0	0	0	0	0	0	0	0	0		
2	15 - 19	62	2	0	0	0	0	0	0	0	0	64		
3	20 - 24	296	157	15	1	0	0	0	0	0	0	469		
4	25 - 29	392	319	122	15	0	0	0	0	0	0	848		
5	30 - 34	128	131	61	10	4	1	0	0	0	0	335		
6	35 - 39	30	45	25	4	1	1	0	0	0	0	106		
7	40 - 44	5	9	3	0	1	0	0	0	0	0	18		
8	45 AND ABOVE	0	1	1	0	0	0	0	0	0	0	2		
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0		
	TOTAL	913	664	227	30	6	2	0	0	0	0	1842		

						TABLE: B-13	}						
		LIV	E BIRTHS BY	AGE OF THE	MOTHER, B	IRTH ORDER	AND RELIGI	ON OF THE F	AMILY (URB	AN)			
	RELIGION- HINDU												
			T	T		BIRTI	ORDER						
SL. NO.	AGE OF MOTHER	1	2	3	4	5	6	7	8	>8	NOT STATED	ALL	
1	< 15	0	0	0	0	0	0	0	0	0	0	0	
2	15 - 19	1645	51	2	0	0	0	0	0	0	0	1698	
3	20 - 24	36899	8022	1189	62	3	0	0	0	0	0	46175	
4	25 - 29	55917	26477	6266	634	70	8	0	0	0	0	89372	
5	30 - 34	23126	23319	6586	950	165	22	2	0	0	0	54170	
6	35 - 39	4507	9106	2448	432	91	20	3	0	0	0	16607	
7	40 - 44	633	832	339	88	14	5	1	0	0	0	1912	
8	45 AND ABOVE	119	113	172	14	5	2	0	0	0	0	425	
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	
	TOTAL	122846	67920	17002	2180	348	57	6	0	0	0	210359	

	TABLE: B-13												
	LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (URBAN)												
RELIGION - MUSLIM													
SL. NO.	AGE OF MOTHER	BIRTH ORDER											
JL. 140.	AGE OF WIGHTER	1	2	3	4	5	6	7	8	>8	NOT STATED	ALL	
1	< 15	0	0	0	0	0	0	0	0	0	0	0	
2	15 - 19	396	10	0	0	0	0	0	0	0	0	406	
3	20 - 24	10738	2438	364	29	1	0	0	0	0	0	13570	
4	25 - 29	13915	7526	2598	335	46	4	0	0	0	0	24424	
5	30 - 34	4233	4571	2758	644	145	20	1	0	0	0	12372	
6	35 - 39	710	1157	1004	322	80	42	8	0	0	0	3323	
7	40 - 44	99	118	146	54	21	14	4	0	0	0	456	
8	45 AND ABOVE	20	8	10	8	4	1	0	0	0	0	51	
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	
	TOTAL	30111	15828	6880	1392	297	81	13	0	0	0	54602	

	TABLE: B-13													
	LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (URBAN)													
	RELIGION - CHRISTIAN													
						BIRTH	ORDER							
SL. NO.	AGE OF MOTHER	1	2	3	4	5	6	7	8	>8	NOT STATED	ALL		
1	< 15	0	0	0	0	0	0	0	0	0	0	0		
2	15 - 19	4	0	0	0	0	0	0	0	0	0	4		
3	20 - 24	57	7	2	0	0	0	0	0	0	0	66		
4	25 - 29	256	70	16	1	0	0	0	0	0	0	343		
5	30 - 34	239	171	44	5	1	0	0	0	0	0	460		
6	35 - 39	68	113	41	6	5	1	0	0	0	0	234		
7	40 - 44	18	19	6	1	0	0	0	0	0	0	44		
8	45 AND ABOVE	3	4	0	0	0	0	0	0	0	0	7		
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0		
	TOTAL	645	384	109	13	6	1	0	0	0	0	1158		

	TABLE: B-13													
	LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (URBAN)													
	RELIGION - SIKH													
			BIRTH ORDER											
SL. NO.	NO. AGE OF MOTHER	1	2	3	4	5	6	7	8	>8	NOT STATED	ALL		
1	< 15	0	0	0	0	0	0	0	0	0	0	0		
2	15 - 19	3	0	0	0	0	0	0	0	0	0	3		
3	20 - 24	278	52	2	0	0	0	0	0	0	0	332		
4	25 - 29	863	314	41	3	0	0	0	0	0	0	1221		
5	30 - 34	628	614	86	6	1	0	0	0	0	0	1335		
6	35 - 39	176	294	54	6	2	0	0	0	0	0	532		
7	40 - 44	34	34	10	0	0	0	0	0	0	0	78		
8	45 AND ABOVE	7	3	1	0	1	0	0	0	0	0	12		
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0		
	TOTAL	1989	1311	194	15	4	0	0	0	0	0	3513		

						TABLE: B-13								
		LI	IVE BIRTHS B	Y AGE OF THE	MOTHER, B	IRTH ORDER	AND RELIGIO	N OF THE FAI	VILY (URBAN)				
					REL	IGION - OTHE	RS							
						BIRTH	ORDER							
SL. NO.	AGE OF MOTHER	1	1 2 3 4 5 6 7 8 >8 NOT STATED											
1	< 15	0	0	0	0	0	0	0	0	0	0	0		
2	15 - 19	9	0	0	0	0	0	0	0	0	0	9		
3	20 - 24	133	36	2	0	0	0	0	0	0	0	171		
4	25 - 29	483	252	32	3	0	0	0	0	0	0	770		
5	30 - 34	377	344	54	5	0	0	0	0	0	0	780		
6	35 - 39	81	119	34	2	1	0	0	0	0	0	237		
7	40 - 44	14	16	3	0	0	0	0	0	0	0	33		
8	45 AND ABOVE	1	6	1	0	0	0	0	0	0	0	8		
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0		
	TOTAL	1098	773	126	10	1	0	0	0	0	0	2008		

						TABLE: B-13							
		LI	VE BIRTHS BY	AGE OF THE	MOTHER, BI	RTH ORDER A	AND RELIGIO	N OF THE FAI	/IILY (URBAN)			
					R	ELIGION - ALI	_						
BIRTH ORDER													
SL. NO.	1 2 3 4 5 6 7 8 >8 STATED												
1	< 15	0	0	0	0	0	0	0	0	0	0	0	
2 15-19 2057 61 2 0 0 0 0 0 0 0													
3	20 - 24	48105	10555	1559	91	4	0	0	0	0	0	60314	
4	25 - 29	71434	34639	8953	976	116	12	0	0	0	0	116130	
5	30 - 34	28603	29019	9528	1610	312	42	3	0	0	0	69117	
6	35 - 39	5542	10789	3581	768	179	63	11	0	0	0	20933	
7	40 - 44	798	1019	504	143	35	19	5	0	0	0	2523	
8	45 AND ABOVE	150	134	184	22	10	3	0	0	0	0	503	
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	
	TOTAL	156689	86216	24311	3610	656	139	19	0	0	0	271640	

						TABLE : B-14	4								
		LIVE	E BIRTHS BY 1	THE AGE OF 1	HE MOTHER	, BIRTH ORD	ER AND RELI	GION OF THE	FAMILY (RU	RAL)					
	RELIGION - HINDU														
SL. NO. AGE OF MOTHER BIRTH ORDER															
3L. 14O.	1 2 3 4 5 6 7 8 >8 NOT STATED														
1	< 15	0 0 0 0 0 0 0 0 0													
2	2 15-19 500 27 2 0 0 0 0 0 0 0														
3	20 - 24														
4	25 - 29	8801	5733	1337	164	15	2	0	0	0	0	16052			
5	30 - 34	2422	3557	1079	194	34	5	0	0	0	0	7291			
6	35 - 39	398	872	338	78	26	6	1	0	0	0	1719			
7	40 - 44	62	92	44	13	8	0	2	0	0	0	221			
8	45 AND ABOVE	14	25	11	2	1	0	0	0	0	0	53			
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0			
	TOTAL	20128	12526	3094	467	84	13	3	0	0	0	36315			

						TABLE: B-14	ļ								
		LIVE	BIRTHS BY	THE AGE OF 1	THE MOTHER	, BIRTH ORD	ER AND RELI	GION OF THE	FAMILY (RU	RAL)					
	RELIGION - MUSLIM														
SI NO	SL. NO. AGE OF MOTHER BIRTH ORDER														
JL. NO.	AGE OF WOTTER	1 2 3 4 5 6 7 8 >8 NOT STATED													
1	<15 0 0 0 0 0 0 0 0 0 0														
2 15-19 106 3 0 0 0 0 0 0 0															
3															
4	25 - 29	1470	1125	403	60	4	2	0	0	0	0	3064			
5	30 - 34	366	596	311	93	15	7	0	0	0	0	1388			
6	35 - 39	59	165	116	42	10	5	2	0	0	0	399			
7	40 - 44	13	19	14	1	2	1	0	0	0	0	50			
8	45 AND ABOVE	1	4	8	2	2	0	0	0	0	0	17			
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0			
	TOTAL	3422	2361	910	207	34	15	2	0	0	0	6951			

						TABLE : B-1	4								
		LI	VE BIRTHS BY	THE AGE OF	THE MOTHE	R, BIRTH ORD	DER AND RELI	IGION OF THE	FAMILY (RU	RAL)					
					REL	IGION - CHRI	STIAN								
	BIRTH ORDER														
SL. NO.	1 2 3 4 5 6 7 8 >8 NOT STATED														
1	< 15	0	0	0	0	0	0	0	0	0	0	0			
2	15 - 19	0	0	0	0	0	0	0	0	0	0	0			
3	20 - 24	5	1	0	0	0	0	0	0	0	0	6			
4	25 - 29	20	6	2	2	0	0	0	0	0	0	30			
5	30 - 34	11	4	7	2	1	0	0	0	0	0	25			
6	35 - 39	2	3	3	1	1	0	0	0	0	0	10			
7	40 - 44	2	0	0	0	0	0	0	0	0	0	2			
8	45 AND ABOVE	0	1	0	0	0	0	0	0	0	0	1			
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0			
	TOTAL	40	15	12	5	2	0	0	0	0	0	74			

						TABLE : B-1	4								
		LI	VE BIRTHS BY	THE AGE OF	THE MOTHE	R, BIRTH ORD	ER AND RELI	GION OF THE	FAMILY (RU	RAL)					
	RELIGION - SIKH														
BIRTH ORDER															
SL. NO.	AGE OF MOTHER	1 2 3 4 5 6 7 8 >8 NOT STATED													
1	1 <15 0 0 0 0 0 0 0 0 0														
2															
3	20 - 24	13	2	0	0	0	0	0	0	0	0	15			
4	25 - 29	19	10	0	0	0	0	0	0	0	0	29			
5	30 - 34	9	5	5	1	0	0	0	0	0	0	20			
6	35 - 39	1	2	0	0	0	0	0	0	0	0	3			
7	40 - 44	0	0	0	0	0	0	0	0	0	0	0			
8	45 AND ABOVE	0	0	0	0	0	0	0	0	0	0	0			
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0			
	TOTAL	42	19	5	1	0	0	0	0	0	0	67			

						TABLE : B-1	4						
		LI	VE BIRTHS BY	THE AGE OF	THE MOTHER	R, BIRTH ORD	ER AND RELI	GION OF THE	FAMILY (RUI	RAL)			
					RE	LIGION - OTI	HERS						
SL. NO. AGE OF MOTHER 1 2 3 4 5 6 7 8 >8 NOT STATED													
1 2 3 4 5 6 7										>8	NOT STATED	ALL	
1	< 15	0	0	0	0	0	0	0	0	0	0	0	
2	15 - 19	1	0	0	0	0	0	0	0	0	0	1	
3	20 - 24	8	0	0	0	0	0	0	0	0	0	8	
4	25 - 29	9	3	1	1	0	0	0	0	0	0	14	
5	30 - 34	5	6	0	0	0	0	0	0	0	0	11	
6	35 - 39	2	3	1	0	0	0	0	0	0	0	6	
7	40 - 44	0	0	0	0	0	0	0	0	0	0	0	
8	45 AND ABOVE	0	0	0	0	0	0	0	0	0	0	0	
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	
	TOTAL	25	12	2	1	0	0	0	0	0	0	40	

						TABLE : B-1	4								
		Ll'	VE BIRTHS BY	THE AGE OF	THE MOTHER	R, BIRTH ORD	ER AND RELI	GION OF THE	FAMILY (RUI	RAL)					
	RELIGION - ALL														
SL. NO. AGE OF MOTHER BIRTH ORDER															
1 2 3 4 5 6 7 8 >8 NOT STATED															
1 <15 0 0 0 0 0 0 0 0 0															
2 15-19 607 30 2 0 0 0 0 0 0															
3	20 - 24	9364	2672	341	25	1	0	0	0	0	0	12403			
4	25 - 29	10319	6877	1743	227	19	4	0	0	0	0	19189			
5	30 - 34	2813	4168	1402	290	50	12	0	0	0	0	8735			
6	35 - 39	462	1045	458	121	37	11	3	0	0	0	2137			
7	40 - 44	77	111	58	14	10	1	2	0	0	0	273			
8	45 AND ABOVE	15	30	19	4	3	0	0	0	0	0	71			
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0			
	TOTAL	23657	14933	4023	681	120	28	5	0	0	0	43447			

						TABLE: B-15									
			LIVE BIRTH	S BY AGE OF T	HE MOTHER,	BIRTH ORDE	R AND RELIGI	ON OF THE F	AMILY (ALL)						
					RE	LIGION- HINI	DU								
BIRTH ORDER															
SL. NO.	AGE OF MOTHER	1	1 2 3 4 5 6 7 8 >8 NOT STATED												
1	< 15	0	0	0	0	0	0	0	0	0	0	0			
2	15 - 19	2145	78	4	0	0	0	0	0	0	0	2227			
3	20 - 24	44830	10242	1472	78	3	0	0	0	0	0	56625			
4	25 - 29	64718	32210	7603	798	85	10	0	0	0	0	105424			
5	30 - 34	25548	26876	7665	1144	199	27	2	0	0	0	61461			
6	35 - 39	4905	9978	2786	510	117	26	4	0	0	0	18326			
7	40 - 44	695	924	383	101	22	5	3	0	0	0	2133			
8	45 AND ABOVE	133	138	183	16	6	2	0	0	0	0	478			
9	NOT STATED	0													
	TOTAL	142974	80446	20096	2647	432	70	9	0	0	0	246674			

						TABLE: B-15										
			LIVE BIRTH	S BY AGE OF 1	THE MOTHER,	BIRTH ORDE	R AND RELIGI	ON OF THE FA	AMILY (ALL)							
	RELIGION - MUSLIM															
	BIRTH ORDER															
SL. NO.	AGE OF MOTHER	1	1 2 3 4 5 6 7 8 >8 NOT STATED													
1	< 15	0														
2	15 - 19	502														
3	20 - 24	12145	2887	422	38	2	0	0	0	0	0	15494				
4	25 - 29	15385	8651	3001	395	50	6	0	0	0	0	27488				
5	30 - 34	4599	5167	3069	737	160	27	1	0	0	0	13760				
6	35 - 39	769	1322	1120	364	90	47	10	0	0	0	3722				
7	40 - 44	112	137	160	55	23	15	4	0	0	0	506				
8	45 AND ABOVE	21	12	18	10	6	1	0	0	0	0	68				
9	NOT STATED	0														
	TOTAL	33533	18189	7790	1599	331	96	15	0	0	0	61553				

						TABLE: B-1	5								
			LIVE BIRTH	S BY AGE OF	THE MOTHER	R, BIRTH ORD	ER AND RELI	GION OF THE	FAMILY (ALL)						
	RELIGION - CHRISTIAN														
SL. NO.	AGE OF MOTHER					BIRTH	ORDER					ALL			
1 2 3 4 5 6 7 8 >8 NOT STATED												ALL			
1	< 15	0													
2	15 - 19	4	0 0 0 0 0 0 0 0												
3	20 - 24	62	62 8 2 0 0 0 0 0 0												
4	25 - 29	276	76	18	3	0	0	0	0	0	0	373			
5	30 - 34	250	175	51	7	2	0	0	0	0	0	485			
6	35 - 39	70	116	44	7	6	1	0	0	0	0	244			
7	40 - 44	20	19	6	1	0	0	0	0	0	0	46			
8	45 AND ABOVE	3	5	0	0	0	0	0	0	0	0	8			
9	NOT STATED														
	TOTAL	685	399	121	18	8	1	0	0	0	0	1232			

						TABLE: B-1	5								
			LIVE BIRTH	S BY AGE OF	THE MOTHER	, BIRTH ORD	ER AND RELIG	GION OF THE	FAMILY (ALL)						
	RELIGION - SIKH														
SI NO	SL. NO. AGE OF MOTHER BIRTH ORDER														
3L. 140.	AGE OF WIGHTER	1 2 3 4 5 6 7 8 >8 NOT STATED													
1	< 15	0													
2	2 15-19 3 0 0 0 0 0 0 0 0 0														
3	20 - 24	291													
4	25 - 29	882	324	41	3	0	0	0	0	0	0	1250			
5	30 - 34	637	619	91	7	1	0	0	0	0	0	1355			
6	35 - 39	177	296	54	6	2	0	0	0	0	0	535			
7	40 - 44	34	34	10	0	0	0	0	0	0	0	78			
8	45 AND ABOVE	7	3	1	0	1	0	0	0	0	0	12			
9	NOT STATED	0													
	TOTAL	2031	1330	199	16	4	0	0	0	0	0	3580			

						TABLE: B-15									
			LIVE BIRTHS	BY AGE OF T	HE MOTHER,	BIRTH ORDE	R AND RELIG	ION OF THE	FAMILY (ALL)						
					REI	IGION - OTH	ERS								
SL. NO.	AGE OF MOTHER					BIRTH	ORDER					ALL			
JL. NO.	1 2 3 4 5 6 7 8 >8 NOT STATED														
1	1 <15 0 0 0 0 0 0 0 0 0 0														
2	2 15-19 10 0 0 0 0 0 0 0 0														
3															
4	25 - 29	492	255	33	4	0	0	0	0	0	0	784			
5	30 - 34	382	350	54	5	0	0	0	0	0	0	791			
6	35 - 39	83	122	35	2	1	0	0	0	0	0	243			
7	40 - 44	14	16	3	0	0	0	0	0	0	0	33			
8	45 AND ABOVE	1	6	1	0	0	0	0	0	0	0	8			
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0			
	TOTAL	1123	785	128	11	1	0	0	0	0	0	2048			

						TABLE: B-15										
			LIVE BIRTHS	BY AGE OF T	HE MOTHER,	BIRTH ORDE	R AND RELIG	ION OF THE I	AMILY (ALL)							
					R	RELIGION - AL	.L									
SL. NO.	AGE OF MOTHER					BIRTH	ORDER					ALL				
32.110.	AGE OF MICHTER	1	2	3	4	5	6	7	8	>8	NOT STATED	ALL				
1																
2	15 - 19															
3	20 - 24	57469 13227 1900 116 5 0 0 0 0														
4	25 - 29	81753	41516	10696	1203	135	16	0	0	0	0	135319				
5	30 - 34	31416	33187	10930	1900	362	54	3	0	0	0	77852				
6	35 - 39	6004	11834	4039	889	216	74	14	0	0	0	23070				
7	40 - 44	875	1130	562	157	45	20	7	0	0	0	2796				
8	45 AND ABOVE	165	164	203	26	13	3	0	0	0	0	574				
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0				
	TOTAL	180346	101149	28334	4291	776	167	24	0	0	0	315087				

			TA	BLE: B-16									
	LIVE BIRTH	BY FATHE	R'S OCCU	PATION A	ND BIRTH	ORDER (URBAN)						
SL.	FATHER'S OCCUPATION					BIRT	H ORDER					TOTAL	
NO.	FATHER'S OCCUPATION	1	2	3	4	5	6	7	8	>8	NOT STATED	TOTAL	
1 PROFESSIONAL / TECHNICAL RELATED WORKERS 11987 7311 1923 258 49 6 1 0 0 0 2													
2 ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKERS 2427 1649 369 67 7 2 0 0 0 0 45													
3 CLERICAL WORKERS 1 1 0 0 0 0 0 0 0 0 2													
4	SALE WORKERS	154	126	22	2	0	0	0	0	0	0	304	
5	SERVICE WORKERS	97003	52730	14922	2212	426	89	13	0	0	0	167395	
6	FARMERS, FISHERMEN, HUNTERS etc	0	0	0	0	0	0	0	0	0	0	0	
7	PRODUCTION AND OTHER RELATED WORKERS	5872	3235	977	151	17	5	0	0	0	0	10257	
8	NON WORKERS	10	3	4	1	0	0	0	0	0	0	18	
9	OTHERS/NOT STATED	39235	21161	6094	919	157	37	5	0	0	0	67608	
	ALL	156689	86216	24311	3610	656	139	19	0	0	0	271640	

			TAI	BLE: B-16									
	LIVE BIRTH	BY FATHE	R'S OCCU	PATION A	ND BIRTH	ORDER (RURAL)						
SL.	FATHER'S OCCUPATION					BIRT	H ORDER					TOTAL	
NO.	PATHER'S OCCUPATION	1	2	3	4	5	6	7	8	>8	NOT STATED	TOTAL	
1	1 PROFESSIONAL / TECHNICAL RELATED WORKERS 3277 2280 624 85 8 4 0 0 0 0 0 62 2 ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKERS 246 158 42 7 2 0 0 0 0 0 0 4												
2	0	0	455										
2 ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKERS 246 158 42 7 2 0 0 0 0 0 3 CLERICAL WORKERS 0													
4	SALE WORKERS	12	8	0	0	0	0	0	0	0	0	20	
5	SERVICE WORKERS	13613	8411	2141	380	75	18	3	0	0	0	24641	
6	FARMERS, FISHERMEN, HUNTERS etc	0	0	0	0	0	0	0	0	0	0	0	
7	PRODUCTION AND OTHER RELATED WORKERS	752	422	119	28	4	0	0	0	0	0	1325	
8	NON WORKERS	3	0	3	0	0	0	0	0	0	0	6	
9	OTHERS/NOT STATED	5754	3654	1094	181	31	6	2	0	0	0	10722	
	ALL	23657	14933	4023	681	120	28	5	0	0	0	43447	

			7	TABLE: B-1	7							
	LIVE BI	RTH BY MO	THER'S O	CUPATION	AND BIRT	H ORDER ((URBAN)					
SL.						BIRT	H ORDER					
NO.	MOTHER'S OCCUPATION	1	2	3	4	5	6	7	8	>8	NOT STATED	TOTAL
1	PROFESSIONAL / TECHNICAL RELATED WORKERS	1818	863	93	9	0	1	0	0	0	0	2784
2	ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKERS	1899	1372	124	10	0	0	0	0	0	0	3405
3	CLERICAL WORKERS	0	1	0	0	0	0	0	0	0	0	1
4	SALE WORKERS	6	4	3	0	1	0	0	0	0	0	14
5	SERVICE WORKERS	12049	4710	473	53	8	3	0	0	0	0	17296
6	FARMERS,FISHERMEN,HUNTERS etc	0	0	0	0	0	0	0	0	0	0	0
7	PRODUCTION AND OTHER RELATED WORKERS	121	23	15	6	0	0	0	0	0	0	165
8	HOUSEWIFE / NON WORKERS	118653	68551	20254	3028	546	116	18	0	0	0	211166
9	OTHERS/ NOT STATED	22143	10692	3349	504	101	19	1	0	0	0	36809
	ALL	156689	86216	24311	3610	656	139	19	0	0	0	271640

			1	ABLE: B-1	7							
	LIVE BI	RTH BY MC	THER'S O	CUPATION	AND BIRT	H ORDER ((RURAL)					
SL.						BIRT	H ORDER					
NO.	MOTHER'S OCCUPATION	1	2	3	4	5	6	7	8	>8	NOT STATED	TOTAL
1	PROFESSIONAL / TECHNICAL RELATED WORKERS	98	41	12	3	0	0	0	0	0	0	154
2	ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKERS	158	109	11	1	0	0	0	0	0	0	279
3	CLERICAL WORKERS	0	0	0	0	0	0	0	0	0	0	0
4	SALE WORKERS	0	0	0	0	0	0	0	0	0	0	0
5	SERVICE WORKERS	1137	466	108	13	4	0	1	0	0	0	1729
6	FARMERS, FISHERMEN, HUNTERS etc	0	0	0	0	0	0	0	0	0	0	0
7	PRODUCTION AND OTHER RELATED WORKERS	16	11	4	3	0	0	0	0	0	0	34
8	HOUSEWIFE / NON WORKERS	19808	12682	3344	579	100	23	4	0	0	0	36540
9	OTHERS/ NOT STATED	2440	1624	544	82	16	5	0	0	0	0	4711
	ALL	23657	14933	4023	681	120	28	5	0	0	0	43447

					TABLI	E: B-18									
		LIVE BIRT	HS BY DUR	ATION OF M	IARRIAGE C	F THE MOT	THER AND B	IRTH ORDE	R (URBAN)						
SL.	DURATION OF MARRIAGE OF					BIRTI	H ORDER				_				
NO.	NO. MOTHER AND BIRTH OF CHILD 1 2 3 4 5 6 7 8 >8 NOT STATED														
1 0-4 94043 28815 5343 422 38 0 0 0 0 0															
1 0-4 94043 28815 5343 422 38 0 0 0 0 0 2 5-9 43324 33622 10609 1480 231 25 1 0 0 0															
3	10 - 14	15452	17629	6073	1158	254	51	5	0	0	0	40622			
4	15 - 19	3306	5406	1951	457	104	45	10	0	0	0	11279			
5	20 - 24	468	665	297	85	22	14	3	0	0	0	1554			
6	25 - 29	78	67	34	6	6	4	0	0	0	0	195			
7	30 AND ABOVE	18	12	4	2	1	0	0	0	0	0	37			
	ALL	156689	86216	24311	3610	656	139	19	0	0	0	271640			

					TABL	E: B-18									
		LIVE BIRT	HS BY DUR	ATION OF N	/IARRIAGE (OF THE MO	THER AND B	BIRTH ORDE	R (RURAL)						
SL.	DURATION OF MARRIAGE OF					BIRTI	H ORDER								
NO.	MOTHER AND BIRTH OF CHILD	1	2	3	4	5	6	7	8	>8	NOT STATED	ALL			
1 0-4 16470 6205 987 95 9 0 0 0 0 0 0															
2															
3	10 - 14	1389	2212	833	214	47	9	1	0	0	0	4705			
4	15 - 19	223	541	216	67	22	6	3	0	0	0	1078			
5	20 - 24	40	58	33	9	7	2	1	0	0	0	150			
6	25 - 29	9	13	2	1	0	0	0	0	0	0	25			
7	30 AND ABOVE	3	6	2	0	0	0	0	0	0	0	11			
	ALL	23657	14933	4023	681	120	28	5	0	0	0	43447			

					TABLE: B-19	9									
		LIVE	BIRTHS BY I	DURATION O	F MARRIAGE	AND AGE OF	MOTHER (U	RBAN)							
SL.	DURATION OF MARRIAGE OF				A	GE OF MOTH	IER				ALL				
NO.	13 13-15 20-24 23-25 30-34 33-35 40-44 744 CTATED														
1	1 0 - 4 0 2118 53952 58280 11878 2153 151 129 0														
2															
3	10 - 14	0	0	0	5624	27149	7470	366	13	0	40622				
4	15 - 19	0	0	0	1	2688	7587	970	33	0	11279				
5	20 - 24	0	0	0	0	0	553	870	131	0	1554				
6	25 - 29	0	0	0	0	0	0	54	141	0	195				
7	30 AND ABOVE	0	0	0	0	0	0	0	37	0	37				
	ALL	0	2120	60314	116130	69117	20933	2523	503	0	271640				

					TABLE: B-1	9									
		LIV	E BIRTHS BY	DURATION O	F MARRIAGE	AND AGE O	F MOTHER (R	URAL)							
SL.	DURATION OF MARRIAGE OF				A	GE OF MOTH	IER				ALL				
NO.	13 13-13 20-24 23-25 30-34 33-35 40-44 744 CTATED														
1 0 - 4 0 639 11198 9851 1820 220 28 10 0															
2 5-9 0 0 1205 8500 3576 411 19 1 0															
3	10 - 14	0	0	0	838	3057	772	35	3	0	4705				
4	15 - 19	0	0	0	0	282	688	101	7	0	1078				
5	20 - 24	0	0	0	0	0	46	87	17	0	150				
6	25 - 29	0	0	0	0	0	0	3	22	0	25				
7	30 AND ABOVE	0	0	0	0	0	0	0	11	0	11				
	ALL	0	639	12403	19189	8735	2137	273	71	0	43447				

									TAB	LE: B-20										
						LIVE	BIRTHS	BY DURATION	ON OF PREC	SNANCY	AND BIRT	TH WEIGH	T (URB	AN)						
C.	DUDATION OF							BIR'	TH WEIGHT									Δ	LL	
SL. NO.	DURATION OF PREGNANCY	<	1.500 Kg		1.50	0 - 2.000	kg	2.00	00-3.000 kg	;	3.00	00-4.000 k	g	>	4.000 kg				LL	
		М	F	0	М	F	0	М	F	0	М	F	0	М	F	0	М	F	0	TOTAL
1	<32 week	212	188	0	217	166	0	264	199	1	23	31	0	0	1	0	716	585	1	1302
2	32-36 week	631	611	1	14364	13594	11	27774	25925	12	3028	2929	3	29	25	0	45826	43084	27	88937
3	37-39 week	1049	1058	1	26802	25465	14	58076	52514	18	6581	5799	0	58	39	0	92566	84875	33	177474
4	=40 week	5	17	0	313	347	0	1186	1154	0	184	100	0	0	0	0	1688	1618	0	3306
5	>40 week	0	1	0	54	92	0	224	190	0	38	22	0	0	0	0	316	305	0	621
	ALL	1897	1875	2	41750	39664	25	87524	79982	31	9854	8881	3	87	65	0	141112	130467	61	271640

									TAB	LE: B-20										
						LIVE	BIRTHS	BY DURATION	ON OF PRE	GNANCY	AND BIRT	TH WEIGH	IT (RUR	AL)						
SL.	DURATION OF							BIR	TH WEIGHT									۸	LL	
NO.	PREGNANCY	<	1.500 Kg		1.50	0 - 2.000	kg	2.00	00-3.000 kg	5	3.00	00-4.000 k	g	>	4.000 kg				LL	
	M F O M F O M F O M F O M F															0	M	F	0	TOTAL
1	<32 week 66 41 1 47 39 0 40 55 0 8 3 0 0 0															0	161	138	1	300
2	32-36 week 124 90 1 2449 2285 1 4415 4048 5 495 455 0 5 2															0	7488	6880	7	14375
3	37-39 week	231	170	1	4150	4023	1	8970	7801	8	944	833	0	5	10	0	14300	12837	10	27147
4	=40 week	11	6	0	184	209	0	479	439	1	60	36	0	0	0	0	734	690	1	1425
5	>40 week	0	0	0	20	27	0	66	64	0	19	4	0	0	0	0	105	95	0	200
	ALL	432	307	3	6850	6583	2	13970	12407	14	1526	1331	0	10	12	0	22788	20640	19	43447

									TABL	E: B-21										
	ı					L	IVE BIR	THS BY AGI		ER AND	BIRTH WE	IGHT (UR	BAN)				ı			
SL.	-		4 500 1/		4				H WEIGHT					Ι .	4 000 1/			AL	L	
NO.	AGE OF MOTHER	<	1.500 Kg		1.50	0 - 2.000 k	g	2.00	00-3.000 Kg	5	3.00	00-4.000 F	(g	;	> 4.000 Kg	3		I		_
		М	F	0	М	F	0	M	F	0	М	F	0	М	F	0	М	F	0	TOTAL
1	<15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	15-19	32	23	0	411	371	1	589	584	0	60	47	0	1	1	0	1093	1026	1	2120
3	20-24	403	448	0	9411	9225	3	19266	17597	6	2093	1833	0	19	10	0	31192	29113	9	60314
4	25-29	771	759	0	17576	16987	14	37398	34425	14	4192	3923	3	38	30	0	59975	56124	31	116130
5	30-34	472	446	2	10681	9737	6	22517	20354	6	2564	2292	0	22	18	0	36256	32847	14	69117
6	35-39	184	170	0	3182	2913	0	6756	6188	5	825	697	0	7	6	0	10954	9974	5	20933
7	40-44	24	24	0	391	366	1	835	714	0	92	76	0	0	0	0	1342	1180	1	2523
8	45 AND ABOVE	11	5	0	98	65	0	163	120	0	28	13	0	0	0	0	300	203	0	503
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	ALL	1897	1875	2	41750	39664	25	87524	79982	31	9854	8881	3	87	65	0	141112	130467	61	271640

										E: B-21										
<u> </u>							LIVE BIF	RTHS BY AG		ER AND	BIRTH WE	IGHT (RU	JRAL)				1			
SL.	AGE OF MOTHER	<	1.500 Kg		1.50	00-2.000 K	<u> </u>		H WEIGHT 00-3.000 Kg	!	3.00	0-4.000 H	(g		> 4.000 Ks	2		AL	L	
NO.	AGE OF MOTHER	М	F	0	М	F	0	М	F	0	М	F	0	М	F	0	М	F	0	TOTAL
1	<15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	15-19	8	4	0	122	119	0	191	163	0	15	17	0	0	0	0	336	303	0	639
3	20-24	121	92	1	2015	1992	1	3895	3551	1	374	356	0	2	2	0	6407	5993	3	12403
4	25-29	172	135	1	2929	2846	0	6169	5661	9	677	579	0	5	6	0	9952	9227	10	19189
5	30-34	104	62	0	1361	1247	1	2901	2397	4	353	302	0	1	2	0	4720	4010	5	8735
6	35-39	22	11	1	358	316	0	717	550	0	90	68	0	2	2	0	1189	947	1	2137
7	40-44	1	2	0	53	48	0	78	68	0	15	8	0	0	0	0	147	126	0	273
8	45 AND ABOVE	4	1	0	12	15	0	19	17	0	2	1	0	0	0	0	37	34	0	71
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	ALL	432	307	3	6850	6583	2	13970	12407	14	1526	1331	0	10	12	0	22788	20640	19	43447

									T.	ABLE: B-	22									
							LIV	E BIRTHS B	Y BIRTH OR	DER ANI	BIRTH WE	EIGHT (URE	BAN)							
								BII	RTH WEIGH	IT								ALL		
SL. NO.	BIRTH ORDER	•	<1.500 Kg		1.5	00-2.000 Kg	5	2.0	00-3.000 Kg		3.0	00-4.000 Kg	3	,	4.000 Kg			ALL	-	
		М	F	0	М	F	0	М	F	0	М	F	0	М	F	0	М	F	0	TOTAL
1	1	1038	1009	1	23997	23352	14	49914	46684	18	5444	5125	2	51	40	0	80444	76210	35	156689
2	2	615	630	1	12941	12389	8	27909	25461	11	3306	2900	1	25	19	0	44796	41399	21	86216
3	3	189	188	0	4073	3340	3	8271	6597	2	932	701	0	10	5	0	13475	10831	5	24311
4	4	40	43	0	609	484	0	1173	999	0	139	121	0	1	1	0	1962	1648	0	3610
5	5	13	5	0	109	79	0	210	182	0	28	30	0	0	0	0	360	296	0	656
6	6	2	0	0	18	19	0	41	51	0	4	4	0	0	0	0	65	74	0	139
7	7	0	0	0	3	1	0	6	8	0	1	0	0	0	0	0	10	9	0	19
8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	>8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	Not Stated	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0 0			0
	ALL	1897	1875	2	41750	39664	25	87524	79982	31	9854	8881	3	87	65	0	141112	130467	61	271640

									T.	ABLE: B-	22									
							LIV	E BIRTHS B	Y BIRTH OF	DER AN	D BIRTH W	EIGHT (RU	RAL)							
CI.								BIF	RTH WEIGH	Т								ALI		
SL. NO.	BIRTH ORDER	•	<1.500 Kg		1.5	00-2.000 Kg	5	2.0	00-3.000 Kg		3.0	00-4.000 K	g	>	4.000 Kg			ALI	•	
		М	F	0	М	F	0	М	F	0	М	F	0	М	F	0	М	F	0	TOTAL
1	1	232	168	1	3775	3695	1	7480	6813	7	760	715	0	4	6	0	12251	11397	9	23657
2	2	144	104	2	2278	2205	0	4832	4336	4	555	464	0	5	4	0	7814	7113	6	14933
3	3	44	28	0	653	567	1	1395	1042	3	170	118	0	0	2	0	2262	1757	4	4023
4	4	10	5	0	121	91	0	219	177	0	30	27	0	1	0	0	381	300	0	681
5	5	1	1	0	18	20	0	32	33	0	8	7	0	0	0	0	59	61	0	120
6	6	1	1	0	4	5	0	9	6	0	2	0	0	0	0	0	16	12	0	28
7	7	0	0	0	1	0	0	3	0	0	1	0	0	0	0	0	5	0	0	5
8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	>8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	Not Stated	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	ALL	432	307	3	6850	6583	2	13970	12407	14	1526	1331	0	10	12	0	22788	20640	19	43447

					TABLE:	B-23					
			LIVE BIRTHS	В ВҮ МЕТНОІ	OF DELIVER	RY AND AGE	OF MOTHER	(URBAN)			
s. No					,	AGE OF MOT	HER				
SL. NO.	METHOD OF DELIVERY	<15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	ALL
1	NORMAL	0	1764	44600	74231	35233	9862	1003	269	0	166962
2	CAESAREAN	0	341	15324	40954	33234	10909	1509	234	0	102505
3	FORCEP/OTHERS	0	15	390	945	650	162	11	0	0	2173
4	NOT STATED	0	0	0	0	0	0	0	0	0	0
	ALL	0	2120	60314	116130	69117	20933	2523	503	0	271640

					TABLE:	B-23					
			LIVE BIRTH	S BY METHO	D OF DELIVE	RY AND AGE	OF MOTHER	(RURAL)			
					,	AGE OF MOT	HER				
SL. NO.	METHOD OF DELIVERY	<15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	ALL
1	NORMAL	0	559	9881	13810	5706	1347	184	48	0	31535
2	CAESAREAN	0	78	2445	5230	2956	779	89	23	0	11600
3	FORCEP/OTHERS	0	2	77	149	73	11	0	0	0	312
4	NOT STATED	0	0	0	0	0	0	0	0	0	0
	ALL	0	639	12403	19189	8735	2137	273	71	0	43447

TABLE: D-1

DEATHS BY PLACE OF OCCURRENCE, DISTRICTS (URBAN & RURAL) AND TOWNS WITH POPULATION ONE LAKH AND ABOVE

SL.	DISTRICT		URBAN			RURAL			TOTAL	
NO.		INSTITUTIONAL	DOMICILIARY	ALL	INSTITUTIONAL	DOMICILIARY	ALL	INSTITUTIONAL	DOMICILIARY	ALL
1	MCD	50152	34864	85016	3924	8304	12228	54076	43168	97244
2	NDMC	19893	362	20255	12938	111	13049	32831	473	33304
3	DELHI CANTT	1721	122	1843	0	0	0	1721	122	1843
	TOTAL	71766	35348	107114	16862	8415	25277	88628	43763	132391

								TIN	ЛЕ GAP IN	TABLE	: D-3 ON OF DEATHS	(URBAN)									
			WITHIN TIME LIN	ΛIT								1	DELAYED R	EGISTRATION							
SL.	DISTRICT MALE FEMALE OTHER TOTAL AFTER 21 DAYS TO 30 DAYS AFTER 30 DAYS TO 1 YEAR AFTER 1 YEAR TOTAL DELAYED REGISTRATION																				
NO.	DISTRICT	IVIALE	FEIVIALE	OTHER	IOIAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	ALL
1	MCD	39981	26223	13	66217	3483	2296	1	5780	10048	6850	3	16901	1011	953	1	1965	14542	10099	5	24646
2	NDMC	7581	4038	3	11622	2263	1259	0	3522	3670	2229	2	5901	22	9	0	31	5955	3497	2	9454
3	DELHI CANTT	1060	634	0	1694	38	26	0	64	61	41	0	102	6	6	0	12	105	73	0	178
	ALL	48622	30895	16	79533	5784	3581	1	9366	13779	9120	5	22904	1039	968	1	2008	20602	13669	7	34278

										TABLE	: D-3										
								TII	ME GAP IN	REGISTRATI	ON OF DEATHS	(RURAL)									
			WITHIN TIME LIN	ИІТ								ı	DELAYED R	EGISTRATION							
SL.	DISTRICT MALE FEMALE OTHER TOTAL AFTER 21 DAYS TO 30 DAYS AFTER 30 DAYS TO 1 YEAR AFTER 1 YEAR TOTAL DELAYED REGISTRATION																				
NO.	DISTRICT	WIALL	FLIVIALL	OTHER	IOIAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	ALL
1	MCD	5341	2958	2	8301	700	456	1	1157	2191	1372	0	3563	159	132	0	291	3050	1960	1	5011
2	NDMC	4789	2569	0	7358	1442	820	0	2262	2349	1469	0	3818	0	1	0	1	3791	2290	0	6081
3	DELHI CANTT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	ALL	10130	5527	2	15659	2142	1276	1	3419	4540	2841	0	7381	159	133	0	292	6841	4250	1	11092

							TABLE	: D-4							
					DE	ATHS BY SEX	AND MONTH	OF OCCURR	ENCE (URBAI	N)					
SL. NO.	LOCAL BODIES	SEX	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEP	ОСТ	NOV	DEC	ALL
		MALE	6326	4588	4374	4225	4013	3587	3901	4227	3855	3939	3740	4477	51252
1	MCD	FEMALE	4101	3148	2961	2803	2562	2388	2521	2709	2585	2653	2405	2912	33748
		OTHER	3	1	0	2	0	0	0	1	0	1	6	2	16
		MALE	1326	1201	1337	1065	969	941	994	1025	961	1157	926	1106	13008
2	NDMC	FEMALE	789	655	739	599	562	532	473	544	560	657	509	624	7243
		OTHER	1	0	1	0	0	1	0	0	0	0	1	0	4
		MALE	120	100	96	83	97	92	83	98	87	113	100	78	1147
3	DELHI CANTT	FEMALE	78	56	60	52	49	58	50	59	58	57	64	55	696
		OTHER	0	0	0	0	0	0	0	0	0	0	0	0	0
		TOTAL	12744	9749	9568	8829	8252	7599	8022	8663	8106	8577	7751	9254	107114

							TABLE	: D-4							
					DE	ATHS BY SEX	AND MONTH	OF OCCURE	RENCE (RURA	L)					
SL. NO.	LOCAL BODIES	SEX	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEP	ОСТ	NOV	DEC	ALL
		MALE	993	753	648	629	646	560	570	645	607	590	519	586	7746
1	MCD	FEMALE	572	439	369	388	348	313	337	347	358	334	313	361	4479
		OTHER	0	0	1	0	0	0	0	0	0	1	1	0	3
		MALE	898	670	656	642	699	560	711	770	781	757	527	676	8347
2	NDMC	FEMALE	511	429	367	394	393	314	366	470	473	397	274	314	4702
		OTHER	0	0	0	0	0	0	0	0	0	0	0	0	0
		MALE	0	0	0	0	0	0	0	0	0	0	0	0	0
3	DELHI CANTT	FEMALE	0	0	0	0	0	0	0	0	0	0	0	0	0
		OTHER	0	0	0	0	0	0	0	0	0	0	0	0	0
		TOTAL	2974	2291	2041	2053	2086	1747	1984	2232	2219	2079	1634	1937	25277

			TABLE: D-5			
		D	EATHS BY TYPE OF ATTENTION AT DE	ATH (URBAN)		
SL. NO.	DISTRICT	INSTITUTIONAL	OTHER THAN INSTITUTIONAL	NO MEDICAL ATTENTION	NOT STATED	ALL
1	MCD	50148	4	34864	0	85016
2	NDMC	19881	12	313	49	20255
3	DELHI CANTT	1721	0	122	0	1843
	TOTAL	71750	16	35299	49	107114

			TABLE: D-5			
		DEAT	HS BY TYPE OF ATTENTION AT I	DEATH (RURAL)		
SL. NO.	DISTRICT	INSTITUTIONAL	OTHER THAN INSTITUTIONAL	NO MEDICAL ATTENTION	NOT STATED	ALL
1	MCD	3923	1	8304	0	12228
2	NDMC	12937	1	107	4	13049
3	DELHI CANTT	0	0	0	0	0
	TOTAL	16860	2	8411	4	25277

											1	TABLE: D	-6												
								DE	ATHS B	Y AGE,	SEX AND F	RELIGION	OF TH	E DECE	ASED (URB	AN)									
SL.			HIN	DU			MUS	LIM			CHRIS	ΓΙΑΝ			SIKI	1			ОТН	IER				ALL	
NO.	AGE (Years)	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL
1	BELOW 1 YEAR	2434	1688	9	4131	1032	744	2	1778	3	8	0	11	7	7	0	14	17	11	0	28	3493	2458	11	5962
2	1 TO 4	537	434	0	971	238	182	0	420	3	5	0	8	7	4	0	11	5	7	0	12	790	632	0	1422
3	5 TO 14	575	539	0	1114	200	197	0	397	6	2	0	8	7	3	0	10	6	6	0	12	794	747	0	1541
4	15 TO 24	1855	1333	0	3188	506	457	0	963	10	9	0	19	18	11	0	29	48	25	0	73	2437	1835	0	4272
5	25 TO 34	3560	1555	0	5115	592	438	0	1030	24	7	0	31	56	16	0	72	197	32	0	229	4429	2048	0	6477
6	35 TO 44	5850	2022	2	7874	827	476	0	1303	30	20	0	50	102	41	0	143	265	30	1	296	7074	2589	3	9666
7	45 TO 54	8247	3713	1	11961	1390	766	1	2157	55	32	0	87	182	109	0	291	278	61	1	340	10152	4681	3	14836
8	55 TO 64	9689	5528	1	15218	1583	947	0	2530	91	54	0	145	300	207	0	507	293	114	0	407	11956	6850	1	18807
9	65 TO 69	5105	3188	1	8294	751	464	1	1216	45	37	0	82	233	156	0	389	170	72	0	242	6304	3917	2	10223
10	70 AND ABOVE	14882	13291	0	28173	1503	1139	0	2642	112	122	0	234	971	939	0	1910	367	324	0	691	17835	15815	0	33650
11	NOT STATED	106	96	0	202	30	15	0	45	0	0	0	0	0	2	0	2	7	2	0	9	143	115	0	258
	ALL	52840	33387	14	86241	8652	5825	4	14481	379	296	0	675	1883	1495	0	3378	1653	684	2	2339	65407	41687	20	107114

											1	TABLE: D-	-6												
								DE	EATHS B	Y AGE,	SEX AND I	RELIGION	OF TH	E DECE	ASED (RUR	(AL)									
SL.			HIN	DU			MUS	LIM			CHRIS	ΓΙΑΝ			SIK	1			OTH	IER			/	ALL	
NO.	AGE (Years)	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL
1	BELOW 1 YEAR	714	436	0	1150	218	94	1	313	0	0	0	0	0	0	0	0	7	7	0	14	939	537	1	1477
2	1 TO 4	269	165	0	434	87	50	0	137	1	1	0	2	0	1	0	1	4	4	0	8	361	221	0	582
3	5 TO 14	287	202	0	489	69	54	0	123	1	0	0	1	0	0	0	0	4	6	0	10	361	262	0	623
4	15 TO 24	684	433	0	1117	140	115	0	255	0	1	0	1	4	1	0	5	19	14	0	33	847	564	0	1411
5	25 TO 34	1205	542	0	1747	161	125	0	286	3	1	0	4	9	3	0	12	42	20	0	62	1420	691	0	2111
6	35 TO 44	1739	653	1	2393	205	102	0	307	3	3	0	6	7	2	0	9	44	18	0	62	1998	778	1	2777
7	45 TO 54	2367	933	0	3300	282	168	0	450	6	3	0	9	14	7	0	21	57	19	0	76	2726	1130	0	3856
8	55 TO 64	2436	1153	1	3590	340	172	0	512	9	3	0	12	24	12	0	36	45	38	0	83	2854	1378	1	4233
9	65 TO 69	1144	665	0	1809	124	67	0	191	3	2	0	5	15	8	0	23	29	17	0	46	1315	759	0	2074
10	70 AND ABOVE	2876	2595	0	5471	263	149	0	412	8	13	0	21	42	46	0	88	38	27	0	65	3227	2830	0	6057
11	NOT STATED	29	20	0	49	15	10	0	25	0	0	0	0	0	1	0	1	1	0	0	1	45	31	0	76
	ALL	13750	7797	2	21549	1904	1106	1	3011	34	27	0	61	115	81	0	196	290	170	0	460	16093	9181	3	25277

					TABLE:	D-7						
			DE	ATHS BY AG	E, OCCUPAT	ION AND SEX	(RURAL)					
SL.	OCCUPATION	SEX						AGE				
NO.	OCCOPATION	SEX	<15 YRS	15-24	25-34	35-44	45-54	55-64	65-69	70 and above	Not Stated	ALL
		MALE	0	1	2	9	9	12	2	9	0	44
1	PROFESSIONAL / TECHNICAL RELATED	FEMALE	0	1	1	0	0	3	0	4	0	9
1	WORKERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	2	3	9	9	15	2	13	0	53
		MALE	0	2	16	37	91	87	18	51	0	302
2	ADMINISTRATIVE, EXECUTIVE AND	FEMALE	0	0	2	3	7	9	4	5	0	30
_	MANAGERIAL WORKERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	2	18	40	98	96	22	56	0	332
		MALE	0	0	0	0	0	0	0	0	0	0
3	CLERICAL WORKERS	FEMALE	0	0	0	0	0	0	0	0	0	0
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	0	0	0	0	0	0	0	0
		MALE	0	0	0	1	1	0	0	0	0	2
4	SALE WORKERS	FEMALE	1	-		0	0		-	<u> </u>	0	1
		OTHER TOTAL	0	0	0	0	0	0	0	0	0	0
		MALE	3	0 28	0 132	1 214	1 240	0 141	0 44	78	0 5	3 885
		FEMALE	1	28	4	5	7	4	1	1	0	25
5	SERVICE WORKERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	4	30	136	219	247	145	45	79	5	910
		MALE	0	0	0	0	0	0	0	0	0	0
		FEMALE	0	0	0	0	0	0	0	0	0	0
6	FARMERS / FISHERMEN / HUNTERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	0	0	0	0	0	0	0	0
		MALE	0	6	26	39	41	33	11	22	0	178
	PRODUCTION AND OTHER RELATED	FEMALE	0	1	3	6	0	1	0	0	0	11
7	WORKERS	OTHER	0	0	0	0	0	0	0	0	0	0
	WORKERS	TOTAL	0	7	29	45	41	34	11	22	0	189
		MALE	114	6	7	7	5	9	3	9	2	162
		FEMALE	71	28	77	116	237	360	237	1044	8	2178
8	HOUSEWIFE / NON-WORKERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	185	34	84	123	242	369	240	1053	10	2340
		MALE	1544	804	1237	1691	2339	2572	1237	3058	38	14520
		FEMALE	947	532	604	648	879	1001	517	1776	23	6927
9	OTHERS	OTHER	1	0	0	1	0	1	0	0	0	3
		TOTAL	2492	1336	1841	2340	3218	3574	1754	4834	61	21450
		MALE	1661	847	1420	1998	2726	2854	1315	3227	45	16093
		FEMALE	1020	564	691	778	1130	1378	759	2830	31	9181
10	TOTAL	OTHER	1	0	0	1	0	1	0	0	0	3
		TOTAL	2682	1411	2111	2777	3856	4233	2074	6057	76	25277
	1	IOIAL	2002			- ,,,	3030	7233	20/7	000,	, 0	

					TABLE: D)-8						
			DEA	THS BY AGE	, OCCUPATI	ON AND SEX	(URBAN)					
SL.					,		,	AGE				
NO.	OCCUPATION	SEX	<15 YRS	15-24	25-34	35-44	45-54	55-64	65-69	70 and above	Not Stated	ALL
		MALE	5	32	79	120	218	228	32	103	0	817
1	PROFESSIONAL / TECHNICAL RELATED	FEMALE	4	24	54	60	100	102	5	34	0	383
1	WORKERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	9	56	133	180	318	330	37	137	0	1200
		MALE	1	0	38	127	390	382	70	185	0	1193
2	ADMINISTRATIVE, EXECUTIVE AND	FEMALE	0	0	11	18	67	66	7	20	0	189
-	MANAGERIAL WORKERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	1	0	49	145	457	448	77	205	0	1382
		MALE	0	0	0	0	0	0	0	0	0	0
3	CLERICAL WORKERS	FEMALE	0	0	0	0	0	0	0	0	0	0
	CLERICAL WORKERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	0	0	0	0	0	0	0	0
		MALE	0	0	2	1	3	5	1	6	0	18
4	SALE WORKERS	FEMALE	0	0	0	0	0	0	0	0	0	0
-	SALL WORKERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	2	1	3	5	1	6	0	18
		MALE	1	142	671	1155	1446	1063	333	558	0	5369
5	SERVICE WORKERS	FEMALE	1	18	44	42	42	56	10	25	0	238
3	SERVICE WORKERS	OTHER	0	0	0	1	0	0	0	0	0	1
		TOTAL	2	160	715	1198	1488	1119	343	583	0	5608
		MALE	0	0	0	0	0	0	0	0	0	0
_	FADAGES / FIGUEDAGAL / LILIATEDS	FEMALE	0	0	0	0	0	0	0	0	0	0
6	FARMERS / FISHERMEN / HUNTERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	0	0	0	0	0	0	0	0
		MALE	0	13	63	142	187	135	56	62	0	658
l _	PRODUCTION AND OTHER RELATED	FEMALE	0	1	5	13	15	11	3	2	0	50
7	WORKERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	14	68	155	202	146	59	64	0	708
		MALE	203	16	10	12	26	60	85	123	0	535
_		FEMALE	209	115	371	687	1538	2453	1463	6597	0	13433
8	HOUSEWIFE / NON-WORKERS	OTHER	1	0	0	1	1	0	0	0	0	3
		TOTAL	413	131	381	700	1565	2513	1548	6720	0	13971
		MALE	4867	2234	3566	5517	7882	10083	5727	16798	143	56817
	OTUEDS	FEMALE	3623	1677	1563	1769	2919	4162	2429	9137	115	27394
9	OTHERS	OTHER	10	0	0	1	2	1	2	0	0	16
		TOTAL	8500	3911	5129	7287	10803	14246	8158	25935	258	84227
		MALE	5077	2437	4429	7074	10152	11956	6304	17835	143	65407
10	TOTAL	FEMALE	3837	1835	2048	2589	4681	6850	3917	15815	115	41687
10	TOTAL	OTHER	11	0	0	3	3	1	2	0	0	20
		TOTAL	8925	4272	6477	9666	14836	18807	10223	33650	258	107114

					TABLE: I	D-9						
			DEATI	IS BY AGE, (OCCUPATIO	N AND SEX	(ALL AREAS)					
SL.	OCCUPATION	SEX					•	AGE				
NO.	OCCOPATION	SEX	<15 YRS	15-24	25-34	35-44	45-54	55-64	65-69	70 and above	Not Stated	ALL
		MALE	5	33	81	129	227	240	34	112	0	861
1	PROFESSIONAL / TECHNICAL RELATED	FEMALE	4	25	55	60	100	105	5	38	0	392
1	WORKERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	9	58	136	189	327	345	39	150	0	1253
		MALE	1	2	54	164	481	469	88	236	0	1495
2	ADMINISTRATIVE, EXECUTIVE AND	FEMALE	0	0	13	21	74	75	11	25	0	219
	MANAGERIAL WORKERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	1	2	67	185	555	544	99	261	0	1714
		MALE	0	0	0	0	0	0	0	0	0	0
3	CLERICAL WORKERS	FEMALE	0	0	0	0	0	0	0	0	0	0
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	0	0	0	0	0	0	0	0
		MALE	0	0	2	2	4	5	1	6	0	20
4	SALE WORKERS	FEMALE	1	0	0	0	0	0	0	0	0	1
		OTHER TOTAL	0	0	<u>0</u>	0 2	0 4	<u>0</u> 5	0	6	0	0 21
		MALE	1	170	803	1369	1686	1204	377	636	0	6246
		FEMALE	1	20	48	47	49	60	11	26	0	262
5	SERVICE WORKERS	OTHER	0	0	0	1	0	0	0	0	0	1
		TOTAL	2	190	851	1417	1735	1264	388	662	0	6509
		MALE	0	0	0	0	0	0	0	0	0	0
		FEMALE	0	0	0	0	0	0	0	0	0	0
6	FARMERS / FISHERMEN / HUNTERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	0	0	0	0	0	0	0	0
		MALE	0	19	89	181	228	168	67	84	0	836
_	PRODUCTION AND OTHER RELATED	FEMALE	0	2	8	19	15	12	3	2	0	61
7	WORKERS	OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	21	97	200	243	180	70	86	0	897
		MALE	317	22	17	19	31	69	88	132	0	695
		FEMALE	280	143	448	803	1775	2813	1700	7641	0	15603
8	HOUSEWIFE / NON-WORKERS	OTHER	1	0	0	1	1	0	0	0	0	3
		TOTAL	598	165	465	823	1807	2882	1788	7773	0	16301
		MALE	6414	3038	4803	7208	10221	12655	6964	19856	188	71347
		FEMALE	4571	2209	2167	2417	3798	5163	2946	10913	146	34330
9	OTHERS	OTHER	11	0	0	2	2	2	2	0	0	19
		TOTAL	10996	5247	6970	9627	14021	17820	9912	30769	334	105696
		MALE	6738	3284	5849	9072	12878	14810	7619	21062	188	81500
		FEMALE	4857	2399	2739	3367	5811	8228	4676	18645	146	50868
10	TOTAL	OTHER	12	0	0	4	3	2	2	0	0	23
		TOTAL	11607	5683	8588	12443	18692	23040	12297	39707	334	132391
<u></u>		IOIAL	11001	2083	0288	12443	10037	23040	12297	33/0/	554	127231

TABLE : D-10 (PROVISIONAL)

DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR ALL DEATHS (MEDICALLY CERTIFIED OR NOT) - 2023

AGE IN YEARS

CI		1		AC	SE IN YEAR	13 			ı	I	1	1	NOT	
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
		Male	845	261	295	787	1336	1859	2361	2592	1365	3528	47	15276
- 1	CERTAIN INFECTIOUS AND PARASITIC DISEASES (A00-B99)	Female	565	205	335	883	778	845	1267	1548	824	2911	49	10210
		Other	3	0	0	0	0	0	0	1	0	0	0	4
		Male	20	90	91	123	216	417	959	1056	586	1039	1	4598
Ш	NEOPLASMS(C00-D48)	Female	10	55	67	49	172	319	745	764	373	774	0	3328
		Other	0	0	0	0	0	0	0	0	0	0	0	0
	DISEASES OF THE BLOOD & BLOOD FORMING ORGANS AND	Male	26	19	45	98	86	103	152	147	65	275	0	1016
Ш	CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM	Female	23	14	30	62	73	55	80	122	66	219	0	744
	(D50-D89)	Other	0	0	0	0	0	1	0	0	0	0	0	1
	ENDOCRINE NUITRITIONAL AND METADOLIC DISEASES (FOO	Male	14	10	14	24	58	121	286	372	171	426	0	1496
IV	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES (E00- E90)	Female	11	8	7	32	40	85	189	306	180	491	0	1349
		Other	0	0	0	0	0	0	0	0	0	0	0	0
		Male	2	6	4	4	8	11	12	10	5	16	0	78
V	MENTAL AND BEHAVIOURAL DISORDERS (F01-F99)	Female	0	1	1	3	3	2	1	4	3	13	0	31
		Other	0	0	0	0	0	0	0	0	0	0	0	0
		Male	61	45	51	70	73	104	176	144	73	181	1	979
VI	DISEASES OF THE NERVOUS SYSTEM (G00-G98)	Female	33	28	33	50	56	58	67	100	30	176	0	631
		Other	0	0	0	0	0	0	0	0	0	0	0	0
		Male	1	0	1	2	1	2	4	4	2	11	0	28
VII	DISEASES OF THE EYE AND ADNEXA (H00-H59)	Female	1	0	0	0	0	0	4	3	1	5	0	14
		Other	0	0	0	0	0	0	0	0	0	0	0	0
		Male	0	1	0	2	1	2	3	2	1	3	0	15
VIII	DISEASES OF THE EAR AND MASTOID PROCESS (H60-H95)	Female	0	0	1	0	0	0	0	1	1	2	0	5
		Other	0	0	0	0	0	0	0	0	0	0	0	0
		Male	182	88	94	496	1021	1804	3067	3677	1174	2865	1	14469
IX	DISEASES OF THE CIRCULATORY SYSTEM (100-199)	Female	129	51	81	314	461	588	1274	1926	712	2377	0	7913
		Other	0	0	0	0	0	2	1	0	0	0	0	3
		Male	931	229	138	262	247	421	712	1016	566	1649	3	6174
Х	DISEASES OF THE RESPIRATORY SYSTEM (J00-J98)	Female	648	170	123	188	186	228	390	576	331	1295	3	4138
L		Other	2	0	0	0	0	0	0	0	0	0	0	2
		Male	35	71	54	118	536	1163	1123	816	291	445	0	4652
XI	DISEASES OF THE DIGESTIVE SYSTEM (K00-K92)	Female	33	51	59	111	140	172	233	307	137	329	0	1572
		Other	0	0	0	0	0	0	0	0	0	0	0	0

TABLE : D-10 (PROVISIONAL)

DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR ALL DEATHS (MEDICALLY CERTIFIED OR NOT) - 2023

AGE IN YEARS

SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
		Male	2	0	1	1	4	1	5	12	2	3	0	31
XII	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (L00-L98)	Female	2	1	0	2	2	0	3	3	1	4	0	18
		Other	0	0	0	0	0	0	0	0	0	0	0	0
	DISEASES OF THE MILISCHII OSVELETAL SYSTEM COMMECTIVE	Male	1	1	3	4	12	11	14	23	5	12	0	86
XIII	DISEASES OF THE MUSCULOSKELETAL SYSTEM CONNECTIVE TISSUE (M00-M99)	Female	1	0	3	9	10	16	13	9	5	10	0	76
		Other	0	0	0	0	0	0	0	0	0	0	0	0
		Male	16	10	21	84	124	215	330	386	178	385	1	1750
XIV	DISEASES OF THE GENITOURINARY SYSTEM (N00 - N99)	Female	9	6	15	65	83	137	173	237	116	291	0	1132
		Other	0	0	0	0	0	0	0	0	0	0	0	0
		Male	0	0	0	0	0	0	0	0	0	0	0	0
XV	PREGNANCY,CHILDBIRTH AND THE PUERPERIUM (000-099)	Female	0	0	0	46	72	19	5	0	0	0	0	142
		Other	0	0	0	0	0	0	0	0	0	0	0	0
	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL	Male	1622	0	0	0	0	0	0	0	0	0	0	1622
XVI	PERIOD (P00-P96)	Female	1132	0	0	0	0	0	0	0	0	0	0	1132
	•	Other	7	0	0	0	0	0	0	0	0	0	0	7
	CONGENITAL MALFORMATIONS, DEFORMATIONS &	Male	206	55	19	13	1	1	3	3	2	5	0	308
XVII	CHROMOSOMAL ABNORMALITIES (Q00-Q99)	Female	116	27	12	4	7	2	2	1	1	2	0	174
		Other	0	0	0	0	0	0	0	0	0	0	0	0
	SYMPTOMS, SIGNS AND ABNORMAL CLINICAL &LABORATORY	Male	444	154	213	655	1224	2065	3073	4136	2978	9878	134	24954
XVIII	FINDING NOT ELSEWHERE CLASSIFIED (R00-R99)	Female	265	142	194	419	454	664	1196	2174	1825	9426	94	16853
		Other	0	0	0	0	0	0	2	0	2	0	0	4
		Male	16	96	84	275	420	378	314	228	88	165	0	2064
XIX	INJURY, POISONING AND CERTAIN OTHER (S00-T98)	Female	10	78	34	94	117	107	109	93	47	178	0	867
		Other	0	0	0	0	0	0	0	1	0	0	0	1
		Male	5	14	26	264	478	387	278	173	61	143	0	1829
XX	EXTERNAL CAUSES OF MORBIDITY AND MORTALITY (V01-Y89)	Female	7	15	14	67	84	68	57	51	20	114	0	497
		Other	0	0	0	0	0	1	0	0	0	0	0	1
		Male	3	1	1	2	3	7	6	13	6	33	0	75
XXI	CODES FOR SPECIAL PURPOSES (U00-U49)	Female	0	1	0	1	1	2	3	3	3	28	0	42
		Other	0	0	0	0	0	0	0	0	0	0	0	0
		Male	4432	1151	1155	3284	5849	9072	12878	14810	7619	21062	188	81500
	Total	Female	2995	853	1009	2399	2739	3367	5811	8228	4676	18645	146	50868
		Other	12	0	0	0	0	4	3	2	2	0	0	23
	All	Total	7439	2004	2164	5683	8588	12443	18692	23040	12297	39707	334	132391

				Table	D-11 (PRC	OVISIONAL)	1							
	0	EATHS BY	CAUSE OF D		•	OR MEDICAL		D DEATHS -	2023					
					AGE IN YE									
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
ı	CERTAIN INFECTIOUS AND PARASITIC DISEASES (A00-B99)	1		1		1		1	1		1	1	1	
	CERTAIN INFECTIOUS AND PARASITIC DISEASES (A00-	M	845	256	291	749	1171	1544	1900	2029	1029	2522	0	12336
ı	B99)	F	564	203	328	839	738	765	1113	1281	651	1959	0	8441
	,	0	3	0	0	0	0	0	0	1	0	0	0	4
_	INTEGRAL INTEGRALIS DISEASES (ASS. ASS.)	M	40	42	14	22	31	25	39	17	7	25	0	262
1	INTESTINAL INFECTIOUS DISEASES (A00-A09)	F	27	24	13	10	10	8	17	18	11	27	0	165
		0	0	0	0	0	0	0	0	0	0	0	0	0 15
1	Chalara (A00)	M F	0	0	0	0	3	7	2	0	0	1	0	5
1	Cholera (A00)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	1	0	1	9	4	2	2	1	1	3	0	24
2	Typhoid and paratyphoid fevers(A01)	F	0	1	1	3	1	1	0	3	0	2	0	12
2	Typhola and paratyphola revers(AO1)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	1	1	2	0	1	0	0	0	5
3	Food Poisoning (A02,A05)	F	1	0	0	0	0	0	0	0	0	0	0	1
	(100)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	2	0	0	1	4	4	10	0	1	1	0	23
4	Shigellosis (A03)	F	0	0	0	0	0	0	1	0	1	1	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	1	0	0	0	1	0	1	0	0	0	0	3
5	Amoebiasis (A06)	F	0	0	0	0	0	0	0	0	1	1	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Diarrhoea and gastroenteritis of presumed infectious	М	36	41	13	10	17	9	18	8	3	16	0	171
6	origin (A09)	F	23	23	12	3	8	6	13	10	6	17	0	121
	ongin (nos)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	1	0	1	1	1	6	5	2	4	0	21
7	Other intestinal infectious diseases (A04,A07-A08)	F	3	0	0	4	1	0	1	5	2	5	0	21
		0	0	0	0	0	0	0	0	0	0	0	0	0
_		M	83	29	49	210	355	382	428	402	178	331	0	2447
2	Tuberculosis (A15-A19)	F	65	25	88	320	202	169	191	174	63	158	0	1455
		0	1	0	0	0	0	0	0	1	0	0	0	2
_	Description Tubercularia (A45.46)	M	76	11	24	163	279	327	381	337	154	291	0	2043
1	Respiratory Tuberculosis (A15-16)	F	62	14	56	235	161	127	158	143	53	131	0	1140
		0	1	0	0	0	0	0	0	1	0	0	0	2
2	Tuborcularis of naryous system (A17)	M F	6	18	16	37	42	40	26	38	15	30	0	268
2	Tuberculosis of nervous system (A17)	0	0	8	26 0	51 0	31 0	32 0	22 0	25 0	5	17 0	0	219 0
		U	U	U	U	U	U	U	U	U	U	U	U	U

				Table	D-11 (PRC	VISIONAL))							
		DEATHS BY	CAUSE OF D			OR MEDICAL		D DEATHS -	2023					
			•	,	AGE IN YE	ARS			,					
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	Tuberculosis of other organs & miliary Tuberculosis	М	1	0	9	10	34	15	21	27	9	10	0	136
3	(A18-A19)	F	1	3	6	34	10	10	11	6	5	10	0	96
	(1.12)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	706	159	171	420	681	1044	1373	1553	819	2131	0	9057
3	Other bacterial diseases (A20-A49)	F	443	139	173	449	457	532	864	1058	554	1751	0	6420
		0	2	0	0	0	0	0	0	0	0	0	0	2
		M	0	0	0	0	0	0	0	0	0	0	0	0
1	Plague (A20)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
_		M	0	0	0	0	0	0	1	0	0	0	0	1
2	Leprosy (A30)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	19	0	0	0	0	0	0	0	0	0	0	19
3	Neontorum Tetanus (A33)	F	8	0	0	0	0	0	0	0	0	0	0	8
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	2	1	0	3	0	2	0	0	0	8
4	Other Tetanus (A34-A35)	F	0	0	2	0	1	1	0	1	0	0	0	5
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	1	3	0	2	0	1	0	0	0	0	7
5	Diphtheria (A36)	F	0	0	1	0	0	0	0	0	0	0	0	1
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	0	0	0	0	0
6	Whooping cough (A37)	F	0	0	0	0	0	0	2	0	0	2	0	4
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	2	3	0	0	3	0	1	1	0	1	0	11
7	Meningococcal infection (A39)	F	4	3	1	0	1	0	0	0	0	0	0	9
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	679	154	163	419	663	1039	1362	1543	817	2125	0	8964
8	Septicaemia (A40-A41)	F	428	131	167	448	450	530	862	1057	553	1740	0	6366
		0	2	0	0	0	0	0	0	0	0	0	0	2
	All other types of bacterial Diseases (A21-A28,A31-	M	6	1	3	0	13	2	8	7	2	5	0	47
9	A32,A38,A42-A49)	F	3	5	2	1	5	1	0	0	1	9	0	27
	- ,,	0	0	0	0	0	0	0	0	0	0	0	0	0
	Infections with a predominantly sexual mode of	M	1	4	2	0	1	0	3	1	0	0	0	12
4	transmission (A50-A64)	F	0	1	2	0	0	0	0	1	1	1	0	6
	trad ridy	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	1	2	0	1	0	2	1	0	0	0	7
1	Syphilis (A50-53)	F	0	1	1	0	0	0	0	1	0	0	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0

						VISIONAL)								
		DEATHS BY	CAUSE OF D	EATHS, AGI		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
	T	1	l	1	AGE IN YE	ARS	1	1	l		1	1	NOT	
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	Other Types of infections with a predominatly sexual	M	1	3	0	0	0	0	1	0	0	0	0	5
2	mode of transmission (A54-A64)	F	0	0	1	0	0	0	0	0	1	1	0	3
	mode of drainsmoster (15 1 7 to 1)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	13	22	53	86	99	89	50	50	23	33	0	518
5	Viral diseases (A70-A74 & A80-B34)	F	10	14	50	57	67	51	38	25	19	19	0	350
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0
1	Acute Poliomyelitis (A80)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	1	1	0	1	0	0	0	3
2	Rabies (A82)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	1	0	0	0	0	0	0	0	1
3	Japanese encephalitis (A83.0)	F	0	0	0	0	1	0	0	0	0	0	0	1
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	3	7	6	0	0	1	0	1	1	4	0	23
4	Other Viral encephalitis (A83.1-A83.9, A84-A86)	F	5	5	2	1	0	0	0	1	1	0	0	15
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	4	8	41	60	62	40	21	27	12	17	0	292
5	*Dengue fever (A90)	F	4	5	36	50	54	30	22	16	14	15	0	246
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Other arthropod-borne viral fevers and viral	M	0	1	4	5	5	5	1	4	1	0	0	26
6	haemorrhagic favers (A91-A94, A96-A99)	F	0	0	3	1	3	2	2	1	0	1	0	13
	macmormagic lavers (ASI AS4, ASO ASS)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0
7	Smallpox (B03)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	2	3	0	0	0	0	0	0	0	0	0	5
8	Measles (B05)	F	1	1	0	0	0	0	0	0	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	1	0	1	0	0	0	2
9	Acute Hepatitis B (B16)	F	0	0	0	0	0	0	2	1	0	1	0	4
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	3	1	2	2	7	10	13	8	2	5	0	53
10	Other viral hepatitis (B15, B17-B19)	F	0	1	4	2	2	2	7	1	1	2	0	22
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Human immunodeficiency virus (HIV) disease (B20-	М	1	0	0	14	23	26	14	4	7	4	0	93
11	B24)	F	0	0	2	3	6	15	5	0	0	0	0	31
	0241	0	0	0	0	0	0	0	0	0	0	0	0	0

^{*} Note:- Cases of deaths due to dengue may be either suspected or residing outside Delhi.

	D	FΔTHS RV	CALISE OF F	FATHS AG	F ΔND SEX F	OR MEDICAL	I V CERTIFIE	D DEATHS -	2023					
		LATTIS DT	CHOSE OF E	LATTIS, AC	AGE IN YE		LI CLIVIIIL	DEATTIO	2023					
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	All other types of viral diseases (A70-A74,A81, A87-	М	0	2	0	4	1	5	1	4	0	3	0	20
12	A89,A95,B00-B02,B04,B06-B09 &B25-B34)	F	0	2	3	0	1	2	0	5	3	0	0	16
	A03,A33,B00 B02,B04,B00 B03 QB23 B34)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	2	9	3	2	2	0	0	0	0	18
6	Protozoal diseases (B50-B64)	F	1	0	1	2	2	2	2	1	1	2	0	14
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	2	9	3	2	2	0	0	0	0	18
1	Malaria (B50-B54)	F	0	0	1	2	2	2	2	1	1	1	0	12
		0	0	0	0	0	0	0	0	0	0	0	0	0
	All 11 (055.55)	M	0	0	0	0	0	0	0	0	0	0	0	0
2	All other types of protozoal disease (B55-B64)	F	1	0	0	0	0	0	0	0	0	1	0	2
	Other contribute the still contribute and contribute the still contribut	0	0	0	0	0	0	0	0	0	0	0	0	0
-	Other certain infectious and parasistic diseases & late	M	2	0	0	2	1	2	5	6	2	2	0	22
7	effect of infectious and parasitic diseases (A65-A69 &	F	18	0	1	1	0	3 0	1	4	2	1	0	31
	A75-A79, B35-B49&B65-B99)	O M	0	0	0	0	1	0	0	1	0	1	0	0
1	Filoriacis (P74)	F	0	0	0	0	0	0	0	0	0	0	0	0
1	Filariasis (B74)	<u>г</u>	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	1	0	0	0	0	1
2	Other helminthiasis (B65-B73,B75,B77-B83)	F	0	0	0	0	0	0	0	1	0	1	0	2
2	Other Hellillithiasis (603-673,673,677-663)	<u>г</u>	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0
3	Other spirochaetal diseases and Rickettsioses (A65-	F	0	0	0	0	0	1	0	0	0	0	0	1
J	A69 & A75-A79)	0	0	0	0	0	0	0	0	0	0	0	0	0
	All other infectious and parasitic diseases & late		2	0	0	2	0	2	3	5	2	1	0	17
4	effects of infectious and parasitic deseases (B35-	F	18	0	1	1	0	2	1	3	2	0	0	28
•	B49,B76,B85-B99)	0	0	0	0	0	0	0	0	0	0	0	0	0
	2.5/270/200 200/							Ť			Ť		<u> </u>	Ť
		М	20	90	88	119	188	322	563	838	471	758	0	3457
II	NEOPLASMS(C00-D48)	F	9	55	61	48	154	264	527	619	299	561	0	2597
	, ,	0	0	0	0	0	0	0	0	0	0	0	0	0
	Malianant name aftin One and and the action and	M	0	0	2	3	23	95	150	142	63	94	0	572
8	Malignant neoplasms of lip. Oral cavity cavity and	F	1	1	1	2	4	18	67	66	36	65	0	261
	pharynx (C00-C14)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Malignant noonlasms of linearal cavity and above as	М	0	0	2	3	23	95	150	142	63	94	0	572
1	Malignant neoplasms of lip, oral cavity and pharynx	F	1	1	1	2	4	18	67	66	36	65	0	261
	(C00-C14)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	4	3	2	13	29	65	139	240	169	246	0	910
9	Malignant neoplasms of digestive organs (C15-C26)	F	3	4	1	4	20	44	113	184	85	200	0	658
		0	0	0	0	0	0	0	0	0	0	0	0	0

						VISIONAL)								
	D	EATHS BY	CAUSE OF D	DEATHS, AGI		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
				1	AGE IN YE	ARS			1			1		
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	NA-liment and allower of a complete (CAE)	М	0	0	0	2	2	3	30	30	19	37	0	123
1	Malignant neoplasm of oesophagus (C15)	F	0	0	0	0	1	3	12	17	6	17	0	56
		0	0	0	0	0	0	0	0	0	0	0	0	0
_		М	3	0	1	2	12	16	39	87	89	109	0	358
2	Malignant neoplasm of stomach (C16)	F	0	1	0	2	6	8	24	60	36	103	0	240
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Malignant neoplasm of small intestine including	М	0	0	0	0	0	1	3	3	2	3	0	12
3	deodenum (C17)	F	1	0	0	0	1	1	6	2	0	1	0	12
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	1	0	0	3	4	8	14	22	17	18	0	87
4	Malignant neoplasm of colon (C18)	F	1	1	1	2	3	6	12	12	7	21	0	66
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Malignant neoplasm of rectosigmoid junction, rectum,	М	0	1	0	3	5	5	7	11	4	16	0	52
5	anus and anal canal (C19-C21)	F	0	0	0	0	5	7	7	6	1	6	0	32
	unus unu unun cunun (C15 C21)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Malignant neoplasm of liver and intrahepatic bile ducts (C22)	М	0	2	1	2	2	15	12	32	16	24	0	106
6		F	0	1	0	0	0	1	3	18	7	9	0	39
	uucts (CZZ)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	1	2	7	16	26	13	24	0	89
7	Malignant neoplasm of pancreas (C25)	F	1	0	0	0	2	4	8	21	14	18	0	68
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Other malignant neoplasms of digestive organs (C23-	М	0	0	0	0	2	10	18	29	9	15	0	83
8	C24, C26)	F	0	1	0	0	2	14	41	48	14	25	0	145
	C24, C20)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Malignant neoplasm of respiratory and intrathoracic	М	0	0	0	2	12	14	75	187	99	134	0	523
10	organs (C30-C39)	F	0	1	0	0	8	17	31	39	28	35	0	159
	organis (eso-ess)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	1	1	5	14	17	12	10	0	60
1	Malignant neoplasm of larynx (C32)	F	0	0	0	0	0	0	1	1	0	1	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Malignant neoplasm of trachea, bronchus and lung	М	0	0	0	1	10	9	58	162	86	122	0	448
2	(C33-C34)	F	0	1	0	0	8	15	27	34	28	32	0	145
	(633-634)	0	0	0	0	0	0	0	0	0	0	0	0	0
·	Other malignant neoplasm of respiratory and	М	0	0	0	0	1	0	3	8	1	2	0	15
3	intrathoracic organs (C30-C31, C37-C39)	F	0	0	0	0	0	2	3	4	0	2	0	11
	Initiationatic organs (C30-C31, C37-C39)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Maligant nepolasms of bone, mesothelial and soft	М	0	8	2	4	5	7	6	11	7	3	0	53
11		F	0	4	4	4	29	61	86	102	38	66	0	394
11	tissue, skin and breast (C40-C50)	0	0	0	0	0	0	0	0	0	0	0	0	0

						OVISIONAL)								
	D	EATHS BY	CAUSE OF D	DEATHS, AG		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
	T			1	AGE IN YE	ARS	1	1	l	l	ı	ı	NOT	
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	Malignant neoplasm of bone & articular cartilage (C40-	М	0	3	2	2	3	4	4	2	2	2	0	24
1	C41)	F	0	0	1	3	5	3	6	8	4	11	0	41
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	2	0	0	0	2
2	Malignant melanoma of skin (C43)	F	0	0	0	0	0	1	3	4	2	2	0	12
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	1	0	2	3	4	0	0	10
3	Other malignant neoplasms of skin (C44)	F	0	0	0	0	0	1	2	2	0	1	0	6
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Malignant neoplasms of mesothelial and soft tissue	М	0	5	0	2	1	3	0	4	1	1	0	17
4	(C45-C49)	F	0	4	3	1	1	1	4	4	1	1	0	20
	(C45-C49)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Malignant neoplasm of breast (C50)	М	0	0	0	0	0	0	0	0	0	0	0	0
5		F	0	0	0	0	23	55	71	84	31	51	0	315
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Maligant neoplasms of genitourinary organs (C51-C68)	M	0	5	1	1	7	6	24	49	45	134	0	272
12		F	0	3	2	3	13	37	106	109	51	83	0	407
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Malignant neoplasm of cervix uteri (C53)	М	0	0	0	0	0	0	0	0	0	0	0	0
1		F	0	0	0	0	2	12	30	30	12	24	0	110
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Malignant noonlasm of other and unspecified parts of	М	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of other and unspecified parts of uterus (C54-C55)	F	0	0	0	0	0	0	6	1	2	1	0	10
	uterus (C34-C33)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	0	0	0	0	0
3	Malignant neoplasm of ovary (C56)	F	0	2	1	3	8	19	54	52	21	24	0	184
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	0	0	0	0	0
4	Malignant neoplasm of placenta (C58)	F	0	0	0	0	2	1	0	0	0	0	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Other malignant neoplasms of female genital organs	М	0	0	0	0	0	0	0	0	0	0	0	0
5	= '	F	0	0	1	0	0	0	4	7	4	2	0	18
	(C51-C52,C57)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	1	6	13	21	79	0	120
6	Malignant neoplasm of prostate (C61)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Other well-west was allowed for the six to	М	0	1	0	0	3	1	1	2	5	2	0	15
7	Other malignant neoplasms of male genital organs	F	0	0	0	0	0	0	0	0	0	0	0	0
	(C60,C62-C63)	0	0	0	0	0	0	0	0	0	0	0	0	0

						OVISIONAL)								
		EATHS BY	CAUSE OF D	DEATHS, AGI		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
		I			AGE IN YE								NOT	1
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
0	Nationant assets as a filled day (CCZ)	M F	0	0	1	1	1	4	11	25	16	33	0	92
8	Malignant neoplasm of bladder (C67)	•	0	0	0	0	1	3	8	12	8	16	0	48
		0	0	0 4	0	0	3	0	0 6	9	3	0 20	0	0 45
9	Other malignant neoplasms of urinary tract (C64-	M F	0	1	0	0	0	2	4	7			0	34
9	C66,C68)	0	0	0	0	0	0	0	0	0	4 0	16 0	0	0
		M	2	9	7	4	8	9	9	9	3	4	0	64
13	Maligant nepolasms of eye, brain and other parts of	F	1	1	5	0	5	5	7	2	1	1	0	28
13	central nervous system (C69-C72)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	1	3	1	0	0	0	0	0	1	0	0	6
1	Malignant neoplasm of eye & adnexa (C69)	F	0	0	1	0	0	0	0	0	0	0	0	1
-	ividing numericopius in or eye & dunexa (eos)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	1	6	6	4	8	9	9	9	2	4	0	58
2	Malignant neoplasm of meninges, brain and other	F	1	1	4	0	5	5	7	2	1	1	0	27
_	parts of central nervious system (C70-C72)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Maligant neonlarms of other and unengrified sites	M	0	7	0	2	5	11	19	38	26	24	0	132
14	Maligant neoplasms of other and unspecified sites (C73-C80 & C97)	F	1	3	0	0	7	14	35	42	17	26	0	145
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	7	0	2	5	11	19	38	26	24	0	132
1	Malignant neoplasm of other, ill-defined, secondary, unspecified and multiple sites (C73-C80 & C97)	F	1	3	0	0	7	14	35	42	17	26	0	145
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	5	53	66	81	82	82	83	107	37	51	0	647
15	Malignant neoplasms of lymphoid, haematopoietic	F	3	30	38	30	48	43	45	43	25	39	0	344
	and related tissue (C81-C96)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	2	4	8	6	2	7	8	1	2	0	40
1	Hodgkin lymphoma (C81)	F	0	0	0	0	4	2	0	2	0	3	0	11
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	9	26	28	16	17	19	27	9	10	0	161
2	Non-Hodgkin lymphoma (C82-C85)	F	0	8	11	10	18	11	14	13	6	10	0	101
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Multiple myeloma and malignant plasms cell	M	0	1	0	0	2	7	11	16	5	14	0	56
3	neoplasms (C90)	F	0	0	0	0	0	3	3	8	6	12	0	32
	neopiasins (eso)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	5	41	35	45	55	54	45	54	22	24	0	380
4	Leukaemia (C91-C95)	F	3	22	27	20	23	27	27	20	12	13	0	194
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Other malignant neoplasms of lymphoid,	M	0	0	1	0	3	2	1	2	0	1	0	10
5	haematopoietic and related tissue (C88 & C96)	F	0	0	0	0	3	0	1	0	1	1	0	6
	naematopoietic and related tissue (C88 & C96)	0	0	0	0	0	0	0	0	0	0	0	0	0

	P	EATUS DV	CALISE OF D	EATUS AG	AND CEVE	OR MEDICAL	I V CEDTIEIE	D DEATHS	2022					
	<u> </u>	CAINS DI	CAUSE OF D	EATHS, AG	AGE IN YE		LI CENTIFIE	D DEATHS -	2023					
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
		М	8	0	0	0	4	5	14	24	13	50	0	118
16	Carcinoma in situ(D00-D09)	F	0	2	1	2	3	7	12	12	8	32	0	79
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	8	0	0	0	4	5	14	24	13	50	0	118
1	Carcinoma in situ (D00-D09)	F	0	2	1	2	3	7	12	12	8	32	0	79
		0 M	0 1	0 4	0 8	0 7	0 11	0	0	0 31	0 9	0	0 0	0 152
17	Benign neoplasms (D10-D36)	F	0	5	8	3	14	28 12	41 20	19	7	12 9	0	97
17	208	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	0	0	0	0	0
1	Leiomyoma of uterus (D25)	F	0	0	0	0	0	0	0	1	0	0	0	1
_		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	1	4	8	7	11	28	41	31	9	12	0	152
2	All other benign neoplasms (D10-D24, D26-D36)	F	0	5	8	3	14	12	20	18	7	9	0	96
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	1	0	2	2	0	3	0	0	6	0	14
18	Other & Unspecified neoplasm (D37-D48)	F	0	1	1	0	3	6	5	1	3	5	0	25
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Other and unspecified neoplasm (D37-D48)	M	0	1	0	2	2	0	3	0	0	6	0	14
1		F	0	1	1	0	3	6	5	1	3	5	0	25
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Diseases of the Blood & blood forming organs and	М	26	19	45	90	73	62	73	57	26	52	0	523
Ш	certain disorders involving the immune mechanism	F	23	14	29	60	67	47	48	61	24	53	0	426
	(D50-D89)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Diseases of the Blood & blood forming organs and	М	26	19	45	90	73	62	73	57	26	52	0	523
19	certain disorders involving the immune mechanism	F	23	14	29	60	67	47	48	61	24	53	0	426
	(D50-D89)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	1	1	1	5	0	1	1	0	0	0	10
1	Thalassaemia (D56)	F	0	0	0	1	3	0	0	0	0	0	0	4
		0	0	0	0	0	0	0	0	0	0	0	0	0
_		M	10	11	26	46	42	35	51	41	18	36	0	316
2	Other anaemias (D50-D55,D57-D64)	F	12	9	19	43	42	35	33	49	17	41	0	300
		0	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of blood and blood-forming organs	M F	16	7	18	42	26	25	20	15	8	15	0	192 120
3	(D65-D76)	0	11 0	5 0	10 0	15 0	22 0	12 0	15 0	11 0	7	12 0	0	0
		M	0	0	0	1	0	2	1	0	0	1	0	5
4	Certain disorders involving the immune mechanism	F	0	0	0	1	0	0	0	1	0	0	0	2
7	(D80-D89)	0	0	0	0	0	0	0	0	0	0	0	0	0
	1	U	U	U	U	U	U	U	U	U	U	U	U	U

	_					OVISIONAL								
		EATHS BY	CAUSE OF D	EATHS, AG	AGE IN YE	OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
													NOT	
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	ENDOCRINE, NUTRITIONAL AND METABOLIC	М	14	10	14	24	54	85	196	237	108	219	0	961
IV	DISEASES (E00-E90)	F	11	7	6	30	38	75	148	213	102	235	0	865
	2.02.1020 (200 200)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	5	3	1	0	0	0	0	1	0	0	0	10
20	Malnutrition (E40-E46)	F	2	2	1	0	0	0	0	0	0	0	0	5
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Vocashinalar (FAO)	M	0	0	0	0	0	0	0	0	0	0	0	0
1	Kwashiorkor (E40)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	1
2	Nutritional marasmus (E41)	M F	0	0	0	0	0	0	0	0	0	0	0	0
۷	Nutritional marasmus (E41)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	5	3	1	0	0	0	0	0	0	0	0	9
3	Other protein-energy malnutrition (E42-E46)	F	2	2	1	0	0	0	0	0	0	0	0	5
3		0	0	0	0	0	0	0	0	0	0	0	0	0
	- 1	M	9	7	13	24	54	85	196	236	108	219	0	951
21	Endocrine, other nutritional & metabolic diseases	F	9	5	5	30	38	75	148	213	102	235	0	860
	(E00-E34 & E50-E89)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	1	0	0	1	0	5	4	1	6	0	18
1	Disorders of thyroid gland (E00-E07)	F	0	0	0	1	2	3	9	6	6	5	0	32
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	2	5	20	42	128	165	75	168	0	605
2	Diabetes mellitus (E10-E14)	F	1	1	1	7	9	33	91	160	74	177	0	554
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	0	0	0	0	0
3	All other nutritional deficiencies (E50-E64)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
	All other endocrine and metabolic diseases (E15-E34 &	М	9	6	11	19	33	43	63	67	32	45	0	328
4	E65-E90)	F	8	4	4	22	27	39	48	47	22	53	0	274
	L03-L90)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	2	6	2	1	6	10	9	6	4	3	0	49
٧	Mental and Behavioural disorders (F01-F99)	F	0	1	0	2	1	0	0	1	1	1	0	7
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	2	6	2	1	6	10	9	6	4	3	0	49
22	Mental and Behavioural disorders (F01-F99)	F	0	1	0	2	1	0	0	1	1	1	0	7
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Mental and behavioural disorders due to psychoactive	M	0	1	0	0	6	8	4	3	2	3	0	27
1	substance use (F10-F19)	F	0	0	0	1	1	0	0	0	0	1	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0

				Table	D-11 (PR	OVISIONAL								
	D	EATHS BY	CAUSE OF D	EATHS, AG		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
	T		1	1	AGE IN YE	ARS		1	1	1	1	1	NOT	
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
2	Schizophrenia, schizotypal & delusional disorders (F20-	M F	0	0	0	0	0	0	1	0	1	0	0	2
2	F29)	<u> </u>	0	0	0	0	0	0	0	0	0	0	0	0
	All .1	<u> </u>	2	5	2	1	0	2	4	3	1	0	0	20
3	All other mental and behavioural disorders (F01-F09,	F	0	1	0	1	0	0	0	1	1	0	0	4
	F30-F99)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	61	45	48	67	63	90	148	101	55	98	0	776
VI	Diseases of the Nervous System (G00-G98)	F	33	28	33	47	52	55	57	78	20	82	0	485
	, , ,	0	0	0	0	0	0	0	0	0	0	0	0	0
	Inflammatory diseases of the central nervous system	М	23	12	12	16	18	18	31	20	13	34	0	197
23	· · · · · · · · · · · · · · · · · · ·	F	20	10	13	20	11	13	12	30	6	29	0	164
	(G00 - G09)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	13	4	3	8	8	6	11	3	7	11	0	74
1	Meningitis (G00 & G03)	F	16	3	2	10	3	7	3	11	2	2	0	59
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Encephalitis, myelitis and encephalomyelitis (G04)	M	7	8	8	4	4	5	3	2	1	0	0	42
2		F O	4 0	0	5 0	6	0	1	0	0	0	0	0	27 0
		M	3	0	1	0 4	6	7	17	15	5	23	0	81
3	Other inflammatory diseases of the central nervous system (G06, G08-G09)	F	0	3	6	4	7	5	9	15	4	25	0	78
3		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	38	33	36	51	45	72	117	81	42	64	0	579
24	Other diseases of the Nervous system (G10-G98)	F	13	18	20	27	41	42	45	48	14	53	0	321
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	0	0	1	0	1
1	Alzheimer disease (G30)	F	0	0	0	0	0	0	0	0	0	2	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
_	_ ,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	M	2	3	4	9	4	8	10	4	2	4	0	50
2	Epilepsy (G40-G41)	F	1	4	4	5	7	6	6	3	1	2	0	39
		0	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of the nervous system (G10-G25,	M F	36 12	30 14	32 16	42 22	41 34	64 36	107 39	77 45	40 13	59 49	0	528 280
э	G31, G35-G37,G43-G98)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	1	0	1	2	1	2	4	4	2	8	0	25
VII	Diseases of the eye and adnexa (H00-H59)	F	1	0	0	0	0	0	3	3	1	4	0	12
		0	0	0	0	0	0	0	0	0	0	0	0	0
25	Discours of the over and advance (UCO UEC)	<u>M</u>	1	0	1	2	1	2	4	4	2	8	0	25
25	Diseases of the eye and adnexa (H00-H59)	<u> </u>	0	0	0	0	0	0	3 0	3 0	0	4	0	12 0
		U	U	0	U	U	U	U	U	U	U	0	U	U

				Table	D-11 (PRO	OVISIONAL)							
	I	DEATHS BY	CAUSE OF I	EATHS, AG		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
	T		1	1	AGE IN Y	ARS	1	1	1	1	1			
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
		М	1	0	1	2	1	2	4	4	2	8	0	25
1	Diseases of the eye and adnexa (H00-H59)	F	1	0	0	0	0	0	3	3	1	4	0	12
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	1	0	0	0	0	0	1	0	0	0	2
VIII	Diseases of the ear and mastoid process (H60-H95)	F	0	0	1	0	0	0	0	0	0	0	0	1
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	1	0	0	0	0	0	1	0	0	0	2
26	Diseases of the ear and mastoid process (H60-H95)	F	0	0	1	0	0	0	0	0	0	0	0	1
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	181	87	92	437	743	1259	1859	2195	937	2067	0	9857
IV	Discours of the simulators quaters (100 100)	F	127	51	80	295	394	477	863	1273	583	1712	0	5855
IX	viseases of the circulatory system (I00-I99)	0	0	91	0	0	0	1	1	0	0	0	0	2
		М	10	4	12	25	32	43	58	59	27	53	0	323
27	Acute rheumatic fever and chronic rheumatic heart	F	4	1	8	20	40	42	70	53	20	57	0	315
21	diseases (I00-I09)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	1	0	0	0	0	1
1	Acute rheumatic fever (I00-I02)	F	0	0	0	1	0	0	0	0	0	0	0	1
1		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	10	4	12	25	32	43	57	59	27	53	0	322
2	Chronic rheumatic heart diseases (I05-I09)	F	4	1	8	19	40	42	70	53	20	57	0	314
2	Cili offic Medifiatic fleart diseases (103-109)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	24	13	14	117	209	318	514	498	242	478	0	2427
28	Hypertensive disease (I10 - I15)	F	17	10	14	93	118	129	236	373	210	474	0	1674
20	Trypertensive disease (110 - 113)	0	0	0	0	0	0	0	1	0	0	0	0	1
		M	0	0	0	0	0	0	0	0	0	0	0	0
1	Hypertensive heart disease (I11)	F	0	0	0	0	0	0	0	0	0	0	0	0
-	/r	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	24	13	14	117	209	318	514	498	242	478	0	2427
2	All other hypertensive diseases (I10, I12-I15)	F	17	10	14	93	118	129	236	373	210	474	0	1674
_	, [, [,]	0	0	0	0	0	0	0	1	0	0	0	0	1
		M	6	4	5	33	207	395	509	665	268	532	0	2624
29	Ischaemic heart diseases (I20-I25)	F	6	2	4	24	77	113	188	312	113	373	0	1212
	\	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	1	0	4	3	16	42	92	113	73	141	0	485
1	Acute myocardial infarction (I21-I22)	F	2	2	1	5	6	10	27	57	23	112	0	245
-	,	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	5	4	1	30	191	353	417	552	195	391	0	2139
2	All other ischaemic heart diseases (I20 & I23-I25)	F	4	0	3	19	71	103	161	255	90	261	0	967
-	i other ischaemic neart diseases (120 & 123-125)	0	0	0	0	0	0	0	0	0	0	0	0	0

				Table	D-11 (PRC	OVISIONAL))							
	D	EATHS BY	CAUSE OF D	EATHS, AGI		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
	T T		1		AGE IN YE	ARS		I	I		1		NOT	
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	Diseases of pulmonary circulation and other forms of	М	89	42	35	214	189	227	352	510	248	622	0	2528
30	heart disease (I26- I58)	F	56	28	33	140	109	116	192	286	137	499	0	1596
		0	0	0	0	0	0	1	0	0	0	0	0	1
		М	29	13	12	162	121	112	193	275	143	356	0	1416
1	Pulmonary heart disease and diseases (I26-I28)	F	12	9	15	106	62	60	94	141	78	305	0	882
		0	0	0	0	0	0	1	0	0	0	0	0	1
		М	60	29	23	52	68	115	159	235	105	266	0	1112
2	Other forms of heart diseases (I30-I58)	F	44	19	18	34	47	56	98	145	59	194	0	714
		0	0	0	0	0	0	0	0	0	0	0	0	0
-		М	13	6	16	45	93	255	396	417	132	301	0	1674
31	Cerebrovascular diseases (I60-I69)	F	9	3	10	13	45	71	156	226	89	255	0	877
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	13	6	16	45	93	255	396	417	132	301	0	1674
1	Cerebrovascular diseases (I60-I69)	F	9	3	10	13	45	71	156	226	89	255	0	877
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	39	18	10	3	13	21	30	46	20	81	0	281
32	Other diseases of the circulatory system (I70-I99)	F	35	7	11	5	5	6	21	23	14	54	0	181
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	1	0	0	1	0	0	2
1	Atherosclerosis (I70)	F	1	0	0	0	0	0	0	0	0	0	0	1
	` ′	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	1	3	2	0	2	0	8
2	Arterial embolism and thrombosis (I74)	F	1	0	0	1	0	0	3	0	0	2	0	7
		0	0	0	0	0	0	0	0	0	0	0	0	0
		<u> </u>	0	0	1	0	3	7	8	6	1	5	0	31
3	Other diseases of arteries, arterioles & capillaries (I71-	F F	1	1	0	3	1	2	5	3	2	0	0	18
3	173 & 177-178)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	1	1	0	2	1	0	1	1	0	2	0	9
4	Phlebitis, thrombophlebitis, venous embolism and	F	2	0	0	0	1	1	4	1	1	2	0	12
4	thrombosis (I80-I82)		0	0	0	0	0	0	0	0	0	0	0	0
		<u> </u>	38	17	9	1	9	12	18	37	18	72	0	231
5	All other diseases of the circulatory system (193, 199)	F F	38				3		9	_		1		
Э	All other diseases of the circulatory system (183-199)	<u> </u>	0	6 0	11	0	0	3 0	0	19 0	11 0	50	0	143 0
		U	U	U	0	U	U	U	U	U	U	U	U	U
			025	227	120	350	222	360	C21	022	441	1210		F22C
v	DISEASES OF THE DESCRIPATORY SYSTEM (100 100)	<u>M</u>	925	227	128	250	232	360	621	833	441	1219	0	5236
Х	DISEASES OF THE RESPIRATORY SYSTEM (J00-J98)	F	644	166	115	182	177	210	347	492	281	949	0	3563
		0	2	0	0	0	0	0	0	0	0	0	0	2
	DISEASES OF THE UPPER RESPIRATORY TRACT (J00-	M	1	0	0	2	1	2	12	4	8	20	0	50
33	J06 & J30-J39)	F	3	1	0	2	1	0	1	8	5	15	0	36
		0	0	0	0	0	0	0	0	0	0	0	0	0

				Table	D-11 (PRC	VISIONAL)								
	D	EATHS BY	CAUSE OF D	EATHS, AGI		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
	,		1	1	AGE IN YE	ARS		1	1	1				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
		М	0	0	0	0	0	0	1	0	0	0	0	1
1	Acute pharyngitis and acute tonsillitis (J02-J03)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	0	0	0	0	0
2	Acute laryngitis and tracheitis (J04)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Other acute upper respiratory infections (J00-J01, J05-	М	0	0	0	0	0	0	8	1	6	13	0	28
3	J06)	F	1	1	0	0	1	0	0	6	4	8	0	21
	300)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	1	0	0	2	1	2	3	3	2	7	0	21
4	All other diseases of upper respiratory tract (J30-J39)	F	2	0	0	2	0	0	1	2	1	7	0	15
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	16	4	6	27	65	124	270	407	212	520	0	1651
34	Lower respiratory diseases (J20-J22 & J40-J47)	F	13	9	8	37	47	66	129	225	136	392	0	1062
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	3	1	1	0	1	0	0	0	0	1	0	7
1	Acute bronchitis and acute bronchiolitis (J20-J21)	F	3	2	0	1	0	0	0	0	0	0	0	6
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Donatitie description description of the descriptio	М	0	0	0	0	0	3	4	3	0	3	0	13
2	Bronchitis, chronic and unspecified, emphysema (J40-	F	0	0	0	0	1	1	3	2	1	5	0	13
	J43)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	3	0	2	6	14	11	31	36	14	34	0	151
3	Asthma (J45-J46)	F	0	1	3	3	7	13	15	26	8	27	0	103
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	10	3	3	21	50	110	235	368	198	482	0	1480
4	Other lower respiratory disorders (J22, J44 & J47)	F	10	6	5	33	39	52	111	197	127	360	0	940
		0	0	0	0	0	0	0	0	0	0	0	0	0
	01 1: 61 : (40.40.40	М	908	223	122	221	166	234	339	422	221	679	0	3535
35	Other diseases of the respiratory system (J10-J18,J60-	F	628	156	107	143	129	144	217	259	140	542	0	2465
	J98)	0	2	0	0	0	0	0	0	0	0	0	0	2
		М	0	1	0	1	1	2	0	0	2	2	0	9
1	Influenza (J10-J11)	F	0	2	1	1	0	0	0	3	1	2	0	10
	· · · /	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	801	160	78	152	65	88	113	167	99	366	0	2089
2	Pneumonia (J12-J18)	F	570	130	82	87	50	51	90	112	52	291	0	1515
_		0	2	0	0	0	0	0	0	0	0	0	0	2
		 M	23	11	8	13	26	44	86	137	64	207	0	619
3	Pleurisy (J90)	F	21	4	2	12	35	33	39	58	43	156	0	403
•		0	0	0	0	0	0	0	0	0	0	0	0	0

				Table	D-11 (PRC	OVISIONAL))							
	D	EATHS BY	CAUSE OF D	EATHS, AGI		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
	T	1		1	AGE IN YE	ARS			1		1	1	T	Г
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	All other diseases of the respiratory system (J60-J86,	M	84	51	36	55	74	100	140	118	56	104	0	818
4	J92-J98)	F	37	20	22	43	44	60	88	86	44	93	0	537
	132 330,	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	35	70	53	111	513	1052	1011	669	213	286	0	4013
ΧI	DISEASES OF THE DIGESTIVE SYSTEM (K00-K92)	F	33	48	58	107	135	151	194	234	96	192	0	1248
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Diseases of oral cavity, salivary glands and jaws (K00-	M	0	0	0	0	1	2	3	1	0	1	0	8
36	K14)	F	0	1	1	3	0	1	1	0	0	1	0	8
	,	0	0	0	0	0	0	0	0	0	0	0	0	0
	Diseases of oral cavity, salivary glands and jaws (K00-	M	0	0	0	0	1	2	3	1	0	1	0	8
1	K14)	F	0	1	1	3	0	1	1	0	0	1	0	8
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Diseases of the other parts of digestive system (K20-	М	35	70	53	111	512	1050	1008	668	213	285	0	4005
37	K92)	F	33	47	57	104	135	150	193	234	96	191	0	1240
	,	0	0	0	0	0	0	0	0	0	0	0	0	0
	G	M	0	0	0	0	0	0	2	1	0	0	0	3
1	Gastric and duodenal ulcer (K25-K27)	F	0	0	0	0	0	0	0	1	0	0	0	1
		0	0	0	0	0	0	0	0	0	0	0	0	0
2	Contritio and duadanitic (K20)	M F	0	0	0	0	0	0	0	0	0	0	0	0
2	Gastritis and duodenitis (K29)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	1	1	1	0	0	0	3	2	0	1	0	9
3	Diseases of appendix (K35-K38)	F	0	0	0	0	1	0	0	4	0	1	0	6
3	Diseases of appendix (KSS-KSO)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	4	0	0	0	1	2	2	3	0	6	0	18
4	Hernia (K40-K46)	F	0	1	0	0	0	1	2	5	1	2	0	12
-	Therma (N40 N40)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	3	1	3	2	10	2	12	3	6	0	42
5	Paralytic ileus and intestinal obstruction without	F	0	0	1	4	3	2	4	5	2	6	0	27
-	hernia (K56)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	9	4	3	19	38	43	40	35	13	35	0	239
6	Peritonitis (K65)	F	10	3	6	29	24	18	16	22	5	17	0	150
	, ,	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	18	57	44	70	411	915	885	561	182	211	0	3354
7	Diseases of the liver (K70-K76)	F	14	40	45	54	81	99	127	165	77	137	0	839
	·	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	1	0	2	0	2	1	5	0	11
8	Chiolelithiasis and cholecystitis (K80-K81)	F	0	0	0	0	1	3	6	2	1	4	0	17
	· · · · · ·	0	0	0	0	0	0	0	0	0	0	0	0	0

						OVISIONAL)								
	С	EATHS BY	CAUSE OF D	EATHS, AGE		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
	T		1	1	AGE IN YE	ARS	1		1		1	1	NOT	
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	D: 1 (1) (405 405)	M	1	1	2	13	47	46	38	23	2	9	0	182
9	Disorders of the pancreas (K85-K86)	F	0	0	2	8	10	16	19	12	5	7	0	79
	All other diseases of the other parts of digestive	0	0	0	0	0	0	0	0	0	0	0	0	0
10		M	2	4	2	5	13	32	36	29	12	12	0	147
10	system (K20-K22, K28, K30-K31, K50-K55, K57-K63,	F	9	3	3	9	15	11	18	18	5	17	0	108
	K66, K82-K83 & K90-K92)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	2	0	1	1	4	0	4	11	1	2	0	26
XII	Diseases of the skin and subcutaneous tissue (L00-	F	2	1	0	2	2	0	3	3	1	0	0	14
	L99)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Discourse of the action and automateurs there (100	М	2	0	1	1	4	0	4	11	1	2	0	26
38	Diseases of the skin and subcutaneous tissue (L00-	F	2	1	0	2	2	0	3	3	1	0	0	14
	L99)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Infantions of the chin and subsutencess tissue (100	М	1	0	1	1	2	0	4	8	1	1	0	19
1	Infections of the skin and subcutaneous tissue (L00-	F	1	1	0	1	2	0	2	1	1	0	0	9
	L08)	0	0	0	0	0	0	0	0	0	0	0	0	0
	All other diseases of the skin and subcutaneous tissue	М	1	0	0	0	2	0	0	3	0	1	0	7
2	(L10-L99)	F	1	0	0	1	0	0	1	2	0	0	0	5
	(LIO-L99)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Diseases of the Musculoskeletal system connective	М	1	1	3	2	12	10	14	22	5	10	0	80
XIII	tissue (M00-M99)	F	1	0	3	9	9	14	13	7	3	6	0	65
	1100110 (11100 11100)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Diseases of the Musculoskeletal system connective	М	1	1	3	2	12	10	14	22	5	10	0	80
39	tissue (M00-M99)	F	1	0	3	9	9	14	13	7	3	6	0	65
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Rheumatoid arthritis and other inflammatory	M	0	0	2	0	0	0	1	2	0	0	0	5
1	polyarthropathies (M05-M13)	F	0	0	0	0	0	3	5	2	1	1	0	12
	, , ,	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Onto a manualitie (8.40C)	M	0	0	0	0	0	0	0	0	0	1	0	1
2	Osteomyelitis (M86)	F	0	0	0	0	0	0	1	0	0	0	0	1
	All other diseases of the musculoskeletal system and	O M	0	0	0	0 2	0 12	0	0	0	5	9	0	0 74
3	connective tissue (M00-M02, M15-M43-M85, M87-	F	1	0	3	9	9	10	13 7	20 5	2	5	0	52
3	, , , , , , , , , , , , , , , , , , , ,	0	0	0	0	0	0	11 0	0	0	0	0	0	0
	M99)	U	U	U	U	U	U	U	U	U	U	U	U	U
		М	15	10	21	65	109	175	274	327	160	316	0	1472
XIV	DISEASES OF THE GENITOURINARY SYSTEM (N00 -	F	9	6	15	55	78	119	154	205	101	246	0	988
	N99)	0	0	0	0	0	0	0	0	0	0	0	0	0

						OVISIONAL)								
	D	EATHS BY	CAUSE OF D	EATHS, AGI	E AND SEX F	OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
		М	15	10	21	65	109	174	271	327	160	313	0	1465
40	Disease of urinary system (N00-N39)	F	9	6	14	54	78	119	153	205	101	246	0	985
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Glomerular diseases (including Nephritic Synodrome)	М	0	3	6	5	0	1	2	1	0	2	0	20
1	(N00-N07)	F	0	2	5	0	0	1	2	2	2	1	0	15
		0	0	0	0	0	0	0	0	0	0	0	0	0
-	D 1. 1 1	M	0	0	0	1	1	4	1	3	0	2	0	12
2	Renal tubulo-interstitial diseases (N10-N15)	F	0	1	0	0	1	0	0	1	1	1	0	5
		0	0	0	0	0	0	0	0	0	0	0	0	0
3	Bonal failure (N17 N10)	M F	15 9	6	12	49	87	141	204	256	123	228	0	1121 726
3	Renal failure (N17-N19)	<u>F</u>	0	3	8	49 0	62 0	91	118	152 0	65 0	169 0	0	0
		M	0	0	0	1	0	0	0	0	0	6	0	9
4	Urolithiasis (N20-N23)	F	0	0	0	0	0	0	0	3	2	3	0	8
4	Of Officialis (N20-N23)	0	0	0	0	0	0	0	0	0	0	0	0	0
			0	0	2	8	20	26	58	56	33	58	0	261
5	Other disorders of kidney and ureter (N25-N29)	F	0	0	1	5	14	24	29	39	26	61	0	199
3	other disorders of Mariey and dieter (N25 N25)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	1	1	1	1	1	5	11	4	17	0	42
6	All other diseases of urinary system (N30-N39)	F	0	0	0	0	1	3	4	8	5	11	0	32
-		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	1	3	0	0	3	0	7
41	Other diseases of the genitourinary system (N40-N99)	F	0	0	1	1	0	0	1	0	0	0	0	3
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	0	0	2	0	2
1	Hyperplsia of prostate (N40)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	1	3	0	0	1	0	5
2	All other diseases of male genital organs (N41-N50)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	0	0	0	0	0
3	Salpingitis and oophoritis (N70)	F	0	0	1	1	0	0	0	0	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
	All other diseases of female genital organs (N60-N64,	М	0	0	0	0	0	0	0	0	0	0	0	0
4	N71-N76, N80-N99)	F	0	0	0	0	0	0	1	0	0	0	0	1
	147 1-147 0, 1400-1433)	0	0	0	0	0	0	0	0	0	0	0	0	0
	PREGNANCY,CHILDBIRTH AND THE PUERPERIUM	М	0	0	0	0	0	0	0	0	0	0	0	0
ΧV	(000-099)	F	0	0	0	46	70	13	2	0	0	0	0	131
	, . ,	0	0	0	0	0	0	0	0	0	0	0	0	0

						OVISIONAL)								
	D	EATHS BY	CAUSE OF D	EATHS, AGI		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
		М	0	0	0	0	0	0	0	0	0	0	0	0
42	Pregnancy with abortive outcome (O00-O08)	F	0	0	0	2	8	1	0	0	0	0	0	11
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	0	0	0	0	0
1	Spontaneous abortion (O03)	F	0	0	0	0	2	0	0	0	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
_		M	0	0	0	0	0	0	0	0	0	0	0	0
2	Medical abortion (004)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
2	Other pregnancies with abortive outcome (O00-O02 &	M F	0	0	0	0	0	0	0	0	0	0	0	9
3	O05-O08)	0	0	0	0	0	6	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0
43	Other direct obstetric deaths (O10-O92)	F	0	0	0	19	30	7	0	0	0	0	0	56
43	other direct obstetric deaths (010-052)	0	0	0	0	0	0	0	0	0	0	0	0	0
		<u> </u>	0	0	0	0	0	0	0	0	0	0	0	0
1	Oedema, proteinuria and hypertensive disorders in	F	0	0	0	1	5	0	0	0	0	0	0	6
-	pregnancy, childbirth and the puerperium (O10-O16)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0
2	Infections of genitourinary tract in pregnancy (O23)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	0	0	0	0	0
3	Obstructed labour (O64-O66)	F	0	0	0	1	1	1	0	0	0	0	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Complications pre-dominantly related to the	М	0	0	0	0	0	0	0	0	0	0	0	0
4	puerperium (085-092)	F	0	0	0	3	5	0	0	0	0	0	0	8
	puerperium (085-092)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Other complications of pregnancy and delivery (O20-	М	0	0	0	0	0	0	0	0	0	0	0	0
5	O22,O24-O63 & O67-O84)	F	0	0	0	14	19	6	0	0	0	0	0	39
	022,024-003 & 007-084)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Other obstetric conditions, not elsewhere classified	М	0	0	0	0	0	0	0	0	0	0	0	0
44	(095-099)	F	0	0	0	25	32	5	2	0	0	0	0	64
	1000 000,	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0
1	Indirect obstetric deaths (O98-O99)	F	0	0	0	23	29	4	2	0	0	0	0	58
		0	0	0	0	0	0	0	0	0	0	0	0	0
2	All other obstetric conditions, not elsewhere classified	<u>M</u>	0	0	0	0	0	0	0	0	0	0	0	0
2	(O95-O97)	F	0	0	0	2	3	1	0	0	0	0	0	6
		0	0	0	0	0	0	0	0	0	0	0	0	0

SL. No. NAME OF THE DISEASE SEX <1 1-4 5-14 15-24 25-34 35-44 45-54 55-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-	0 65-69 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	>=70 (13) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	NOT STATED (14) 0 0 0 0 0 0 0	TOTAL (15) 1621 1131 7 1621 1131 7 871 642
SL. No. NAME OF THE DISEASE SEX <1 1-4 5-14 15-24 25-34 35-44 45-54 55-66 (1) (2) (3) (4) (5) (6) (7) (8) (9) (10) (11) XVI Certain conditions originating in the perinatal period (P00-P96) M 1621 0 0 0 0 0 0 0 0 0 0 F 1131 0 0 0 0 0 0 0 0 0 O 7 0 0 0 0 0 0 0 0 F 1131 0 0 0 0 0 0 0 0 0 F 1131 0 0 0 0 0 0 0 0 0 F 1131 0 0 0 0 0 0 0 0 0 F 1131 0 0 0 0 0 0 0 0 0 Slow fetal growth, fetal malnutrition and immaturity F 642 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(12) 0 0 0 0 0 0 0 0 0 0 0 0	(13) 0 0 0 0 0 0 0 0	\$\text{STATED}\$ (14) 0 0 0 0 0 0 0 0 0 0 0 0 0	(15) 1621 1131 7 1621 1131 7 871 642
XVI Certain conditions originating in the perinatal period (P00-P96)	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	(14) 0 0 0 0 0 0 0 0	1621 1131 7 1621 1131 7 871 642
XVI Certain conditions originating in the perinatal period (P00-P96)	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0	1621 1131 7 1621 1131 7 871 642
F 1131 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	7 1621 1131 7 871 642
45 Certain conditions originating in the perinatal period (P00-P96) M 1621 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0	0 0 0 0	1621 1131 7 871 642
45 Certain conditions originating in the perinatal period (P00-P96) F 1131 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0	0 0 0	1131 7 871 642
45 (P00-P96) F 1131 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0	0 0 0	7 871 642
Slow fetal growth, fetal malnutrition and immaturity	0 0 0 0	0 0	0	871 642
Slow fetal growth, fetal mainutrition and immaturity F 642 0 0 0 0 0 0 0 0	0 0 0 0	0	0	642
	0 0	0		
[(P05-P07)	0			
	0	1 0	0	4
M 29 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	29
		0	0	20
0 1 0 0 0 0 0 0		0	0	1 419
Hypoxia, birth asphyxia and other respiratory M	0	0	0	283
Sonditions (P20-P28) F 283 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0	0	203
M 0 0 0 0 0 0 0 0	0	0	0	0
4 Haemolytic disease of fetus and new born (P55) F 0 0 0 0 0 0 0 0	0	0	0	0
0 0 0 0 0 0 0 0	0	0	0	0
M 5 0 0 0 0 0 0 0	0	0	0	5
5 Other perinatal Jaundice (P58-P59) F 4 0 0 0 0 0 0 0 0	0	0	0	4
0 0 0 0 0 0 0 0	0	0	0	0
M 297 0 0 0 0 0 0 0	0	0	0	297
All other conditions originating in the perinatal period F 182 0 0 0 0 0 0 0 0	0	0	0	182
(P00-P04,P08,P29-P54,P56-P57,P60-P96)	0	0	0	0
Congenital Malformations, Deformations & M 206 55 19 13 0 1 2 1	1	3	0	301
XVII chromosomal abnormalities (Q00-Q99)	1	0	0	172
O 0 0 0 0 0 0 0 0	0	0	0	0
Congenital Malformations, Deformations & M 206 55 19 13 0 1 2 1	1	3	0	301
46 Chromosomal abnormalities (000,099) F 116 27 12 4 7 2 2 1	1	0	0	172
	0	0	0	0
M 5 0 0 0 0 0 0	0	0	0	5
1 Spina bifida (Q05) F 1 0 1 0 0 0 0	0	0	0	2
0 0 0 0 0 0 0 0	0	0	0	0
Congenital malformations of the circulatory sytem M 117 37 12 10 0 1 2 1	1	1	0	182
2 (Q20-Q28) F 57 19 9 1 1 1 2 0	1	0	0	91
O O O O O O O O O O	0	0	0	0
M 0 0 0 0 0 0 0 0 0 0 0 3 Cleft lip and cleft palate (Q35-Q37) F 0 0 0 1 1 0 0 0	0	0	0	2
O 0 0 0 0 0 0 0	0	0	0	0

				Table	D-11 (PRC	OVISIONAL)								
	D	EATHS BY	CAUSE OF D	EATHS, AGI		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
				1	AGE IN YE	ARS					1	ı	,	
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	All other congenital malformations, deformations, and	М	84	18	7	3	0	0	0	0	0	2	0	114
4	chromosomal abnormalities, not elsewhere classified	F	58	8	2	2	5	1	0	1	0	0	0	77
	(Q00-Q04, Q06-Q18, Q30-Q34 & Q38-Q99)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Symptoms, Signs and abnormal clinical &Laboratory	М	442	154	210	619	1034	1294	1867	2001	1107	2607	134	11469
XVIII	finding not elsewhere classified (R00-R99)	F	265	139	188	389	392	443	726	1070	659	2023	92	6386
	muling not eisewhere classified (Noo-Noo)	0	0	0	0	0	0	0	2	0	1	0	0	3
	Symptoms, Signs and abnormal clinical &Laboratory	М	442	154	210	619	1034	1294	1867	2001	1107	2607	134	11469
47	finding not elsewhere classified (R00-R99)	F	265	139	188	389	392	443	726	1070	659	2023	92	6386
	maing not eisewhere diassined (Noo-Noo)	0	0	0	0	0	0	0	2	0	1	0	0	3
		М	1	0	0	1	0	1	2	0	1	3	0	9
1	Abdominal and pelvic pain (R10)	F	0	0	0	0	0	0	0	4	1	1	0	6
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	4	6	3	5	3	3	0	24
2	Ascites (R18)	F	0	0	0	1	0	2	3	4	1	2	0	13
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	2	0	0	0	0	0	1	0	0	0	0	3
3	Somnolence, stupor and coma (R40)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	12	2	14	57	100	77	66	21	7	15	3	374
4	Fever of unknown origin (R50)	F	9	3	14	46	49	47	24	10	11	6	0	219
		0	0	0	0	0	0	0	0	0	1	0	0	1
		М	0	0	0	0	3	1	0	282	250	493	0	1029
5	Senility (R54)	F	1	0	0	0	0	0	0	169	133	373	0	676
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	1	0	3	0	4
6	Syncope and collapse (R55)	F	0	1	0	0	0	0	0	0	0	0	0	1
		0	0	0	0	0	0	0	0	0	0	0	0	0
_		M	100	14	17	40	74	98	138	172	108	244	20	1025
7	Convulsions, not elsewhere classified (R56)	F	51	20	21	34	33	32	59	117	59	191	18	635
		0	0	0	0	0	0	0	0	0	0	0	0	0
_		M	290	87	109	200	356	572	873	1110	570	1505	90	5762
8	Shock, not elsewhere classified (R57)	F	175	64	102	163	163	241	404	620	375	1278	63	3648
		0	0	0	0	0	0	0	1	0	0	0	0	1
-	All other symptoms, signs and abnormal clinical and	M	37	51	70	321	497	539	784	410	168	341	21	3239
9	laboratory findings, not elsewhere classified (R00-R09,	F	29	51	51	145	147	121	236	146	79	172	11	1188
	R11-R17,R19-R39,R41-R49,R51-R53,R58-R99)	0	0	0	0	0	0	0	1	0	0	0	0	1

				Table	D-11 (PR	OVISIONAL))							
	Γ	DEATHS BY	CAUSE OF D	EATHS, AGI		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
	T	1		1	AGE IN YE	ARS			l		I	ı	NOT	
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	Injury, poisoning and certain other consequences of	M	16	96	84	275	411	365	293	209	73	118	0	1940
XIX	external causes (S00-T98)	F	10	78	34	93	114	104	101	82	41	118	0	775
	, ,	0	0	0	0	0	0	0	0	0	0	0	0	0
••	Fractures (S02,S12,S22,S32,S42,S52,S62	M	0	1	1	13	29	32	33	17	6	18	0	150
48	S72,S82,S92,T02,T08,T10,T12)	F	0	3	0	5	7	3	1	6	4	19	0	48
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	1	0	1	1	0	0	1	0	0	0	4
1	Fracture of skull and facial bones (S02)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
2	Frankling of mode the move on mobile (C42 C22 C22 C T22)	M F	0	0	0	2	4	5	4	1	0	2	0	18 2
2	Fracture of neck, thorax or pelvis (\$12,\$22,\$32 & T08)		0	0	0	0	0	0	0	1	1	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0
	5	M	0	0	0	1	1	1	0	0	0	0	0	3
3	Fracture of upper limb (S42,S52,S62 & T10)	F	0	1	0	0	0	0	0	1	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
	[M	0	0	1	9	22	25	28	15	5	16	0	121
4	Fractures of lower limb (S72,S82,S92 & T12)	F	0	2	0	4	7	3	1	4	3	18	0	42
		0	0	0	0	0	0	0	0	0	0	0	0	0
_	Fractures involving multiple body regions and of	M F	0	0	0	0	1	1	1	0	1	0	0	4
5	unspecified body region (T02)		0	0	0	1	0	0	0	0	0	1	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
40	Dislocations, sprains and strains of specified and	M	0	0	0	0	0	0	2	0	0	0	0	2
49	multiple body regions (S03, S13, S23, S33, S43, S53,	F	0	0	0	0	0	0	0	0	0	0	0	0
	\$63, \$73, \$83, \$93, T03)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Intracranial and internal injuries, including nerves	M	6	27	22	115	194	166	125	105	36	41	0	837
50	(\$04, \$06, \$14, \$24, \$26-\$27, \$34, \$36-\$37, \$44, \$54,	F	3	27	12	17	26	30	37	29	11	29	0	221
	S64, S74, S84 & S94) Crushing injuries and traumatic amputations of	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	4	1	0	2	1	0	0	8
51	specified and multiple body regions (S07-S08, S17-	F	0	0	0	2	1	0	0	0	1	2	0	6
	\$18, \$28, \$38, \$47-\$48, \$57-\$58, \$67-\$68,\$77-\$78, \$87-\$88, \$97-\$98, \$704-\$705)	О	0	0	0	0	0	0	0	0	0	0	0	0
	Other injuries of specified, unspecified and multiple	М	3	21	23	54	75	72	54	31	11	23	0	367
52	body regions (S00-S01, S05, S09-S11, S15-S16, S19- S21, S25, S29-S31, S35, S39-S41, S45-S46, S49-S51,	F	2	12	9	4	8	16	10	14	4	9	0	88
	S55-S56, S59-S61, S65-S66, S69-S71, S75-S76, S79-	0	0	0	0	0	0	0	0	0	0	0	0	0
	S81. S85-S86. S89-S91. S95-S96. S99. T00-T01. T06-	М	2	1	0	1	4	21	24	21	7	16	0	97
53	Effects of foreign body entering through natural	F	1	1	0	1	1	5	6	7	5	18	0	45
	orifice (T15-T19)	0	0	0	0	0	0	0	0	0	0	0	0	0

				Table	D-11 (PRC	VISIONAL)								
	С	EATHS BY	CAUSE OF D			OR MEDICAL		D DEATHS -	2023					
					AGE IN YE	ARS								
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
		M	5	44	35	65	72	55	43	18	7	13	0	357
54	Burns and Corrosions (T20-T32)	F	4	32	12	50	59	45	42	23	16	37	0	320
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Poisonings by drugs & biological substances and	M	0	0	1	11	21	14	8	9	5	5	0	74
55	Toxic effects of substances chiefly nonmedicinal as to	F	0	2	0	8	8	3	4	1	0	2	0	28
	source (T36-T50 & T51-T65)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Other and unspecified effects of external causes and	M	0	2	2	15	11	4	4	5	0	1	0	44
56	certain early complications of trauma (T33-T35, T66-	F	0	1	1	6	3	2	1	1	0	1	0	16
	T79)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Complications of Surgical and Medical care, not	M	0	0	0	1	1	0	0	0	0	1	0	3
57	elsewhere classified (T80-T88)	F	0	0	0	0	1	0	0	1	0	1	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Late effects of injuries, of poisoning and of other	M	0	0	0	0	0	0	0	1	0	0	0	1
58	consequences of external causes (T90-T98)	F	0	0	0	0	0	0	0	0	0	0	0	0
	consequences of external causes (150-150)	0	0	0	0	0	0	0	0	0	0	0	0	0
			0	•	0	•	0		0	0	0	0	ŭ	
		M	5	14	19	168	252	188	140	87	26	43	0	942
XX	External causes of Morbidity and Mortality (V01-Y89)	F	7	15	11	46	51	37	30	27	6	37	0	267
		0	0	0	0	0	0	1	0	0	0	0	0	1
		M	0	1	5	71	109	57	59	38	7	16	0	363
E48	Transport Accidents (V01-V99)	F	0	0	1	13	8	10	13	12	1	13	0	71
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Railway accidents (V05, V15, V80.6, V81, V82.2, V87.6	M	0	0	0	4	7	2	5	3	0	0	0	21
1	& V88.6)	F	0	0	0	1	1	1	0	1	0	1	0	5
	'	0	0	0	0	0	0	0	0	0	0	0	0	0
	Motor vehicle traffic accidents (V02-V04, V09.2-V09.3, V12-V14, V19.4-V19.6, V19.9,V20-V28,V29.4-	М	0	1	0	4	9	3	9	7	1	1	0	35
2	V29.6,V29.9, V30-V38,V39.4-V39.6,V39.9,V40- V48,V49.4-V49.6,V49.9,V50-58,V59.4-V59.6,V59.9,	F	0	0	0	2	0	1	0	0	0	0	0	3
	V60-V68,V69.4-V69.6, V69.9, V70-V78,V79.4-	0	0	0	0	0	0	0	0	0	0	0	0	0
	Other road vehicle accidents (V01,V06,V09.9,V10-	M	0	0	5	59	91	51	42	27	6	14	0	295
3	V11,V16-V18,V19.8,V29.8,V39.8,V49.8,V59.8,	F	0	0	1	10	6	8	13	10	1	10	0	59
	V69 8 V79 8 V80 0-V80 2 V80 7-V80 9 V82 3-	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0
4	Water transport accidents (V90-V94)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
_		M	0	0	0	0	0	0	0	0	0	0	0	0
5	Air & Space transport accidents (V95-V97)	F	0	0	0	0	0	0	0	0	0	1	0	1
		0	0	0	0	0	0	0	0	0	0	0	0	0

				Table	D-11 (PRC	OVISIONAL)								
	D	EATHS BY	CAUSE OF D	EATHS, AGI		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
					AGE IN YE	ARS					1			
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	All other transport accidents (V09.0-V09.1,V19.0-	M	0	0	0	4	2	1	3	1	0	1	0	12
6	V19.3,V29.0-V29.3, V39.0-V39.3,V49.0-V49.3,V59.0-	F	0	0	0	0	1	0	0	1	0	1	0	3
	V59.3,V69.0-V69.3,V79.0-V79.3,V82.0,V82.8, V83-	0	0	0	0	0	0	0	0	0	0	0	0	0
	V86 V88 0-V88 5 V88 7-V88 9 V89 0 V89 9 & V98-V99\	M	1	9	6	31	29	29	30	27	8	12	0	182
E49	Accidental Falls (W00-W19)	F	2	9	7	6	8	8	6	8	4	9	0	67
	,	0	0	0	0	0	0	1	0	0	0	0	0	1
		M	0	1	4	4	5	0	1	0	0	0	0	15
E50	Accidental drowning and submersion (W65-W74)	F	0	0	0	0	0	0	1	0	0	2	0	3
	, ,	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	3	5	4	6	2	1	0	0	21
E51	Exposure to smoke, fire and flames (X00-X09)	F	0	0	0	1	1	0	0	0	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Accidental poisoning by and exposure to noxious	М	0	0	0	6	10	7	0	0	1	2	0	26
E52		F	0	0	0	3	2	1	1	0	1	0	0	8
	substances (X40-X49)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	2	36	79	72	32	11	0	2	0	234
E53	Intentional self-harm (Suicide-attempted) (X60-X84)	F	0	0	0	22	27	16	5	0	0	1	0	71
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	13	7	5	7	1	2	1	0	36
E54	Assault (Homicide) (X85-Y09)	F	0	0	1	0	2	0	0	1	0	2	0	6
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	2	4	0	2	1	1	0	10
E55	Other Violence (Y10-Y36)	F	0	1	0	0	2	0	1	0	0	0	0	4
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	1	0	0	0	0	0	1
1	Event of undetermined intent (Y10-Y34)	F	0	0	0	0	1	0	1	0	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
_		М	0	0	0	0	2	3	0	2	1	1	0	9
2	Legal intervention (Y35)	F	0	1	0	0	1	0	0	0	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
2	On anti-na afaira (V2C)	M	0	0	0	0	0	0	0	0	0	0	0	0
3	Operations of war (Y36)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
FF.C	Compulsations of modical and surpled core (V40 V04)	<u>M</u>	1	2	0	0	2	6	3	5	4	7	0	30
E56	Complications of medical and surgical care (Y40-Y84)	F O	3	1	0	0	1	0	2	4	0	9	0	20
		0	0	0	0	0	0	0	0	0	0	4	0	0
1	Drugs, medicaments and biological substances causing	M F					0	0	1	3	0		0	11 10
1	adverse effects in therapeutic use (Y40-Y59)		0	1	0	0			2	-		3		
	1	0	0	0	0	0	0	0	0	0	0	0	0	0

						VISIONAL)								
	Γ	DEATHS BY	CAUSE OF D	EATHS, AGE		OR MEDICAL	LY CERTIFIE	D DEATHS -	2023					
	T	ı	1	ı	AGE IN YE	ARS	1	1	1	ı	ı	1	NOT	1
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2) IVIIsaaven during surgical & medical care, adverse	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	adverse incidents in diagnostic and therapeutic use,	M	1	2	0	0	1	6	2	2	2	3	0	19
2	abnormal reactions and late complications (Y60-	F	3	0	0	0	1	0	0	0	0	6	0	10
	1869 Y70-Y82 & V83-Y84)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Other external causes of accidental injury not	М	1	1	1	4	2	3	0	1	0	2	0	15
E57	elasewhere classified (W20-W64, W75-W99, X10-	F	2	4	2	1	0	2	1	2	0	0	0	14
	X39, X50-X59)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Accidents caused by machinery, and by cutting &	М	0	0	0	2	0	0	0	1	0	1	0	4
1	piercing instruments (W24-W31)	F	0	0	0	0	0	0	0	0	0	0	0	0
	pictonig mad differits (VVZ4-VV31)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	0	0	0	0	0
2	Accidents caused by firearm missile (W32-W34)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	1	1	0	0	0	0	0	2
3	Bites of snakes & other venomous animals (X20-X27)	F	0	1	1	1	0	1	0	0	0	0	0	4
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0
4	Sun stroke (X32)	F	0	0	1	0	0	1	0	1	0	0	0	3
	All 11 1	0	0	0	0	0	0	0	0	0	0	0	0	0
-	All other accidents including late effects (W20-W23,	M	1	1	1	2	1	2	0	0	0	1	0	9
5	W35-W64, W75-W99, X10-X19, X28-X31, X33-X39 &	F	2	3	0	0	0	0	1	1	0	0	0	7
	X50-X59)	0	0	0	0	0	0	0	0	0	0	0	0	0 10
FF0	Late effects of external causes of morbidity and	M F	0	0	1	0	2	1	2	0	2	0	0	10
E58	mortality (Y85-Y89)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	3	1	1	2	3	2	5	10	5	28	0	60
XXII	Codes for Special Purposes (U00-U49)	F	0	1	0	1	1	2	3	2	3	21	0	34
AAII	Codes for Special Purposes (000-049)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	3	1	1	2	3	2	5	10	5	28	0	60
	Provisional Assisgnment of New Diseases of	F	0	1	0	1	1	2	3	2	3	21	0	34
	Uncertain Etiology or Emergency use (U01-U49)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	3	1	1	2	3	2	3	10	4	25	0	54
1	*COVID-19 Virus Identified (U07.1)	F	0	1	0	1	1	2	3	2	3	20	0	33
-	20112 13 11143 1441111144 (007.17)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	2	0	1	3	0	6
2	*COVID-19 Virus not Identified	F	0	0	0	0	0	0	0	0	0	1	0	1
=	(U07.2)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	4421	1142	1120	2995	4869	6821	8983	9638	4664	10359	134	55146
	Total	F	2986	840	974	2255	2480	2778	4334	5652	2873	8199	92	33463
		0	12	0	0	0	0	2	3	1	1	0	0	19
	All	Т	7419	1982	2094	5250	7349	9601	13320	15291	7538	18558	226	88628

^{*}Note: Cases of deaths due to COVID-19 Virus may be either identified or not identified.

	TABLE: D-12 & D-13												
	INFANT DEATHS BY PLACE OF OCCURRENCE, DISTRICTS (URBAN)												
SL.	SL. DISTRICT INSTITUTIONAL DOMICILIARY ALL												
NO.	DISTRICT						FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL
1	MCD	2381	1737	9	4127	7	5	0	12	2388	1742	9	4139
2	NDMC	1057	684	2	1743	0	0	0	0	1057	684	2	1743
3	DELHI CANTT	48	32	0	80	0	0	0	0	48	32	0	80
	ALL 3486 2453 11 5950 7 5 0 12 3493 2458 11 5962												

	TABLE: D-12 & D-13													
	INFANT DEATHS BY PLACE OF OCCURRENCE, DISTRICTS (RURAL)													
SL.	SL. DISTRICT INSTITUTIONAL DOMICILIARY ALL													
NO.	DISTRICT	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	
1	MCD	235	114	1	350	4	4	0	8	239	118	1	358	
2	NDMC	700	419	0	1119	0	0	0	0	700	419	0	1119	
3	DELHI CANTT	0	0	0	0	0	0	0	0	0	0	0	0	
	ALL 935 533 1 1469 4 4 0 8 939 537 1 1477													

TABLE:D-14 **INFANTS DEATHS BY AGE AND SEX URBAN RURAL** ALL SL. AGE NO. MALE | FEMALE | OTHER ALL MALE | FEMALE | OTHER ALL MALE FEMALE OTHER ALL < 7 DAYS 7-28 DAYS 28 DAYS TO 1 YEAR ALL

TABLE: D-15

PREGNANCY RELATED DEATHS BY AGE GROUP OF THE DECEASED (MOTHER) AND CAUSE OF DEATH FOR MEDICALLY CERTIFIED DEATHS (URBAN)

SL.				AGE OF MOTHER									
NO	CAUSE	DESCRIPTION	< 15 yr	15-19	20-24	25-29	30-34	35-39	40-44	45 AND ABOVE	ALL		
1	000-008	PREGNANCY, WITH ABORTIVE OUTCOME	0	1	1	2	4	1	0	0	9		
2	010-092	OTHER DIRECT OBSTRIC DEATHS	0	1	12	10	15	4	1	0	43		
3	095-099	OTHER OBSTRIC CONDITIONS N.E.C.	0	2	15	13	5	1	1	2	39		
		ALL	0	4	28	25	24	6	2	2	91		

TABLE : D-15															
	PREGNANCY	RELATED DEATHS BY AGE GROUP OF		•) AND CA	USE OF D	EATH FO	R MEDIC	ALLY CERT	IFIED				
SL.			DEA	ATHS (RU	RAL)	AGE OF	MOTHER	<u> </u>							
NO	CAUSE	DESCRIPTION	DESCRIPTION < 15 yr 15-19 20-24 25-29 30-34 35-39 40-44 45 AND ABOVE ABOVE												
1	O00-O08	PREGNANCY, WITH ABORTIVE OUTCOME	0	0	0	1	1	0	0	0	2				
2	010-092	OTHER DIRECT OBSTRIC DEATHS	0	0	6	4	1	2	0	0	13				
3	095-099	OTHER OBSTRIC CONDITIONS N.E.C.	THER OBSTRIC CONDITIONS N.E.C. 0 1 7 13 1 1 2 0 2												
		ALL 0 1 13 18 3 3 2 0 40													

	TABLE : D-16 PREGNANCY RELATED DEATHS BY AGE GROUP OF THE DECEASED (MOTHER) AND CAUSE OF DEATH FOR MEDICALLY CERTIFIED OR NOT DEATHS (URBAN)												
61	AGE OF MOTHER												
SL. NO.	CAUSE	DESCRIPTION	< 15 yr	15-19	20-24	25-29	30-34	35-39	40-44	45 AND ABOVE	ALL		
1	O00-O08	PREGNANCY, WITH ABORTIVE OUTCOME	0	1	1	2	4	3	1	1	13		
2	010-092	OTHER DIRECT OBSTRIC DEATHS	0	1	12	10	15	4	2	0	44		
3 095-099 OTHER OBSTRIC CONDITIONS 0 2 15 13 5 1 2 3										41			
ALL 0 4 28 25 24 8 5 4 9													

TABLE : D-16												
PREG	SNANCY RE	LATED DEATHS BY AGE GROUP OF		-	-	AND CAU	SE OF DE	ATH FOR	MEDICA	LLY CERTIF	IED OR	
NOT DEATHS (RURAL)												
SL. AGE OF MOTHER												
NO.	CAUSE DESCRIPTION 1 1 1 1 1 45 AND 1											
140.			< 13 yı	13-19	20-24	23-29	30-34	33-33	40-44	ABOVE		
1	000-008	PREGNANCY, WITH ABORTIVE	0	0	0	1	2	0	1	0	4	
	000 000	OUTCOME			Ů	-			-	Ŭ		
2	010-092	OTHER DIRECT OBSTRIC DEATHS	0	0	6	4	1	2	0	0	13	
	010-032	OTTER DIRECT OBSTRIC DEATTS		U		7	1		0	0	13	
3	095-099	OTHER OBSTRIC CONDITIONS	0	1	7	13	2	1	2	1	27	
	033-033	N.E.C.	J 3		,	13		T		1	21	
		ALL 0 1 13 18 5 3 1 1 44										

		TABLE: [D-18										
	PREGNANCY RELATED DEA	THS BY A	GE AND O	CCUPATIO	N (URBAI	1)							
		AGE GROUP											
SL. NO.	OCCUPATION	<15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND ABOVE	ALL			
1	PROFESSIONAL / TECHNICAL RELATED WORKERS	0	0	0	0	0	0	0	0	0			
2	DMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKER	0	0	0	0	1	0	0	0	1			
3	CLERICAL WORKERS	0	0	0	0	0	0	0	0	0			
4	SALE WORKERS	0	0	0	0	0	0	0	0	0			
5	SERVICE WORKERS	0	0	0	1	1	0	0	0	2			
6	FARMERS,FISHERMEN,HUNTERS etc	0	0	0	0	0	0	0	0	0			
7	PRODUCTION AND OTHER RELATED WORKERS	0	0	0	0	0	0	0	0	0			
8	HOUSEWIFE / NON WORKERS	0	1	4	1	5	3	3	0	17			
9	OTHERS/NOT STATED	0	3	24	23	17	5	2	4	78			
	ALL	0	4	28	25	24	8	5	4	98			

		TABLE:	D-18							
	PREGNANCY RELATED DEA	THS BY A	AGE AND	OCCUPA	ATION (R	URAL)				
			_		А	GE GRO	JP			
SL. NO.	OCCUPATION	<15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND ABOVE	ALL
1	PROFESSIONAL / TECHNICAL RELATED WORKERS	0	0	0	0	0	0	0	0	0
2	ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL	0	0	0	0	0	0	0	0	0
3	CLERICAL WORKERS	0	0	0	0	0	0	0	0	0
4	SALE WORKERS	0	0	0	0	0	0	0	0	0
5	SERVICE WORKERS	0	0	0	0	0	0	0	0	0
6	FARMERS,FISHERMEN,HUNTERS etc	0	0	0	0	0	0	0	0	0
7	PRODUCTION AND OTHER RELATED WORKERS	0	0	0	0	0	0	0	0	0
8	HOUSEWIFE / NON WORKERS	0	0	1	0	3	0	0	1	5
9	OTHERS/NOT STATED	0	1	12	18	2	3	3	0	39
	All	0	1	13	18	5	3	3	1	44

	TABLE : S-1													
			S	TILL BIRTH	I BY PLACI	E OF OCCU	JRRENCE I	IN DISTRI	CT (URBAI	N)				
SL.														
NO.	DISTRICT INSTITUTIONAL DOMICILIARY ALL													
110.		MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	
1	*MCD	891	722	17	1630	0	0	0	0	891	722	17	1630	
2	NDMC	311	282	7	600	0	0	0	0	311	282	7	600	
3	DELHI CANTT	7	1	0	8	0	0	0	0	7	1	0	8	
	ALL 1209 1005 24 2238 0 0 0 1209 1005 24 2238													

	TABLE: S-1													
	STILL BIRTH BY PLACE OF OCCURRENCE IN DISTRICT (RURAL)													
CI	PLACE OF OCCURRENCE													
NO.	I DISTRICT I INSTITUTIONAL I DOMICILIARY I ALI I													
NO.		MALE	E FEMALE OTHER TOTAL MALE FEMALE OTHER TOTAL MALE FEMALE OTHER TOTAL											
1	MCD	0	0	0	0	0	0	0	0	0	0	0	0	
2	NDMC	84	72	1	157	0	0	0	0	84	72	1	157	
3	DELHI CANTT	0	0	0	0	0	0	0	0	0	0	0	0	
	ALL 84 72 1 157 0 0 0 0 84 72 1 157													

^{*} Note:- Total cases of Still Births in MCD include both Rural and Urban cases.

-: SECTION SIX :ANNEXURE

CONCEPTS & DEFINITIONS

Some important concepts used in this Annual Report are defined as follows:

- 1. **Birth:** "Birth" means live-birth or still birth.
- 2. **Live Birth:** "Live-Birth" means the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life, and each product of such birth is considered live-born.
- 3. <u>Still-Birth</u>: "Still-Birth" means foetal death where a product of conception has attained at least the prescribed period of gestation.
- 4. <u>Death:</u> "Death" means the permanent disappearance of all evidence of life at any time after live-birth has taken place.
- 5. **Foetal Death:** "Foetal Death" means absence of all evidence of life prior to the complete expulsion or extraction from its mother of a product of conception irrespective of the duration of pregnancy.
- 6. <u>Infant Death:</u> "Infant Death" means death of a child less than one year old.
- 7. <u>Level of Registration:</u> The level of registration, defined as the percentage of registered births/ deaths to the births/ deaths estimated through SRS, determines the performance of a State/ Union Territory with regard to functioning of Civil Registration System.

Number of events registered during the year

Level of Registration (LOR) =
$$\frac{1}{100}$$

Number of estimated events for the year

Number of estimated events for the year = Mid-year population x SRS Rate

8. <u>Mid-year Population:</u> "Mid- year population" means, population at the mid-point of the year, i.e. 1st July of the year.

No. of female births registered during the year Sex Ratio at Birth =
$$\frac{1000}{1000}$$
 No. of male births registered during the year

Delayed Registered Birth events of more than one year have been duly deducted for arriving the sex ratio at birth.

9. **Birth Rate:** Birth rate acts as an index of the relative speed at which additions are being made to the population through child-birth. It is only a live birth that signifies an addition to the existing population, excluding still births.

The annual birth rate is defined as:

10. **<u>Death Rate</u>**: The death rate for a given year tells us at what rate deaths have depleted the population over the course of the year.

The death rate, which measures the decrease in a population due to deaths, is perhaps the most widely used of any vital statistics rate because of its value as an index in numerous demographic & public health problems.

The Annual Death Rate is defined as:

11. <u>Infant Mortality Rate:</u> Infant mortality rate serves as one of the best indices to the general "healthiness" of a society. It is similar to age-specific death rate for infants under 1 year of age.

The annual infant mortality rate is defined as:

12. <u>Maternal Death Rate:</u> Maternal death rate is defined as maternal deaths per thousand live births.

13. <u>Neo Natal Mortality Rate:</u> The neo-natal mortality rate, like the infant mortality rate, is similar to an age specific rate. It is a rate used to measure the risk of death during the first month of life and is defined as:

14. <u>Post Natal Mortality Rate:</u> The post natal mortality rate, like the infant mortality rate, is similar to an age specific rate. It is a rate used to measure the risk of death during 28 days to 12 months of life and is defined as:

Note: — Indicates not available