

#### **GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI**

# REPORT ON MEDICAL CERTIFICATION OF CAUSE OF DEATHS IN DELHI 2016



OFFICE OF THE CHIEF REGISTRAR (BIRTHS & DEATHS)
VIKAS BHAWAN-II, 3rd FLOOR 'B' WING,
UPPER BELA ROAD, NEAR METCALFE HOUSE,
DELHI- 110054.



# GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI

REPORT

ON
MEDICAL CERTIFICATION OF

CAUSE OF DEATHS

IN DELHI-2016



**DIRECTORATE OF ECONOMICS & STATISTICS** 

&

OFFICE OF THE CHIEF REGISTRAR (BIRTHS & DEATHS)
GOVT. OF N.C.T. OF DELHI
3<sup>rd</sup> FLOOR, 'B' WING, VIKAS BHAWAN-II
UPPER BELA ROAD, DELHI- 110 054

Website: www.delhi.gov.in

#### **PREFACE**

This report on Medical Certification of Cause of Death is brought out by the Directorate of Economics & Statistics and Office of Chief Registrar (Births & Deaths), GNCTD. The Registration of Births and Deaths Act, 1969 provides for certification of cause of death by the medical practitioners who have last attended the deceased. The Section 10(2) of the Act empowers the State Government to introduce the system of medical certification of cause of death. In Delhi, the medical certification of cause of death has been made compulsory in July 2003 by bringing all the hospitals, government as well as private in the purview of the provisions of Section 10(3) of the RBD Act, 1969.

The report has been prepared exclusively on the basis of data on institutional deaths in Delhi. In domiciliary cases MCCD is not reported, so the readers of this report may bear in mind that this study is confined to 63.91% of the registered deaths during 2016 in Delhi which have occurred in hospitals.

The report is divided into four sections. First section is regarding the introduction of medical certification of cause of death (MCCD). Second section is for MCCD at a glance reflecting the level of death registration during 2001-2016 and distribution of institutional deaths by major causes during 2016. Third section is the Time Series analysis of MCC Deaths during the period 2001-2016. Detailed statistical tables are given in section four. In this section, period from the year 2001 to 2016 is taken into consideration for the study. This part contains the study of institutional deaths - local body wise, sex-wise and age-wise. It has also been attempted to analyze the incidence of major causes of deaths during the period 2001-2016 in Delhi on the basis of International Classification of Diseases (ICD) - 10 classification of WHO. This section specifically includes analysis of deaths due to Heart attack, cancer, tuberculosis, pneumonia, diabetic mellitus etc. in Delhi.

I would like to bring on record my appreciation for the sincere efforts put in by the officers and officials of Vital Statistics Unit in the preparation of the report.

It is hoped that this report will be a useful tool in the hands of policy makers of health related sectors, socio economic planners, health planners, researchers, scholars etc. Suggestions for further improvement in the report, if any, are welcome.

**DELHI** 

November, 2017

DEVINDER SINGH, IAS
SPL. SECRETARY (PLG.)-CUM- DIRECTOR
&
CHIEF REGISTRAR (BIRTHS & DEATHS)

### TEAM OF OFFICERS/OFFICIALS ASSOCIATED

#### WITH THE PREPARATION OF THE REPORT

#### **VITAL STATISTICS UNIT**

SH. SHAN-E-ALAM : DEPUTY DIRECTOR

SH. RAJENDRA KUMAR : ASSISTANT DIRECTOR

SH. S. S. RAWAT : STATISTICAL OFFICER

SH. SUDHIR SINGH : STATISTICAL ASSISTANT

SH. MANOJ CHAUBEY : STATISTICAL ASSISTANT

SH. SANDEEP : STATISTICAL ASSISTANT

MS. MANISHA JAUHARI : STATISTICAL ASSISTANT

SH. CHIMAN LAL : M.A.

#### **EDP UNIT**

SH. S. K. GAUTAM : SYSTEM ANALYST

MS. NIDHI RAJPAL : ASSISTANT PROGRAMMER

# REPORT ON MEDICAL CERTIFICATION OF

### **CAUSE OF DEATHS (MCCD) IN DELHI 2016**

#### **CONTENTS**

SECTION	SUBJECT	PAGE NO.
1	INTRODUCTION	1-2
2	MCCD AT A GLANCE	3-13
3	TIME SERIES ANALYSIS OF MCC DEATHS	14-27
4	STATISTICAL TABLES	28-72

SECTION ONE

INTRODUCTION

#### **SECTION ONE**

#### INTRODUCTION

The Registration of Births and Deaths Act, 1969 (RBD Act, 1969) came into force in Delhi w.e.f. 1st July, 1970. The Act aims at compulsory accounting of vital events which results in the issuance of certificates as well as generation of valuable data for plan and policy formulation on health sector. The Delhi Registration of Births and Deaths Rules, 1970 have also been notified w.e.f. 1st January 1971. Further, these rules have been modified as per direction of Registrar General India in December, 1999 and came into force w.e.f. 1st January, 2000. Directorate of Economics & Statistics, Govt. of N.C.T. of Delhi also functions as the Office of Chief Registrar (Births & Deaths) for the N.C.T. of Delhi. The actual registration of Births & Deaths in Delhi is done by five local bodies viz North/South/East Delhi Municipal Corporations, NDMC and Delhi Cantonment Board through the registration offices spread under their respective jurisdictions. Each local body has the provision of Additional Chief Registrar (Birth & Death) to coordinate for smooth and effective functionaing of registration work of vital events occurred in the respective jurisdictional area. The registration office/zone under the local body is headed by Registrar (B&D).

#### **MEANING OF MCCD**

Medical Certification of cause of death is a record of the cause of death i.e. the disease, abnormality or injury which has directly or indirectly contributed to the death of a person. Death often results from the combined effect of two or more conditions. Sometimes these conditions may be related or un-related. When the conditions are related the under lying cause of death is the disease or injury which initiated the sequence of events. All other conditions of death other than the underlying cause of death is termed as antecedent and immediate cause of death. The system of medical certification of cause of death provides cause specific mortality profiles which is a key indicator for analyzing the health trends of population in a scientific manner. The analysis of causes of deaths in different age groups has immense value to the public health planners/administrators, medical professionals, epidemiologists and research workers etc.

#### STATUTORY PROVISIONS

The section 10 (2) of the RBD Act empowers the State govt. to introduce the system of medical certification of cause of death in specified areas taking into consideration the facilities available and other related factors. The Section 10 (3) of the Act makes it mandatory for the medical practitioner, who has attended the person during his/her last illness, to issue a medical certificate of cause of death in the prescribed format, in the event of the death of the person, without charging any fee. The Certificate of cause of death is submitted to the Registrar (B&D) by the informant along with the death report. As per Section 17 (1) (b) of the Act the Registrar (B&D) has to keep the confidentiality of cause of death of the individual; therefore the particulars of cause of death are not disclosed to any person while issuing the extract of the death register. Further, Section 23(3) of the RBD Act stipulates that any medical institution/practitioner who neglects or refuses to issue a MCCD certificate under sub-section (3) of section 10 shall be punished with a fine upto fifty rupees.

#### MEDICAL CERTIFICATION OF CAUSE OF DEATH IN DELHI

In the NCT of Delhi the medical certification of cause of death has been made compulsory for all the hospitals managed by Govt./Autonomous bodies including specialized hospital and all nursing homes managed by private organizations and societies of rural and urban areas since July 2003. However all domiciliary events have been kept out of the coverage of the Medical Certification of Cause of Death.

As per Act and Rules there is provision of Form No. 4 for reporting the cause of death in case of institutional deaths and Form No.4A for reporting the cause of death in domiciliary cases. However, the reporting of cause of domiciliary deaths event is purely voluntary.

#### SYSTEM OF IMPLEMENTATION

All major hospitals/health institutions both in public and private (including Charitable) are reporting death events online, more than 900 in number. The remaining hospitals report the details of the events to the concerned Registrar (B&D) along with the duly filled up form number 4.

\* \* \*

# SECTION TWO

MCCD AT A GLANCE

#### **SECTION TWO**

#### MCCD AT A GLANCE

The successful implementation of scheme of Medical Certification of Cause of Death and the quality of data generated under it viz to a great extent depends on two factors, i.e. level of death registration and proportion of institutional death events. Fortunately, Delhi is on a sound footing in both respects.

**Statement No 2.1: Level of Death Registration:** 

YEAR	MID YEAR POPULATION (IN 000)	TOTAL REGISTERED DEATH UNDER C R S	ESTIMATED NO. OF DEATHS UNDER SRS	LEVEL OF DEATH REGISTRATION (IN %)
1	2	3	4	5
2001	13913	81100	70956	114
2002	14183	86176	72333	119
2003	14458	87743	72290	121
2004	14739	85378	69273	123
2005	15025	94187	69115	136
2006	15316	98908	71985	137
2007	15613	100974	74942	135
2008	15916	107600	76397	141
2009	16225	112013	71390	157
2010	16540	124353	69468	179
2011	16860	112142	72501	155
2012	17187	104616	72340	145
2013	17559	97185	71992	135
2014	17900	121286	68018	178
2015	18247	124516	65690	190
2016	18601	141632	74406	190

**Statement No 2.2: No .of Institutional Deaths:** 

YEAR	TOTAL DEATHS	INSTITUTIONAL DEATHS	% OF INSTITUTIONAL DEATHS TO TOTAL
2001	81100	45034	55.53
2002	86176	44965	52.18
2003	87743	48473	55.24
2004	87378	48559	55.58
2005	94187	56390	59.87
2006	98908	60254	60.92
2007	100974	59256	58.68
2008	107600	57122	53.09
2009	112013	68373	61.04
2010	124353	76373	61.42
2011	112142	68326	60.93
2012	104616	67856	64.86
2013	97185	68135	70.11
2014	121286	74592	61.50
2015	124516	78067	62.70
2016	141632	90517	63.91


#### **Deaths by Major Causes:**

During 2016, out of 141632 (87704 males, 53887 females and 41 others) deaths, 90517 deaths (56806 males, 33684 females and 27 others i.e. transgender/ ambiguous/ not stated) were covered in the MCCD. The classification of medically certified deaths by leading causes during 2016 as per International Classification of Diseases - 10<sup>th</sup> revision is presented as under:

Statement No 2.3: Distribution of Institutional Deaths by major causes:

ICD 10			No. of Persons			% to total
Chapter No.	Name of Broad Disease Group	Male	Female	Other	Total	
I	Infectious and Parasitic Diseases (A00-B99)	8290	5248	2	13540	14.96
II	Neoplasms (C00-D48)	2819	1992	1	4812	5.32
III	Diseases of the Blood & blood forming organs and certain disorders involving the immune mechanism (D50-D89)	409	295	0	704	0.78
IV	Endocrine, Nutritional and Metabolic Diseases (E00-E89)	1505	1378	0	2883	3.19
V	Mental and Behavioural disorders (F10-F99)	52	25	0	77	0.09
VI	Diseases of the Nervous System (G00-G98)	990	552	0	1542	1.70
VII	Diseases of the eye and adnexa (H00 - H59)	7	2	0	9	0.01
VIII	Diseases of the ear and mastoid process (H60-H95)	1	1	0	2	0.00
IX	Diseases of the circulatory system (I00-I99)	9970	5947	2	15919	17.59
Х	Diseases of the Respiratory System (J00-J98)	5207	3053	0	8260	9.13
ΧI	Diseases of the Digestive System (K00-K92)	2906	1070	0	3976	4.39
XII	Diseases of the skin and subcutaneous tissue (L00 - L98)	42	31	0	73	0.08
XIII	Diseases of the Musculoskeletal system connective tissue (M00-M99)	97	88	0	185	0.20
XIV	Diseases of the Genitourinary System (N00 - N99)	1151	743	0	1894	2.09
XV	Pregnancy, Childbirth and the puerperium ( O00 - O99)	0	156	0	156	0.17
XVI	Certain conditions originating in the perinatal period (P00-P96)	2091	1345	13	3449	3.81
XVII	Congenital Malformations, Deformations & chromosomal abnormalities (Q00-Q99)	330	181	5	516	0.57
XVIII	Symptoms, Signs and abnormal clinical & laboratory findings nec., (R00 - R99)	12485	6968	1	19454	21.49
XIX	Injury, poisoning and certain other consequences of external causes (S00-T98)	2253	1316	0	3569	3.94
XX	External causes of Morbidity and Mortality (V01-Y89)	6201	3293	3	9497	10.49
	ALL	56806	33684	27	90517	100.00

The following diagram will further illustrate the major causes which have accounted for deaths during 2016:-



The cause of death under the category of infectious and parasitic diseases includes deaths due to Cholera, Typhoid, Diarrhea, Gastroenteritis, Tuberculosis, Leprosy, Diphtheria, Tetanus, Septicemia, Hepatitis B, HIV, Malaria etc. During 2016, institutional deaths due to infectious and parasitic diseases were 13540 which work out to 14.96% of the total institutional deaths. Out of this, 15 deaths are due to cholera, 3733 deaths are due to Tuberculosis, 7675 are due to Septicemia, and 61 are due to Hepatitis and remaining were due to other diseases under this category.

Cause of death under the category of neoplasm includes the deaths due to cancer and cancer related diseases. Total number of institutional deaths due to cancerous diseases was 4812 during 2016 which works out to 5.32% of the total institutional deaths. Cancer of oral cavity, digestive organs, respiratory and thorax organs, breast cancer, neoplasm of genitourinary organs, leukemia etc. are the main causes of deaths under this category. Out of 4812 cancer deaths, 842 deaths are due to leukemia, 840 deaths are due to cancer of digestive organs, 530 deaths are due to cancer of respiratory and intrathoracic organs, 456 deaths are

due to cancer of oral cavity, 391 deaths are due to cancer of genito urinary organs and 232 deaths are due to breast cancer.

Diseases like thalassaemia, anaemia and disorders involving immune mechanism are included in the category of diseases of the blood and blood forming organs and disorders involving the immune mechanism. During 2016, 704 institutional deaths were reported under this category which works out to 0.78 % of the total institutional deaths. Out of 704 deaths, 19 were due to thalassaemia and 478 were due to anaemia.

During 2016; 2883 (1505 males and 1378 females) institutional deaths were due to endocrine, nutritional and metabolic diseases like disorders of thyroid, diabetic mellitus etc. which works out to 3.19% of the total institutional deaths. Out of 2883 deaths, 2557 deaths were due to diabetes mellitus.

During 2016; 1542 (990 males and 552 females) institutional deaths were due to diseases of the nervous system like meningitis, encephalitis, epilepsy etc. which is 1.70 % of the total institutional deaths during the year. Out of 1542 deaths, 497 deaths were due to Meningitis, 334 deaths due to encephalitis and 87 deaths due to epilepsy.

It is observed that the diseases of the circulatory system i.e. heart and heart related diseases account for a major cause of death in Delhi. In this category, chronic rheumatic heart diseases, hypertensive heart diseases, acute myocardial infarction, pulmonary heart diseases, cerebrovascular heart diseases are included. During 2016, this category accounted for 15919 institutional deaths of which 9970 males and 5947 females and 2 were others, which works out to 17.59% of the total institutional deaths during the year. Out of 15919 deaths, 6835 deaths were due to hypertensive diseases, 3665 deaths were due to pulmonary circulation and other forms of heart diseases, 1670 deaths were due to cerebrovascular diseases, 2278 deaths were due to ischaemic heart diseases and 1195 deaths were due to acute rheumatic and chronic rheumatic heart diseases.

Another major cause of death is the diseases of the respiratory system. This includes respiratory infections, bronchitis and acute bronchitis, asthma, influenza, pneumonia etc., which account for 8260 deaths of which 5207 were male deaths and 3053 were female deaths. This cause works out to 9.13% of the total institutional deaths. Out of 8260 deaths, 1959 deaths were due to pneumonia, 208 deaths due to asthma, 176 deaths due to acute bronchitis and acute bronchiolitis.

During 2016; 3976 (2906 males and 1070 females) institutional deaths were due to the diseases of the digestive system like gastric and duodenal ulcer, gastroenteritis, appendicitis, hernia, hepatitis, disorder of liver, disorder of pancreas etc. This cause works out to 4.39% of the total institutional deaths. Out of 3976 deaths, 2382 deaths were due to

diseases of liver, 344 deaths were due to Peritonitis and 185 deaths were due to disorders of pancreas.

During 2016, the diseases connected with the genitourinary system has accounted for 1894 institutional deaths (1151 males and 743 females). It is 2.09% of the total institutional deaths. Under, this category, 897 deaths were due to renal failure and 341 deaths were due to other disorder of kidney and ureter.

During 2016, certain conditions originating in the perinatal period have accounted for 3449 deaths of which 2091 male deaths and 1345 female deaths and 13 were other deaths. It is 3.81% of total institutional deaths. The deaths under this group are of infants and are due to complications of pregnancy, slow foetus growth, malnutrition & immaturity, hypoxia, birth asphyxia, infections of pre-natal period, hematological disorders etc. Out of 3449 deaths, 2105 deaths were due to Hypoxia, birth asphyxia and other respiratory conditions and 754 deaths were due to slow foetal growth, foetal malnutrition and immaturity.

During 2016, symptoms, signs and abnormal clinical and laboratory findings not elsewhere classified have accounted for 19454 deaths (12485 male deaths and 6968 female deaths and 1 other death). Obviously, 21.49% of the institutional deaths were in this category.

During 2016, injury, poisoning and certain other consequences of external causes were responsible for 3569 deaths (2253 males and 1316 females). The main reasons of death under this category were burns and corrosions and later effects of injuries and poisoning and other consequences of external causes. The deaths under this category work out to 3.94% of the total institutional deaths.

#### ANALYSIS OF MEDICALLY CERTIFIED DEATHS BY CAUSES & AGE GROUPS:

#### **Infant Deaths by Major Causes:**


Out of total 141632 deaths, 8095 were infant deaths during 2016. Out of the 8095 infant deaths, 5024 were male infant deaths and 3063 were female infant deaths and 8 were others infant deaths. During 2016, the infant mortality rate works out to 21.35. The neo natal mortality rate is 12.87 and the post natal mortality rate is 8.48. Further, out of 8095 infant deaths 8015 (99.01%) were institutional i.e. MCCD were provided in these cases. The statement No. 2.4 gives the distribution of 8015 institutional infant deaths classified as per leading causes of death.

Statement No 2.4: Distribution of infant deaths by major causes:

Sl. Cause of Death & ICD-10				% to total MCCD		
140.	Coding	Male	Female	Others	Total	Infant Deaths
1	All other conditions originating in the perinatal period (P00-P04,P08,P29-P54,P56-P57,P60-P96)	309	175	0	484	6.04
2	Hypoxia, birth asphyxia and other respiratory conditions (P20-P28)	838	514	6	1358	16.94
3	Septicemia (A40-A41)	580	353	0	933	11.64
4	Slow fetal growth, fetal malnutrition and immaturity (P05-P07)	270	156	0	426	5.31
5	Pneumonia (J12-J18)	253	147	0	400	4.99
6	Congenital malformations of the circulatory system (Q20-Q28)	111	45	0	156	1.95
7	Shock, not elsewhere classified (R57)	223	118	0	341	4.25
8	Diseases of pulmonary circulation and other forms of heart disease (I26- I58)	82	54	0	136	1.70
9	Meningitis (G00-G03)	37	31	0	68	0.85
10	Tuberculosis (A15-A19)	33	26	0	59	0.74
	Total (1 to 10)		1619	6	4355	54.34
F	All Infant Deaths (MCCD)		3028	8	8015	100.00


It is observed that out of the total institutional infant deaths during the year 2016, 16.94% infants died due to Hypoxia birth asphyxia and other respiratory conditions, 11.64% due to septicaemia, 6.04% due to other conditions originating in the perinatal period, 5.31% due to slow foetal growth, foetal malnutrition and immaturity, 4.99% due to pneumonia, 4.25% deaths due to shock (n.e.c.), 1.95% due to Congenital malformations of the circulatory system and remaining were due to other causes.

#### The pie diagram represents the infant deaths by major causes:



#### MCC Deaths by age group:

#### The following bar diagram depicts the number of MCC Deaths by age groups:



Age group wise analysis of 90517 institutional deaths reflect that during the year 2016 maximum i.e. 28276 occurred in the age group of 45-64 years followed by 24283 deaths in the age group of 65 years & above, 17011 deaths in the age groups of 25-44 years.

# Age group wise analysis of institutional deaths by major group of causes of deaths:

#### Children aged 1-4 years:

Out of total institutional deaths, 2.31% (1.31% for males and 1.00% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (21.38%) deaths were due to infectious and parasitic diseases followed by 10.33% deaths due to diseases of the respiratory system; 8.27% deaths due to injury, poisoning and certain other consequences of external causes; 7.41% deaths due to external causes of morbidity and mortality; 6.46% deaths due to diseases of circulatory system, 5.98% deaths due to diseases of the nervous system and 3.59% deaths due to diseases of neoplasm.

#### Children aged 5-14 years:

Out of total institutional deaths, 2.97% (1.65% for males and 1.32% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (27.03%) deaths were due to infectious and parasitic diseases followed by 8.97% deaths due to diseases of the respiratory system; 8.12% deaths due to external causes of morbidity and mortality; 7.07% deaths due to diseases of the injury, poisoning and certain other consequences of external causes; 6.37% deaths due to neoplasms; 5.85% deaths due to diseases of the circulatory system and 5.25% deaths due to diseases of the nervous system.

#### Persons aged 15-24 years:

Out of total institutional deaths, 6.32% (3.54% for males and 2.78% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (21.19%) deaths were due to infectious and parasitic diseases followed by 11.98% deaths due to injury and poisoning and certain other consequences of external causes; 11.51% deaths due to external causes of morbidity and mortality; 9.70% deaths due to diseases of the circulatory system; 7.52% deaths due to diseases of the respiratory system; 5.46% deaths due to diseases of the neoplasms and 3.29% deaths due to diseases of the digestive system.

It is observed that out of 2514 institutional females deaths in this age group, 209 i.e. 8.31% deaths were due to burns.

#### Persons aged 25-34 years:

Out of total institutional deaths, 8.24% (5.22% for males and 3.01% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (18.41%) deaths were due to infectious and parasitic diseases followed by 12.47% deaths due to external causes of morbidity and mortality; 11.33% deaths due to diseases of the circulatory system; 9.71% deaths due to injury & poisoning and certain other consequences of external causes; 7.25% deaths due to diseases of the respiratory system; 6.36% deaths due to diseases of the digestive system and 5.26% deaths due to diseases of the neoplasms. It is observed that out of total 2728 institutional females deaths in the age group, 198 i.e. 7.26% deaths were due to burns.

#### Persons aged 35-44 years:

Out of total institutional deaths, 10.55% (7.32% for males and 3.23% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (16.95%) deaths were due to infectious and parasitic diseases followed by 15.32% deaths due to diseases of the circulatory system; 9.82% deaths due to external causes of morbidity and mortality; 8.11% deaths due to diseases of the digestive system; 7.75% deaths due to diseases of the respiratory system; 6.54% deaths due to diseases of the malignant neoplasms; 6.02% deaths due to diseases of the injury and poisoning and certain other consequences of external causes and 2.65% deaths due to diseases of the genitourinary system. It is observed that out of 2921 institutional female deaths in this age group, 86 i.e. 2.94% deaths were due to burns.

#### Persons aged 45-54 years:

Out of total institutional deaths, 13.66% (9.14% for males and 4.52% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (20.95%) deaths were due to the diseases of circulatory system; followed by 14.18% deaths were due to infectious and parasitic diseases; 9.52% deaths due to external causes of morbidity and mortality; 8.96% deaths due to diseases of the respiratory system; 7.87% deaths due to diseases of the malignant neoplasms; 6.67% death due to diseases of the digestive system; 3.19% deaths due to the injury & poisoning and certain other consequences of external causes and 2.43% deaths due to diseases of the genitourinary system.

#### Persons aged 55-64 years:

Out of total institutional deaths, 17.58% (11.41% for males and 6.17% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (23.47%) deaths were due to diseases of circulatory system followed by 12.57% deaths due to infectious and parasitic diseases; 10.54% deaths due to external causes of morbidity and mortality; 10.54% deaths due to diseases of the respiratory system; 7.25% deaths due to diseases of malignant neoplasm; 5.47% deaths due to endocrine, nutritional & metabolic diseases and 4.52% deaths due to digestive system.

#### Persons aged 65-69 years:

Out of total institutional deaths, 7.87% (4.91% for males and 2.96% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (24.09%) deaths were due to diseases of circulatory system followed by 12.24% deaths due to infectious and parasitic diseases; 12.22% deaths due to external causes of morbidity and mortality; 10.64% deaths due to diseases of the respiratory system; 6.15% deaths due to diseases of the malignant neoplasms; 5.05% deaths due to endocrine; nutritional & metabolic diseases and 3.34% deaths due to diseases of digestive system.

#### Persons aged 70 years and above:

Out of total institutional deaths, 18.96% (11.23% for males and 7.73% for females) were in this age group. The major group of cause of death wise analysis under this age group shows that the maximum (24.05%) deaths were due to diseases of circulatory system followed by 14.64% deaths due to external causes of morbidity and mortality; 12.69% deaths due to infectious and parasitic diseases; 10.47% deaths due to diseases of the respiratory system; 3.96% deaths due to endocrine, nutritional & metabolic diseases; 3.32% deaths due to diseases of malignant neoplasms and 2.65% deaths due to diseases of digestive system.

#### Medical Certification of Cause of Death in States/UTs

The Registrar General, India and the World Health Organization have stressed the need to have a better system of reporting of cause of death along with the death report. Delhi is one of the few States which has successfully implemented the scheme. During the period of 2001-2016, in Delhi, approx. 64% of the total deaths have taken place in hospitals.

The Office of RGI has provided the MCCD data of different States/UTs. The following table reflects the number of MCCDeaths and percentage of these Deaths to Registered Deaths during the years 2013 to 2015:

Statement No. 2.5 Percentage of MCCDeaths to Registered Deaths in States/UTs.

S.	Name of	No. of Registered Death		P	ercenta	ge of MC	CCDeaths	s	
No.	State/ UT	2013	2014	2015		2013	2014	2015	
(1)	(2)	(3)	(4)	(5)		(6)	(7)	(8)	
1	Andhra Pradesh	248110	306618	310640		27.2	13	12.4	
2	Arunachal Pradesh	1543	2438	3645		30.3	17.6	13.8	
3	Assam	106810	114877	116778	ŀ	0.9	21.9	25.7	
4	Bihar	143605	152202	204093		11.3	10.6	6.6	
5	Chhattisgarh	150592	172805	168034		6	9.1	14	
6	Goa	12196	12692	12738		100	99.5	100	
7	Gujarat	342612	346632	412322		-	18.2	17.2	
8	Haryana	161655	163274	168910		-	1	-	
9	Himachal Pradesh	41139	39301	41462		14.1	13	12.4	
10	Jammu & Kashmir	37019	37747	36535		-	-	-	
11	Jharkhand	115149	132099	135542	•	0.4	0.8	1.4	
12	Karnataka	413635	411533	393731		34.7	35.5	37.2	
13	Kerala	260195	248242	252576	•	12.3	12.3	12.8	
14	Madhya Pradesh	372021	355425	311411		8.9	9.5	10	
15	Maharashtra	668887	669030	673824		33.4	34	34.5	
16	Manipur	5993	6814	3504		35.3	33.8	59.3	
17	Meghalaya	13492	14674	15934		33.9	30.6	35.8	
18	Mizoram	6126	6444	6440		42	46.4	42.9	
19	Nagaland	7056	1975	2069		3.5	15.3	8.2	
20	Odisha	287181	312821	321009		11.9	13.2	13.7	
21	Punjab	195731	200768	199461	i	11.9	10.8	15.1	
22	Rajasthan	401656	397468	409463		11.6	13.1	12.5	
23	Sikkim	3456	3427	3438	•	37.8	41.2	38.4	
24	Tamilnadu	507578	547579	568271		31.2	33.8	40.5	
25	Telangana	156420	170145	192857		-	19.5	28.7	
26	Tripura	12224	9469	10154		44.4	66.9	64	
27	Uttrakhand	33216	34065	44147		12.3	12.2	10.6	
28	Uttar Pradesh	780905	724501	687416	-	-	-	-	
29	West Bengal	470379	388045	403180		2.4	1.8	5.2	
UTs							-		
1	A & N Islands	2108	2236	2163		47.9	50.4	51	
2	Chandigarh	16308	16378	16203		92.9	42.9	41.7	
3	Dadra & Nagar Haveli	1271	1332	1547		73.3	61.4	48	
4	Daman & Diu	1170	1111	1179		54.8	52.4	84.2	
5	Delhi	97185	121286	124516		64.9	55.6	56	
6	Lakshadweep	346	352	360		100	98.3	86.9	
7	Puducherry	11717	12377	12133		73.1	77.6	74.4	

## SECTION THREE

# TIME SERIES ANALYSIS OF MEDICALLY CERTIFIED CAUSE OF DEATH

#### **SECTION THREE**

#### TIME SERIES ANALYSIS OF MEDICALLY CERTIFIED CAUSE OF DEATH

This Section is devoted to the analysis of trends in the deaths registered in Delhi during the period 2001 to 2016. This section also attempts an analysis of the trends in deaths due to specific causes like heart attack, cancer, tuberculosis, pneumonia and diabetic mellitus in Delhi during 2001-2016.

#### **Medical Certification of cause of deaths in retrospect (2001-2016)**

It is observed that during the period from 2001-2016, the level of institutional deaths in Delhi has varied between 52.18 to 70.11 percent. The lowest level i.e. 52.18% institutional deaths were reported during the year 2002 and the maximum level i.e. 70.11% were reported during 2013. During the year 2003, the notification regarding mandatory provision of providing cause of death for every institutional death in Delhi was issued. The following table shows the percentage distribution of medically certified cause of deaths i.e. the proportion of institutional deaths to total deaths.

Statement No 3.1: Distribution of Institutional Deaths during pre and post MCCD Notification (Year-2003):

Year	Total Deaths	Institutional	Percentage
		Deaths	3
A. Prior to Notification			
2001	81100	45034	55.53
2002	86176	44965	52.18
B. After Notification			
2003	87743	48473	55.24
2004	85378	48559	56.88
2005	94187	56390	59.87
2006	98908	60254	60.92
2007	100974	59256	58.68
2008	107600	57122	53.09
2009	112013	68373	61.04
2010	124353	76373	61.42
2011	112142	68326	60.93
2012	104616	67856	64.86
2013	97185	68135	70.11
2014	121286	74592	61.50
2015	124516	78067	62.70
2016	141632	90517	63.91

From the table, it is clear that the total No. of deaths in Delhi has increased from 81100 in the year 2001 to 141632 in the year 2016. It may be observed that during the year 2007 to 2012 and 2014 to 2016, the number of deaths in Delhi were above one lac. During the period of 2001 to 2016, the lowest number of deaths i.e. 81100 were reported in 2001 and the highest number i.e. 141632 were reported in 2016. It is also observed that the proportion of institutional deaths to total deaths was in the range of 52 to 60 percent during 2001 to 2008 and above 60% from the year 2009. However, this proportion was maximum to the level of 70 percent during 2013 which reflect that the families of the deceased have tried their best to get the treatment by admitting them in hospitals.



The following diagram will show the trend in institutional deaths in Delhi:



The graph pertains to the percentage distribution of institutional deaths clearly reflect that after the year 2008, the proportion of institutional deaths is lying between 61 to 70 percent.

#### **Local Body wise Institutional Deaths**

The Municipal Corporation of Delhi has been trifurcated in to three local bodies i.e. North/South/East Delhi Municipal Corporation w.e.f. April 2012 and due to this fact the death events occurred and registered in municipal corporation area in 2015 have been reflected in three local bodies. Therefore, the information of registered institutional death events has been given in r/o five local bodies for 2016 including NDMC & Delhi Cantonment Board.

The following table shows the local body wise details of institutional deaths in Delhi during the period from 2001 to 2016:


Statement No 3.2 Distribution of Institutional Deaths Local body wise:

Institutional Deaths									
Year	MCD	NDMC	DCB	Total					
2001	29117	14866	1051	45034					
2002	27632	16192	1141	44965					
2003	31981	15195	1297	48473					
2004	32892	14316	1351	48559					
2005	36250	18744	1396	56390					
2006	40226	18804	1224	60254					
2007	37379	20388	1489	59296					
2008	36366	19187	1569	57122					
2009	44818	22249	1306	68373					
2010	53519	21591	1263	76373					
2011	45923	20994	1409	68326					
2012	43944	22373	1539	67856					

Year	North DMC	South DMC	East DMC	Total MCD	NDMC	DCB	Total
	(i)	(ii)	(iii)	(i)+(ii)+(iii)			
2013	21136	12282	11139	44557	22070	1508	68135
2014	23973	15197	12042	51212	21754	1626	74592
2015	25243	15536	11955	52734	23524	1809	78067
2016	27962	18611	14977	61550	27164	1803	90517

The time series given in statement 3.2 shows that 1679809 deaths were registered in Delhi during the period from 2001 to 2016 and out of these 60.26% were institutional deaths. The local body wise analysis of proportion of institutional deaths during 2016 reflect that maximum i.e. 30.89% occurs in North DMC followed by 30.01% in NDMC, 20.56% in South DMC, 16.55% in East DMC and 1.99% in DCB. Evidently, maximum institutional deaths were in North DMC and it is due to the presence of big central government hospitals in NDMC area, however it may be observed that before the year 2016 the maximum deaths vis-a-vis institutional deaths were always in the then MCD due to jurisdiction over large area.

The following diagram will make clear the trend regarding institutional deaths in MCD, NDMC and DCB areas:




#### Sex-wise and age-wise analysis of institutional deaths during 2001-2016:

The following table shows the number of institutional deaths sex-wise during the period 2001-2016:

**Statement No 3.3: Distribution of Institutional Deaths by sex:** 

Year	Male	Female	Other	Total
2001	28178	16856	N.A.	45034
2002	27445	17520	N.A.	44965
2003	29779	18694	N.A.	48473
2004	30054	18505	N.A.	48559
2005	35089	21301	N.A.	56390
2006	40475	19779	N.A.	60254
2007	37341	21915	N.A.	59296
2008	36373	20149	N.A.	57122
2009	42808	25565	N.A.	68373
2010	48032	28341	N.A.	76373
2011	42770	25556	N.A.	68326
2012	42452	25404	N.A.	67856
2013	42367	25768	N.A.	68135
2014	47001	27591	N.A.	74592
2015	48485	29582	N.A.	78067
2016	56806	33684	27	90517

From the table, it is clear that during the period 2001-2016 there is the trend of more male deaths compared to female deaths. The maximum difference in number of male deaths to female deaths has been noticed during the year 2016 whereas it is the minimum during the year 2002.



It is observed from the statement 3.3 that during the period both male institutional deaths as well as female deaths have an increase. The number of male deaths has increased from 28178 in 2001 to 56806 in 2016, whereas the number of female deaths has increased from 16856 in 2001 to 33648 in 2016. Obviously, the percentage increase in number of male deaths is 101.60 % and it is 99.83 % in number of female deaths.

The age-wise analysis of the institutional deaths will make the picture clearer. For the purpose of the study, 5 age-groups are taken into consideration i.e. 14 years and below, 15-24, 25-44, 45-64, 65 years and above.

The following table shows the age-wise details of institutional deaths occurred during the period from 2001-2016:

Statement No 3.4: Distribution of Institutional Deaths age group wise:

	age group wise % of MCCD deaths									
year	14 & Below	15-24	25-44	45-64	65 & above	Age Not Stated	All			
2001	25.35	8.52	20.65	24.60	18.38	2.50	100.00			
2006	21.82	9.96	21.24	26.38	20.40	0.20	100.00			
2007	22.01	8.38	20.27	27.58	21.76	0.00	100.00			
2008	16.74	7.83	22.65	31.25	21.43	0.10	100.00			
2009	18.25	8.53	22.60	29.12	21.43	0.07	100.00			
2010	17.04	8.24	21.16	30.85	22.71	0.00	100.00			
2011	18.39	8.11	20.56	29.79	23.15	0.00	100.00			
2012	18.82	7.61	20.43	30.09	23.05	0.00	100.00			
2013	17.81	7.48	20.16	30.71	23.84	0.00	100.00			
2014	16.25	6.89	19.48	31.74	24.93	0.71	100.00			
2015	16.65	6.83	19.85	31.62	24.95	0.10	100.00			
2016	14.13	6.32	18.79	31.24	26.83	2.69	100.00			


The age group wise analysis of institutional deaths reflect that in the age group of 14 years & below the percentage of institutional deaths to total institutional deaths during the period 2001-2016 has come down from 25.35% to 14.13%. It is also observed that almost similar pattern exist in r/o percentage of institutional deaths in the age group of 15-24 years and 25-44 years to total institutional deaths during the period 2001 to 2016. On the other hand, it has increased from 24.60% to 31.24% in the age group of 45-64 years and from 18.38% to 26.83 % in the age group of 65 years & above and it indicate that the sick people of these age groups admitted in the hospital in large number than other age groups for getting treatment.

#### Institutional infant deaths during the period 2001-2016:

During the period 2001-2016, the trend of institutional infant deaths may be observed from the following table:-

**Statement No 3.5: Distribution of Institutional Infant Deaths by sex:** 

***		Infant Deaths							
Year	Male	Female	Other	Total					
2001	4425	2583	N.A.	7008					
2002	2937	1742	N.A.	4679					
2003	2677	1773	N.A.	4450					
2004	2553	1450	N.A.	4003					
2005	2640	1431	N.A.	4071					
2006	3489	2134	N.A.	5623					
2007	5005	3016	N.A.	8021					
2008	3533	2177	N.A.	5710					
2009	4003	2685	N.A.	6688					
2010	4780	3022	N.A.	7802					
2011	4614	2957	N.A.	7571					
2012	5307	3262	N.A.	8569					
2013	4992	3241	N.A.	8233					
2014	4923	3067	N.A.	7990					
2015	5243	3369	N.A.	8612					
2016	4979	3028	8	8015					



#### Major causes of death during 2001-2016:

The following table shows the number of deaths due to heart attack and related heart diseases during 2001-2015 as compared to institutional deaths:

Statement No 3.6: Institutional deaths due to heart attack and related heart diseases:

Year		No. of Deaths in Hospitals	Hospitals deaths
	heart attack		(in % age)
2001	8136	6960	85.55
2002	11892	7266	61.10
2003	11721	9577	81.71
2004	12669	9976	78.74
2005	8576	6448	75.19
2006	8836	6848	77.50
2007	15442	13476	87.27
2008	15876	12949	81.56
2009	16158	13904	86.05
2010	8236	8215	99.75
2011	10694	8435	78.88
2012	11724	9420	80.35
2013	11522	9617	83.47
2014	10880	9455	86.90
2015	12680	11875	93.65
2016	16665	15919	95.52

During the period 2001-2016, 191707 deaths (125741 male, 65964 female and 2 others) in Delhi were due to heart attack and heart related diseases. Out of this 160340 (83.64%) were occurred in hospitals. The maximum numbers of 16665 deaths were reported in 2016 and the minimum numbers of 8136 deaths were reported in 2001.

It is observed that out of total deaths due to heart diseases during 2001-2016 the proportion of institutional deaths varied between 61.10% to 99.75%. The maximum number of 15919 institutional deaths due to heart diseases was reported in 2016 whereas the lowest number of 6448 institutional deaths was reported in 2005.

Age group wise & Sex wise breakup of institutional deaths due to heart attack/diseases during 2001-2016 may be seen in the statement No. 3.7:

Statement No 3.7: Distribution of Institutional Deaths due to heart attack/diseases by sex & age group:

Age Group (in						
years)	Male	%age	Female	%age	Total	%age
14 years & below	6962	6.84	4280	7.31	11242	7.01
15-24	5221	5.13	3685	6.29	8906	5.55
25-44	19049	18.72	9983	17.05	29032	18.11
45-64	38884	38.21	19158	32.71	58042	36.20
65 & above	31155	30.61	21123	36.07	52278	32.60
Not stated	505	0.50	333	0.57	838	0.52
Total	101776	100.00	58562	100.00	160338	100.00

<sup>\*</sup> The figure 160338 excludes 2 cases of others.

The institutional deaths due to heart attack/diseases are the maximum in the age group of 45-64 years followed by 65 years & above age group and 25 to 44 years age group. During 2001-2016, 58042 persons died due to heart attack in the age group of 45 to 64 years, 52278 in the age group of 65 years & above and 29032 in the age group of 25 to 44 years.

Sex group wise analysis reflect that in case of male the deaths due to heart attack/diseases are maximum in the age group of 45-64 years whereas in female it is maximum in the age group of 65 years and above. The analysis indicate that in the age group of 45-64 years number of male deaths due to heart attack/diseases is more than double of female deaths. Approx. 38% of the total male deaths due to heart attack/diseases deaths in males occur in the age group of 45-64 years.

#### Institutional deaths due to Pneumonia:

The following table shows the total deaths due to pneumonia and out of these numbers of deaths occurred in hospitals in Delhi during the period 2001-2016:

No 3.8: Institutional deaths due to Pneumonia:

Year	No. of Deaths due to	No. of Deaths in	Hospitals
	Pneumonia	Hospitals	deaths(in% age)
2001	1205	1200	99.58
2002	2250	1956	86.93
2003	2182	1753	80.34
2004	1234	1119	90.68
2005	1503	1294	86.09
2006	868	810	93.37
2007	879	818	93.06
2008	1539	1357	88.17
2009	1593	1449	90.96
2010	2201	2185	99.27
2011	1598	1581	98.94
2012	1613	1595	98.88
2013	1547	1539	99.48
2014	1441	1438	99.79
2015	1950	1943	99.64
2016	1989	1959	98.49

The analysis of data reveals that the maximum number of 2250 deaths due to pneumonia were reported in 2002 and the minimum number of 868 deaths were reported in 2006.

The institutional deaths out of total deaths due to pneumonia varied between 80.34% to 99.79% during the 2001- 2016. The maximum number of 2185 institutional deaths due to pneumonia were reported in 2010 whereas the lowest number of 810 institutional deaths were reported in 2006.

Age group wise & Sex wise occurrence of institutional deaths due to pneumonia during 2001-2016 may be seen in the following table:

Statement No 3.9: Distribution of Institutional Deaths due to Pneumonia by sex & age group:

Age Group (in years)	Male	%age	Female	%age	Total	%age
14 years & below	5391	36.98	3835	40.3	9226	38.29
15-24	941	6.45	830	8.72	1771	7.35
25-44	2105	14.44	1249	13.13	3354	13.92
45-64	3161	21.68	1736	18.24	4897	20.32
65 & above	2890	19.82	1818	19.11	4708	19.54
Not stated	92	0.63	47	0.49	139	0.58
Total	14580	100	9515	100	24095	100

The institutional deaths due to pneumonia are the maximum in the age group of 14 years & below followed by 45-64 years age group and 65 & above age group. During the 2001-2016, 9226 persons died of pneumonia in the age group of 14 years & below, 4897 in the age group of 45-64 years and 4708 in the age group of 65 years & above.

The sexwise analysis of deaths due to pneumonia reflect that maximum deaths were in the age group of 14 years & below in case of both i.e. males and females. Evidently, the statement 3.9 indicates that out of total institutional deaths due to Pneumonia, approx. 38% deaths were in the age group of 14 years & below.

#### Institutional deaths due to Tuberculosis:

The following table shows the total deaths due to tuberculosis and out of these numbers of deaths occurred in hospitals in Delhi during the period 2001-2016:

Statement No 3.10: Institutional deaths due to Tuberculosis:

Year	No. of Deaths due to	No. of Deaths in	Hospitals deaths
	Tuberculosis	Hospitals	(in %age)
2001	1881	1473	78.31
2002	4683	3554	75.89
2003	4924	3597	73.05
2004	2315	1987	85.83
2005	3618	3279	90.63
2006	3510	3064	87.29
2007	2516	2018	80.21
2008	2632	2139	81.27
2009	2558	2251	87.99
2010	3446	3065	88.94
2011	3968	3603	90.80
2012	3496	3118	89.19
2013	3662	3239	88.45
2014	4930	4350	88.24
2015	4265	3635	85.23
2016	4448	3733	83.93

The analysis of data reveals that the maximum number of 4930 deaths due to tuberculosis was reported in 2014 and the minimum number of 1881 deaths was reported in 2001.

The institutional deaths due to tuberculosis varied between 73.05% to 90.80% during the years 2001-2016. The maximum numbers of 4350 institutional deaths due to tuberculosis were reported in 2014 whereas the lowest numbers of 1473 institutional deaths were reported in 2001.

Age group-wise & Sex wise occurrence of institutional deaths due to tuberculosis during 2001-2016 may be seen in the following table:

Statement No 3.11: Distribution of Institutional Deaths due to tuberculosis by sex & age group

Age Group (in years)	Male	%age	Female	%age	Total	%age
14 years & below	1736	5.47	1760	10.75	3496	7.27
15-24	3227	10.17	3588	21.92	6815	14.17
25-44	10174	32.06	4877	29.79	15051	31.29
45-64	11400	35.92	3995	24.41	15395	32
65 & above	5073	15.99	2062	12.6	7135	14.83
Not stated	126	0.4	87	0.53	213	0.44
Total	31736	100	16369	100	48105	100

The institutional deaths due to tuberculosis are maximum in the age group of 45-64 years followed by 25-44 years age group and 65 years and above age group. During 2001-2016, 15395 persons died of tuberculosis in the age group of 45-64 years, 15051 in the age group of 25-44 years and 7135 in the age group of 65 years and above.

The sex groupwise analysis shows that out of total male deaths due to tuberculosis the maximum (32.00%) are in the age group of 45-64 years whereas in females it is maximum (31.29%) in the age group of 25-44 years. It is observed that the occurrence of tuberculosis in males in the age group of 45-64 years is more than double than that of tuberculosis in females in this age group.

#### Institutional deaths due to Cancer:

The following table shows the total deaths due to cancer and out of these numbers of deaths occurred in hospitals in Delhi during the period 2001-2016:

Statement No 3.12: Institutional deaths due to Cancer:

Year	No. of Deaths due to Cancer	No. of Deaths in Hospitals	Hospitals Deaths (in% age)
2001	1117	977	87.47
2002	1552	871	56.12
2003	1489	948	63.67
2004	1533	1093	71.3
2005	2009	1545	76.9
2006	2060	1471	71.41
2007	2597	1911	73.58
2008	3070	2204	71.79
2009	3936	3227	81.99
2010	5728	5436	94.9
2011	9925	9266	93.36
2012	6444	5772	89.57
2013	5570	4109	73.77
2014	5686	5479	96.36
2015	4994	4666	93.43
2016	5742	4812	83.80

The analysis of data reveals that the maximum number of 9925 deaths due to cancer were reported in 2011 and the minimum number of 1117 deaths were reported in 2001.

The institutional deaths due to cancer varied between 56.12% to 96.36% during 2001-2016. The maximum number of 9266 institutional deaths due to cancer were reported in 2011 whereas the lowest number of 871 institutional deaths were reported in 2002.

Age group wise & sexwise occurrence of institutional deaths due to cancer during the period 2001-2016 may be seen in the following table:

Statement No 3.13: Distribution of Institutional Deaths due to Cancer by sex & age group

Age Group (in years)	Male	%age	Female	%age	Total	%age
14 years & below	3333	10.23	1921	9.07	5254	9.77
15-24	2516	7.72	1236	5.83	3752	6.98
25-44	6630	20.34	4628	21.84	11258	20.93
45-64	12571	36.57	8902	42.01	21473	39.92
65 & above	7320	22.46	4368	20.61	11688	21.73
Not stated	225	0.69	136	0.64	361	0.67
Total	32595	100.00	21191	100.00	53786	100.00

The institutional deaths due to cancer are the maximum in the age group of 45-64 years followed by 65 years and above age group and 25-44 years age group. During 2001-2016, out of total deaths due to cancer, the maximum (39.92%) deaths were occurred in the age group of 45-64 years, 21.73% deaths in the age group of 65 years & above and 20.93% deaths in the age group of 25-44 years.

The sex groupwise analysis shows that out of total deaths due to cancer, in case of both i.e. the males & females the maximum deaths are in the age group of 45-64 years followed by 65 years & above.

#### **Institutional deaths due to Diabetic Mellitus:**

The following table shows the total deaths due to diabetic mellitus and out of these number of deaths occurred in hospitals in Delhi during the period 2001-2016:

Statement No 3.14: Institutional deaths due to Diabetic Mellitus:

Year	No. of Deaths due to	No. of Deaths in	<b>Hospitals Deaths</b>		
1 cai	Diabetic Mellitus	Hospitals	(in %age)		
2001	620	566	91.29		
2002	657	591	89.95		
2003	757	640	84.54		
2004	782	640	81.84		
2005	1133	1052	92.85		
2006	5296	5118	96.64		
2007	3920	3761	95.94		
2008	4626	3986	86.17		
2009	4671	4451	95.29		
2010	1379	1267	91.88		
2011	1642	1528	93.06		
2012	1623	1518	93.53		
2013	2025	1921	94.86		
2014	1859	1762	94.78		
2015	1459	1356	92.94		
2016	2638	2557	96.93		

It is observed that the maximum number of 5296 deaths were reported in 2006 and the minimum number of 620 deaths were reported in 2001. The institutional deaths due to diabetic mellitus varied between 81.84% to 96.93% during the years 2001-2016.

Age group wise & sex wise occurrence of institutional deaths due to Diabetic Mellitus during 2001-2016 may be seen in the following table:-

Statement No 3.15: Distribution of Institutional Deaths due to Diabetic Mellitus by sex & age group:

Age Group (in years)	Male	%age	Female	%age	Total	%age
14 years & Below	2365	13.47	1702	12.70	4067	13.14
15-24	741	4.22	612	4.57	1353	4.37
25-44	2044	11.64	1596	11.91	3640	11.76
45-64	6573	37.44	4783	35.70	11356	36.69
65 & above	5790	32.98	4668	34.84	10458	33.79
Not stated	41	0.23	37	0.28	78	0.25
Total	17554	100.00	13398	100.00	30952	100.00

The institutional deaths due to diabetic mellitus are the maximum in the age group 45-64 years followed by 65 years & above age group. During 2001-2016, out of total institutional deaths due to diabetic mellitus, the maximum (36.69%) deaths were in the age group of 45-64 years and 33.79% deaths in the age group of 65 years & above. From the statement 3.15, it is observed that the proportion of deaths due to diabetic mellitus in the age group of 14 years & below is higher than the deaths in the age group of 15-24 years and 25-44 years.

The sex wise analysis reflect that the maximum (37.44%) males deaths due to diabetic mellitus are in the age group of 45-64 years while for females it is maximum (35.70%) in the age groups of 45-64 years.

#### **Institutional Burns deaths by Age and Sex:**

The sex wise and age groupwise number of institutional deaths due to burns during the period 2001-2016 are given in the following table:-

Statement No 3.16: Distribution of Medically Certified Deaths Due to Burns by Sex and Age Group:-

	14 Years & Below		& Below   15-2		15 24		Below   15-24   25-44		45- Yea		65 Ab	& ove	Not Stated		Total		
Year	M	F	M	F	M	F	M	F	M	F	M	F	Total Male	Total Female	Total		
2001	81	85	119	224	191	334	47	45	45	58	ı	ı	483	746	1229		
2002	27	33	57	100	84	132	28	24	32	58	ı	ı	228	347	575		
2003	32	35	37	45	54	132	28	24	32	58	-	-	183	294	477		
2004	44	37	69	158	122	155	33	18	4	4	-	-	272	372	644		
2005	76	65	104	207	177	229	73	60	31	42	ı	ı	461	603	1064		
2006	57	52	114	149	193	180	68	39	20	10	ı	ı	453	430	883		
2007	65	44	64	166	148	209	40	37	12	17	-	-	329	473	802		
2008	20	36	57	158	146	194	111	45	48	28	-	ı	384	461	845		
2009	40	48	98	169	172	251	58	38	10	16	-	-	378	524	902		
2010	66	49	142	248	228	385	85	62	14	19	-	-	535	763	1298		
2011	48	55	145	280	238	398	70	50	11	29	-	ı	512	812	1324		
2012	94	75	136	286	254	411	68	57	17	24	ı	ı	569	853	1422		
2013	87	58	118	277	207	318	74	57	11	25	-	ı	497	735	1232		
2014	106	81	127	241	241	308	76	75	22	33	ı	ı	572	738	1310		
2015	92	84	121	162	236	338	76	68	22	40	-	ı	547	692	1239		
2016	69	83	116	209	195	284	67	68	18	35	14	22	479	701	1180		
Total	912	920	1624	3079	2886	4258	1002	767	349	496	14	22	6882	9544	16426		

During the period 2001 to 2016 total burn deaths in Delhi are 16426. Out of which 6882 are male deaths and 9544 are female deaths. Obviously, the numbers of female burn deaths are much higher than that of the male burn deaths. During the period 2001 to 2016, maximum number of burn deaths i.e. 1422 was reported in the year 2012 and the least number of burn deaths i.e. 477 were reported in the year 2003.

The age-wise analysis of the deaths due to burn shows that the maximum number of burn deaths were occurred in age group of 25-44 years followed by 15-24 years and in both the age groups, the number of female deaths are much higher than the male deaths in the concerned age group. The institutional burn deaths in the age group of 25-44 years are 43.49% followed by 28.63% in the age group of 15-24 years.

\* \* \*

# SECTION FOUR

STATISTICAL TABLES

					Table -1									
	DEATHS BY	CAUSE	OF DEATH		ND SEX FO		ALLY CERT	IFIED DEA	THS - 2016	5				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
ı	CERTAIN INFECTIOUS AND PARASITIC DISEASES (A00-E	399)												
	CERTAIN INFECTIOUS AND PARASITIC DISEASES (A00-	М	733	240	383	588	815	1095	1162	1322	563	1295	94	8290
•	-B99)	F	449	207	342	624	558	523	591	678	309	882	85	5248
	553)	0	0	0	1	0	0	1	0	0	0	0	0	2
1		М	37	7	8	11	9	11	8	15	6	24	5	141
	INTESTINAL INFECTIOUS DISEASES (A00-A09)	F	20	7	1	17	11	9	11	12	5	27	3	123
		0	0	0	0	0	0	0	0	0	0	0	0	0
1		М	0	1	1	0	0	1	1	0	0	3	0	7
'	Cholera (A00)	F	0	1	0	3	0	0	1	1	0	2	0	8
		0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	1	0	1	1	2	1	0	3	1	1	0	11
	Typhoid Fever and paratyphoid fevers(A01)	F	1	0	0	2	1	0	1	0	0	2	0	7
		0	0	0	0	0	0	0	0	0	0	0	0	0
3		М	0	0	0	0	0	0	0	0	0	0	0	0
0	Food Poisoning (A02,A05)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
4		М	0	0	0	0	1	0	0	1	0	0	0	2
	Shigellosis (A03)	F	0	0	0	0	0	0	1	1	0	4	0	6
		0	0	0	0	0	0	0	0	0	0	0	0	0
5		М	1	0	0	0	0	2	1	2	0	0	0	6
	Amocbiasis (A06)	F	1	0	0	1	0	0	0	1	1	2	0	6
		0	0	0	0	0	0	0	0	0	0	0	0	0
6	Diarrhoea and gastroenteritis of presumed infectious origin	М	33	6	4	10	6	7	6	7	4	20	4	107
	-(A09)	F	18	6	1	10	10	9	7	8	4	17	3	93
	(1.60)	0	0	0	0	0	0	0	0	0	0	0	0	0
7		М	2	0	2	0	0	0	0	2	1	0	1	8
	Other intestinal infectious diseases (A04,A07-A08)	F	0	0	0	1	0	0	1	1	0	0	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
2		M	33	21	51	266	367	455	425	426	158	224	19	2445
	Tuberculosis (A15-A19)	F	26	13	74	319	210	162	154	140	58	106	26	1288
		0	0	0	0	0	0	0	0	0	0	0	0	0
1		M	27	11	24	226	300	397	367	381	146	199	14	2092
•	Respiratory Tuberculosis (A15-16)	F	19	6	47	256	152	137	132	120	51	82	16	1018
		0	0	0	0	0	0	0	0	0	0	0	0	0

					Table -1									
	DEATHS B	Y CAUSE	OF DEATH				LLY CERT	IFIED DEA	THS - 2016	ĵ				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	GE IN YEA 5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
2		М	2	7	18	15	30	25	22	13	6	5	1	144
	Tuberculosis of nervous system (A17)	F	5	3	9	24	16	8	10	6	3	7	4	95
		0	0	0	0	0	0	0	0	0	0	0	0	0
3	Tuberculosis of other organs & miliary Tuberculosis (A18-	M	4	3	9	25	37	33	36	32	6	20	4	209
	-A19)	F	2	4	18	39	42	17	12	14	4	17	6	175
	7(10)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	594	182	260	211	318	507	604	764	360	943	57	4800
3	Other bacterial diseases (A20-A49)	F	366	155	200	218	259	281	364	470	217	702	47	3279
		0	0	0	1	0	0	0	0	0	0	0	0	1
		М	0	1	0	0	1	0	0	4	1	2	0	9
1	Plague (A20)	F	1	0	1	0	0	0	0	7	0	0	0	9
		0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	1	0	0	0	1	0	3	6	5	4	0	20
2	Leprosy (A30)	F	2	0	0	0	0	0	0	0	0	1	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
3		М	2	0	1	0	0	1	2	3	4	0	0	13
3	Neontorum Tetanus (A33)	F	5	0	0	0	0	0	3	1	1	5	0	15
		0	0	0	0	0	0	0	0	0	0	0	0	0
4		M	0	2	4	3	2	1	2	2	0	2	0	18
-	Other Tetanus (A34-A35)	F	0	0	1	1	0	0	0	1	0	0	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
5		M	1	13	58	4	0	0	0	1	0	0	0	77
Ů	Diphtheria (A36)	F	0	11	50	1	0	0	0	0	0	0	0	62
		0	0	0	0	0	0	0	0	0	0	0	0	0
6		M	0	0	0	0	0	0	0	0	0	0	0	0
	Whooping cough (A37)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
7		M	2	0	2	0	0	0	1	0	0	0	0	5
	Meningococcal infection (A39)	F	0	2	3	0	0	0	1	0	1	1	0	8
i		0	0	0	0	0	0	0	0	0	0	0	0	0

	DEATHOR	V 0 4 1 1 0 E	OF DEAT	10. 405.41	Table -1	D MEDIO	LLV OEDT	TIELED DE A	TUO 004					
	DEATHS B	Y CAUSE	OF DEATI		GE IN YEA		LLY CERT	IFIED DEA	THS - 2010	)				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
8		М	580	163	189	202	313	499	586	729	339	906	55	4561
0	Septicaemia (A40-A41)	F	353	141	144	215	253	277	351	455	201	677	46	3113
		0	0	0	1	0	0	0	0	0	0	0	0	1
9	All other types of bacterial Diseases (A21-A28,A31-	M	8	3	6	2	1	6	10	19	11	29	2	97
	-A32,A38,A42-A49)	F	5	1	1	1	6	4	9	6	14	18	1	66
	7.02,7.03,7.12 7.10)	0	0	0	0	0	0	0	0	0	0	0	0	0
4	Infections with a predominantly sexual mode of	M	2	0	0	1	0	0	2	1	0	2	0	8
	transmission (A50-A64)	F	1	0	2	1	0	0	1	2	0	0	0	7
	, ,	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	2	0	0	1	0	0	2	1	0	2	0	8
1	Syphilis (A50-53)	F	1	0	1	1	0	0	1	2	0	0	0	6
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0
2	Other Types of infections with a predominatly sexual mode	F	0	0	1	0	0	0	0	0	0	0	0	1
	of transmission (A54-A64)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	16	21	53	62	79	74	67	37	14	51	8	482
5	Viral diseases (A70-A74 & A80-B34)	F	12	22	45	41	47	38	26	21	7	13	3	275
		0	0	0	0	0	0	1	0	0	0	0	0	1
4		М	0	0	0	0	0	0	0	0	0	0	0	0
ı	Acute Poliomyelitis (A80)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	0	1	1	1	0	1	0	1	0	2	1	8
	Rabies (A82)	F	0	1	0	1	0	0	0	0	0	1	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
3		M	0	1	0	4	1	1	1	0	0	1	0	9
	Japanese encephalitis (A83.0)	F	0	0	1	2	0	0	0	0	0	0	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
4		М	3	6	7	8	4	4	2	1	0	0	3	38
	Other Viral encephalitis (A83.1-A83.9, A84-A86)	F	0	3	8	5	3	2	0	2	0	2	0	25
		0	0	0	0	0	0	0	0	0	0	0	0	0
5		M	8	6	31	22	13	4	10	3	3	13	1	114
	Dengue fever (A90)	F	8	8	21	16	15	8	8	3	0	3	2	92
		0	0	0	0	0	0	0	0	0	0	0	0	0

					Table -1									
	DEATHS B	Y CAUSE	OF DEATH	,			LLY CERT	IFIED DEA	THS - 2016	3				
	1	_	1	Α	GE IN YEA	ARS	1		1	1		ı		
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
6	Other arthropod-borne viral fevers and viral haemorrhagic	M	0	0	4	5	7	4	4	5	2	16	2	49
	favers (A91-A94, A96-A99)	F	0	1	3	2	6	2	2	3	1	1	0	21
	144013 (1101 1104, 1100 1100)	0	0	0	0	0	0	0	0	0	0	0	0	0
7		M	0	0	0	0	0	0	0	0	0	0	0	0
	Smallpox (B03)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
8		M	1	3	0	0	0	0	1	0	0	0	0	5
	Measles (B05)	F	0	3	2	0	0	0	0	0	0	0	0	5
		0	0	0	0	0	0	0	0	0	0	0	0	0
9		М	0	0	0	3	6	9	13	5	1	4	0	41
	Acute Hepatitis B (B16)	F	0	0	1	5	7	2	2	0	1	2	0	20
		0	0	0	0	0	0	0	0	0	0	0	0	0
10		М	0	0	0	3	8	3	7	4	1	1	0	27
10	Other viral hepatitis (B15, B17-B19)	F	0	1	1	5	6	1	4	1	2	2	0	23
		0	0	0	0	0	0	0	0	0	0	0	0	0
11		М	1	0	1	8	32	42	23	8	5	3	1	124
_ ' '	Human immunodeficiency virus (HIV) disease (B20-B24)	F	0	0	1	3	6	18	3	4	1	0	0	36
		0	0	0	0	0	0	1	0	0	0	0	0	1
12	All other types of viral diseases (A70-A74,A81, A87-	M	3	4	9	8	8	6	6	10	2	11	0	67
12	-A89.A95,B00-B02,B04,B06-B09 &B25-B34)	F	4	5	7	2	4	5	7	8	2	2	1	47
	700;700;B00 B02;B04;B00 B00 &B20 B04)	0	0	0	0	0	0	0	0	0	0	0	0	0
6		M	4	5	4	11	9	8	13	8	1	3	2	68
U	Protozoal diseases (B50-B64)	F	3	3	9	13	8	11	4	1	1	3	2	58
		0	0	0	0	0	0	0	0	0	0	0	0	0
1		М	4	5	4	11	9	7	13	8	0	3	2	66
L'	Malaria (B50-B54)	F	2	3	9	13	7	11	4	1	1	3	2	56
	]	0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	0	0	0	0	0	1	0	0	1	0	0	2
	All other types of protozoal disease (B55-B64)	F	1	0	0	0	1	0	0	0	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0

					Table -1									
	DEATHS BY	CAUSE	OF DEATH		ND SEX FO		LLY CERT	IFIED DEA	THS - 2016	<b>i</b>				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
7	Other certain infectious and parasistic diseases & late	М	47	4	7	26	33	40	43	71	24	48	3	346
1	effect of infectious and parasitic diseases (A65-A69 &	F	21	7	11	15	23	22	31	32	21	31	4	218
	A75-A79, B35-B49&B65-B99)	0	0	0	0	0	0	0	0	0	0	0	0	0
1	E11 - 1 (B7.0)	M	0	0	0	0	1	0	0	1	0	0	0	2
	Filariasis (B74)	F	0	0	0	2	0	0	0	0	1	0	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
2	Other hedge of his (DOF DZO DZE DZZ DOO)	M	0	0	0	0	1	0	1	1	0	2	0	5
	Other helminthiasis (B65-B73,B75,B77-B83)	0	0	0	0	0	1	0	0	0	0	0	0	1
			0	0	0	0	0	0	0	0	0	0	0	0
3	Other spirochaetal diseases and Rickettsioses (A65-A69 &	M F	0	0	0	0	0	0	0	0	0	0	0	4 0
	A75-A79)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	47	4	7	25	31	39	42	67	24	46	3	335
4	All other infectious and parasitic diseases & late effects of	F	21	7	11	13	22	22	31	32	20	31	4	214
	infectious and parasitic deseases (B35-B49,B76,B85-B99)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	40	51	113	220	218	306	499	701	286	355	30	2819
II	NEOPLASMS(C00-D48)	F	21	24	58	92	174	319	474	452	152	215	11	1992
	, ,	0	0	0	0	0	0	0	0	0	0	0	1	1
_	Maliament needlesses of lin. Onel south, south, and	М	0	2	1	2	12	55	88	103	36	33	3	335
8	Malignant neoplasms of lip. Oral cavity cavity and	F	0	2	1	0	3	17	28	38	16	16	0	121
	pharynx (C00-C14)	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasms of lip, oral cavity and pharynx (C00-	М	0	2	1	2	12	55	88	103	36	33	3	335
	-C14)	F	0	2	1	0	3	17	28	38	16	16	0	121
	017/	0	0	0	0	0	0	0	0	0	0	0	0	0
9		М	2	0	0	6	28	39	88	141	67	57	4	432
	Malignant neoplasms of digestive organs (C15-C26)	F	0	0	1	1	28	63	118	107	34	53	3	408
		0	0	0	0	0	0	0	0	0	0	0	0	0
1		М	0	0	0	1	3	18	34	56	24	10	0	146
'	Malignant neoplasm of oesophagus (C15)	F	0	0	0	0	5	20	45	43	11	6	0	130
		0	0	0	0	0	0	0	0	0	0	0	0	0

					Table -1									
	DEATHS B	Y CAUSE	OF DEATH				LLY CERT	IFIED DEA	THS - 2016	6				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	GE IN YEA 5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
2		М	0	0	0	1	1	1	14	12	6	4	2	41
	Malignant neoplasm of stomach (C16)	F	0	0	0	0	5	5	10	8	3	5	1	37
		0	0	0	0	0	0	0	0	0	0	0	0	0
3	Malignant neoplasm of small intestine including deodenum	M	0	0	0	0	0	1	1	2	1	1	0	6
	(C17)	F	0	0	0	0	2	1	2	0	0	0	0	5
	(017)	0	0	0	0	0	0	0	0	0	0	0	0	0
4		M	0	0	0	2	1	2	3	11	5	8	0	32
	Malignant neoplasm of colon (C18)	F	0	0	0	0	1	5	7	8	2	9	0	32
		0	0	0	0	0	0	0	0	0	0	0	0	0
5	Malignant neoplasm of rectosigmoid junction, rectum, anus	M	0	0	0	1	12	6	3	8	3	6	2	41
	and anal canal (C19-C21)	F	0	0	1	0	5	1	7	5	3	2	0	24
	and anal sanar (515 521)	0	0	0	0	0	0	0	0	0	0	0	0	0
6	Malignant neoplasm of liver and intrahepatic bile ducts	M	2	0	0	1	6	3	15	24	12	16	0	79
	(C22)	F	0	0	0	1	5	6	17	10	9	13	0	61
	(0-1)	0	0	0	0	0	0	0	0	0	0	0	0	0
7		M	0	0	0	0	2	3	7	10	5	5	0	32
	Malignant neoplasm of pancreas (C25)	F	0	0	0	0	0	8	4	9	0	6	0	27
		0	0	0	0	0	0	0	0	0	0	0	0	0
8	Other malignant neoplasms of digestive organs (C23-C24,	M	0	0	0	0	3	5	11	18	11	7	0	55
	-C26)	F	0	0	0	0	5	17	26	24	6	12	2	92
	0-25)	0	0	0	0	0	0	0	0	0	0	0	0	0
							_							
10	Malignant neoplasm of respiratory and intrathoracic	M	0	0	0	5	8	42	85	155	61	63	2	421
	organs (C30-C39)	F	0	1	1	1	6	15	24	35	12	12	2	109
<u> </u>	,	0	0	0	0	0	0	0	0	0	0	0	0	0
		<b></b>							_					<u> </u>
1	14 (200)	M	0	0	0	0	0	5	5	28	8	9	0	55
	Malignant neoplasm of larynx (C32)	F	0	0	0	0	1	1	0	0	1	1	0	4
		0	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of trachea, bronchus and lung (C33-	M	0	0	0	5	7	20	47	75	26	35	2	217
	-C34)	F	0	0	1	0	5	10	19	25	7	10	2	79
		0	0	0	0	0	0	0	0	0	0	0	0	0

	DEATIO D	/ OALICE	OF DEAT	UC 405 4	Table -1	D MEDIO	ULV OFFI	TIELED DE A	TUC 0044					
	DEATHS BY	CAUSE	OF DEATI	-,	ND SEX FO		ALLY CERI	ILIED DEV	1115 - 2010	0				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
3	Other malignant neoplasm of respiratory and intrathoracic	М	0	0	0	0	1	17	33	52	27	19	0	149
3	organs (C30-C31, C37-C39)	F	0	1	0	1	0	4	5	10	4	1	0	26
	organis (Odo Od 1, Od 1 Odd)	0	0	0	0	0	0	0	0	0	0	0	0	0
				4	0		0	8	•	9	0	-	•	45
11	Maligant nepolasms of bone, mesothelial and soft	M	0	1	1	6 8	8 28	65	3 84	53	6	5 13	0	45 259
	tissue, skin and breast (C40-C50)	0	0	0	0	0	0	0	0	0	0	0	0	0
		0		-	-	-	-	-				-	•	
		М	1	0	1	6	6	4	1	3	1	3	0	26
1	Malignant neoplasm of bone & articular cartilage (C40-C41)	F	0	0	1	6	2	3	1	1	0	1	0	15
		0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	0	0	0	0	0	1	0	2	0	1	0	4
۷	Malignant melanoma of skin (C43)	F	0	0	0	0	0	0	2	0	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
3		М	0	0	0	0	0	0	1	2	0	0	0	3
	Other malignant neoplasms of skin (C44)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
4	Malignant neoplasms of mesothelial and soft tissue (C45-	M	0	1	1	0	2	3	1	2	1	1	0	12
	-C49)	F	0	1	0	1	1	3	4	0	0	0	0	10
	,	0	0	0	0	0	0	0	0	0	0	0	0	0
5	Malignant nagalage of braget (CEO)	M F	0	0	0	0	0	0	0	0	0	0	0	0
	Malignant neoplasm of breast (C50)	0	0	0	0	0	25 0	59 0	77 0	52 0	6	12 0	0	232
		0	U	U	U	U	U	U	U	U	U	U	U	U
		М	2	1	0	4	5	6	19	26	12	39	0	114
12	Maligant nepolasms of genitourinary organs (C51-C68)	F	0	0	0	5	18	46	77	76	25	27	3	277
		0	0	0	0	0	0	0	0	0	0	0	0	0
4		М	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasm of cervix uteri (C53)	F	0	0	0	0	2	20	28	26	6	11	1	94
		0	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of other and unspecified parts of uterus	М	0	0	0	0	0	0	1	0	0	0	0	1
	-(C54-C55)	F	0	0	0	0	1	1	2	7	3	0	0	14
	(55. 555)	0	0	0	0	0	0	0	0	0	0	0	0	0
3		M	0	0	0	0	0	0	0	0	0	0	0	0
<u> </u>	Malignant neoplasm of ovary (C56)	F	0	0	0	4	11	23	40	31	11	9	0	129
1		0	0	0	0	0	0	0	0	0	0	0	0	0

					Table -1									
	DEATHS BY	CAUSE	OF DEATH		ND SEX FO		LLY CERT	IFIED DEA	THS - 2016	<u> </u>				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
4		М	0	0	0	0	0	0	0	0	0	0	0	0
4	Malignant neoplasm of placenta (C58)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
5	Other malignant neoplasms of female genital organs (C51-	М	0	0	0	0	0	0	0	0	0	0	0	0
	-C52,C57)	F	0	0	0	1	1	1	2	5	2	2	0	14
	33=,337	0	0	0	0	0	0	0	0	0	0	0	0	0
6		М	0	0	0	0	0	0	6	11	7	28	0	52
	Malignant neoplasm of prostate (C61)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
7	Other malignant neoplasms of male genital organs	М	0	1	0	3	4	1	1	0	0	1	0	11
-	-(C60,C62-C63)	F	0	0	0	0	0	0	0	0	0	0	0	0
	(,	0	0	0	0	0	0	0	0	0	0	0	0	0
8		M	2	0	0	0	1	5	7	14	3	8	0	40
	Malignant neoplasm of bladder (C67)	F	0	0	0	0	2	1	5	5	3	3	1	20
		0	0	0	0	0	0	0	0	0	0	0	0	0
9		М	0	0	0	1	0	0	4	1	2	2	0	10
	Other malignant neoplasms of urinary tract (C64-C66,C68)	F	0	0	0	0	1	0	0	2	0	2	1	6
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	2	3	12	6	8	14	6	14	3	4	0	72
13	Maligant nepolasms of eye, brain and other parts of	F	0	5	7	4	5	7	5	2	0	1	0	36
	central nervous system (C69-C72)	0	0	0	0	0	0	0	0	0	0	0	0	0
4		М	0	0	3	0	0	4	1	3	0	0	0	11
- 1	Malignant neoplasm of eye & adnexa (C69)	F	0	3	2	0	1	2	0	1	0	0	0	9
	<u>]                                    </u>	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of meninges, brain and other parts of	М	2	3	9	6	8	10	5	11	3	4	0	61
_	central nervious system (C70-C72)	F	0	2	5	4	4	5	5	1	0	1	0	27
	Some and Friedd System (S75 S72)	0	0	0	0	0	0	0	0	0	0	0	0	0
														<u> </u>
14	Maligant neoplasms of other and unspecified sites (C73-	M	2	2	6	4	1	9	21	23	11	13	2	94
	-C80 & C97)	F	0	0	0	2	7	12	10	13	9	10	0	63
ı	,	0	0	0	0	0	0	0	0	0	0	0	0	0

	25.71.0	V 0 4 1 10 E	05.55.47	10 405 4	Table -1	D 1450104			TUO 0046						
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL	
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
1	Malignant neoplasm of other, ill-defined, secondary,	М	2	2	6	4	1	9	21	23	11	13	2	94	
	unspecified and multiple sites (C73-C80 & C97)	F	0	0	0	2	7	12	10	13	9	10	0	63	
	anoposition and manapie sites (575 555 a 557)	0	0	0	0	0	0	0	0	0	0	0	0	0	
		М	6	37	82	162	102	76	93	98	39	48	6	749	
15	Maligant neoplasms of lymphoid, haematopoietic and	F	3	13	40	61	53	44	58	60	12	28	3	375	
	related tissue (C81-C96)	0	0	0	0	0	0	0	0	0	0	0	0	0	
			_				-		-				_		
-1		М	0	0	3	6	8	4	9	5	4	3	0	42	
'	Hodgkin's disease (C81)	F	1	0	0	1	2	0	4	3	0	1	0	12	
		0	0	0	0	0	0	0	0	0	0	0	0	0	
2		М	0	2	5	20	26	7	10	23	10	10	0	113	
	Non-Hodgkin's lymphoma (C82-C85)	F	0	1	2	3	8	6	7	10	3	1	1	42	
		0	0	0	0	0	0	0	0	0	0	0	0	0	
3	Multiple myeloma and malignant plasms cell neoplasms	M	0	0	0	2	0	4	14	11	4	11	1	47	
	-(C90)	F	0	0	0	0	1	1	12	5	0	3	0	22	
	(333)	0	0	0	0	0	0	0	0	0	0	0	0	0	
4		М	6	35	74	134	68	61	59	58	20	24	5	544	
	Leukaemia (C91-C95)	F	2	12	38	57	42	37	35	42	8	23	2	298	
		0	0	0	0	0	0	0	0	0	0	0	0	0	
5	Other malignant neoplasms of lymphoid, haematopoietic	M	0	0	0	0	0	0	1	1	1	0	0	3	
	and related tissue (C88 & C96)	F	0	0	0	0	0	0	0	0	1	0	0	1	
	· · · · ·	0	0	0	0	0	0	0	0	0	0	0	0	0	
		М	1	1	5	7	15	26	45	68	32	57	2	259	
16	Carcinoma in situ(D00-D09)	F	2	2	1	2	13	28	43	37	20	30	0	178	
	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1		М	1	1	5	7	15	26	45	68	32	57	2	259	
'	Carcinoma in situ (D00-D09)	F	2	2	1	2	13	28	43	37	20	30	0	178	
		0	0	0	0	0	0	0	0	0	0	0	0	0	
							4 -							460	
17	Pening manufacture (D40 D0C)	M	2	0	2	5	14	14	25	33	13	18	4	130	
	Benign neoplasms (D10-D36)	F	4	0	1	3	7	11	11	18	5	8	0	68	
		0	0	0	0	0	0	0	0	0	0	0	0	0	

					Table -1									
	DEATHS BY	CAUSE	OF DEATH	,			LLY CERT	IFIED DEA	THS - 2016	6				
				A	GE IN YEA	RS	ı		ı	ı		1		
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
1		М	0	0	0	0	0	0	0	0	0	0	0	0
	Leiomyoma of uterus (D25)	F	0	0	0	0	1	0	0	1	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
2		M	2	0	2	5	14	14	25	33	13	18	4	130
	All other benign neoplasms (D10-D24, D26-D36)	F	4	0	1	3	6	11	11	17	5	8	0	66
		0	0	0	0	0	0	0	0	0	0	0	0	0
18		М	22	4	3	13	17	17	26	31	10	18	7	168
10	Other & Unspecified neoplasm (D37-D48)	F	12	0	5	5	6	11	16	13	13	17	0	98
		0	0	0	0	0	0	0	0	0	0	0	1	1
		M	22	4	3	13	17	17	26	31	10	18	7	168
1	Other and unspecified neoplasm (D37-D48)	F	12	0	5	5	6	11	16	13	13	17	0	98
		0	0	0	0	0	0	0	0	0	0	0	1	1
	diseases of the Blood & blood forming organs and	М	17	16	56	67	50	49	49	40	17	35	13	409
Ш	certain disorders involving the immune mechanism (D50-		11	13	36	48	41	36	34	28	11	32	5	295
	D89)	0	0	0	0	0	0	0	0	0	0	0	0	0
19	diseases of the Blood & blood forming organs and	M	17	16	56	67	50	49	49	40	17	35	13	409
	certain disorders involving the immune mechanism (D50-		11	13	36	48	41	36	34	28	11	32	5	295
	D89)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	2	2	3	2	1	1	0	1	0	1	0	13
1	Thalassaemia (D56)	F	1	0	2	2	0	0	0	1	0	0	0	6
	1	0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	8	7	36	49	34	32	36	21	11	18	9	261
2	Other anaemias (D50-D55,D57-D64)	F	6	10	25	36	34	30	27	17	9	20	3	217
		0	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of blood and blood- forming organs (D65-	М	6	7	17	16	13	12	11	17	6	13	4	122
3	D76)	F	3	2	8	9	7	6	7	8	2	9	2	63
	3.0,	0	0	0	0	0	0	0	0	0	0	0	0	0

	DEATHS B	CALICE	OE DEATH	JC ACE AI	Table -1	D MEDICA	LLVCERT	IEIED DEA	TUC 2016	•				
	DEATHS B	CAUSE	OF DEATH	,	GE IN YEA		LLI CENI	IFIED DEA	11113 - 2010	,				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
4	Certain disorders involving the immune mechanism (D80-	М	1	0	0	0	2	4	2	1	0	3	0	13
4	- D89)	F	1	1	1	1	0	0	0	2	0	3	0	9
	500)	0	0	0	0	0	0	0	0	0	0	0	0	0
			23	14		26	43	128	270	444	193	350	8	1505
IV	ENDOCRINE, NUTRITIONAL AND METABOLIC	M F	16	19	6 16	25	28	1128	229	444	167	329	10	1378
	DISEASES (E00-E89)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	11	13	1	0	1	2	1	0	1	1	1	32
20	Malnutrition (E40-E46)	F	13	18	3	0	0	0	0	0	0	0	0	34
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	1	0	0	0	1	1	0	0	1	1	1	6
1	Kwashiorkor (E40)	F	1	5	1	0	0	0	0	0	0	0	0	7
	- Kindomor (2 10)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	1	0	0	0	0	0	1
2	Nutritional marasmus (E41)	F	0	0	1	0	0	0	0	0	0	0	0	1
	,	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	10	13	1	0	0	0	1	0	0	0	0	25
3	Other protein-energy malnutrition (E42-E46)	F	12	13	1	0	0	0	0	0	0	0	0	26
		0	0	0	0	0	0	0	0	0	0	0	0	0
21	Endoaring other putritional & matchalia discosso (E00	М	12	1	5	26	42	126	269	444	192	349	7	1473
21	Endocrine, other nutritional & metabolic diseases (E00- E34 & E50-E89)	F	3	1	13	25	28	112	229	427	167	329	10	1344
	- L34 & L30-L09)	0	0	0	0	0	0	0	0	0	0	0	0	0
1		М	1	0	0	0	1	2	2	1	1	4	0	12
	Disorders of thyroid gland (E00-E07)	F	0	0	0	1	4	4	5	9	2	7	1	33
		0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	1	0	1	14	29	107	251	422	185	323	4	1337
	Diabetes mellitus (E10-E14)	F	0	1	8	19	18	92	218	394	158	306	6	1220
		0	0	0	0	0	0	0	0	0	0	0	0	0
3	All discourse of the second	M	0	0	0	0	0	0	2	0	1	0	0	3
	All other nutritional deficiencies (E50-E64)	F	0	0	1	0	0	0	0	1	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
4	All other endocrine and metabolic diseases (E15-E34 & E65-	M	10	1	4	12	12	17	14	21	5	22	3	121
	E90)	F	3	0	4	5	6	16	6	23	7	16	3	89
	·	0	0	0	0	0	0	0	0	0	0	0	0	0

					Table -1									
	DEATHS BY	CAUSE	OF DEATH		D SEX FO		LLY CERT	IFIED DEA	THS - 2016					
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
								_						
V	Montal and Pohoviousel disorders (F01 F00)	M F	3	1	2	5 1	7	5 7	10	8	2	6	3	52
	Mental and Behavioural disorders (F01-F99)	0	3	0	0	0	0	0	2 0	0	0	0	3	25 0
		M	3	1	2	5	7	5	10	8	2	6	3	52
22	Mental and Behavioural disorders (F01-F99)	F	3	2	1	1	2	7	2	0	2	2	3	25
		0	0	0	0	0	0	0	0	0	0	0	0	0
				-	-	-	-	_	_	_	-	-		-
1	Mental and behavioural disorders due to psychoactive	М	0	0	0	4	3	4	8	4	1	0	1	25
'	substance use (F10-F19)	F	0	0	0	0	0	2	0	0	0	0	3	5
		0	0	0	0	0	0	0	0	0	0	0	0	0
2		M	1	0	0	0	2	1	2	3	1	3	0	13
	Schizophrenia, schizotypal & delusional disorders (F20-F29)	F	2	2	0	0	0	2	2	0	1	2	0	11
		O M	0 2	0	0 2	0	2	0	0	0	0	3	0 2	0 14
3	All other mental and behavioural disorders (F01-F09, F30-	F	1	0	1	1	2	3	0	0	1	0	0	9
	-F99)	0	0	0	0	0	0	0	0	0	0	0	0	0
				-	•			Ü	·	·	Ŭ	-	Ŭ	
\/I		М	94	74	87	93	90	136	119	111	61	107	18	990
VI	Diseases of the Nervous System (G00-G98)	F	53	51	54	57	54	69	58	63	26	50	17	552
		0	0	0	0	0	0	0	0	0	0	0	0	0
23	Inflammatory diseases of the central nervous system	М	75	44	44	41	41	72	57	63	20	55	13	525
	(G00 - G09)	F	48	34	37	29	25	28	33	38	17	32	11	332
	,	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Maningitia (COO & CO2)	M	37 31	17	14 15	27 20	26 17	44 13	30 24	47 25	13 13	36 22	8	299 198
	Meningitis (G00 & G03)	0	31	13	0	20	0		0	25	0	0	0	198
		M	35	26	27	12	13	-	21	14	7	17	5	204
2	Encephalitis, myelitis and encephalomyelitis (G04)	F	17	21	22	9	8		9	12	4	9	6	130
		0	0	0	0	0	0		0		0	0	0	0
		М	3	1	3	2	2	1	6	2	0	2	0	22
3	Other inflammatory diseases of the central nervous system (G06, G08-G09)	F	0	0	0	0	0	2	0	1	0	1	0	4
	7(000, 000-009)	0	0	0	0	0	0	0	0	0	0	0	0	0

					Table -1									
	DEATHS B	Y CAUSE	OF DEATH		ND SEX FO		LLY CERT	IFIED DEA	THS - 2016	5				
SL.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
24		М	19	30	43	52	49	64	62	48	41	52	5	465
24	Other diseases of the Nervous system (G10-G98)	F	5	17	17	28	29	41	25	25	9	18	6	220
		0	0	0	0	0	0	0	0	0	0	0	0	0
1		М	0	0	0	0	0	0	0	0	0	0	0	0
	Alzheimer's disease (G30)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	8	5	10	7	4	11	4	2	4	2	1	58
۷	Epilepsy (G40-G41)	F	1	2	4	7	8	0	4	1	1	1	0	29
		0	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of the nervous system (G10-G25, G31,	М	11	25	33	45	45	53	58	46	37	50	4	407
3	-G35-G37,G43-G98)	F	4	15	13	21	21	41	21	24	8	17	6	191
	- 400 407;440 430)	0	0	0	0	0	0	0	0	0	0	0	0	0
VII		M	1	0	0	1	0	0	1	1	1	1	1	7
VII	Diseases of the eye and adnexa (H00-H59)	F	0	0	0	0	0	0	0	1	0	0	1	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
25		M	1	0	0	1	0	0	1	1	1	1	1	7
23	Diseases of the eye and adnexa (H00-H59)	F	0	0	0	0	0	0	0	1	0	0	1	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
1		M	1	0	0	1	0	0	1	1	1	1	1	7
Į.	Diseases of the eye and adnexa (H00-H59)	F	0	0	0	0	0	0	0	1	0	0	1	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
													0	
VIII		M	0	0	0	1	0	0	0	0	0	0	0	1
7 111	Diseases of the ear and mastoid process (H60-H95)	F	0	0	0	0	0	0	1	0	0	0	0	1
		0	0	0	0	0	0	0	0	0	0	0	0	0
26		M	0	0	0	1	0	0	0	0	0	0	0	1
20	Diseases of the ear and mastoid process (H60-H95)	F	0	0	0	0	0	0	1	0	0	0	0	1
		0	0	0	0	0	0	0	0	0	0	0	0	0
ıx		M	276	88	84	286	504	997	1733	2431	1047	2427	97	9970
./\	Diseases of the circulatory system (I00-I99)	F	154	47	73	269	341	467	856	1304	669	1700	67	5947
		0	0	0	0	0	0	0	1	0	0	0	1	2

					Table -1									
	DEATHS	BY CAUSE	OF DEATI		ND SEX FO GE IN YEA		LLY CERT	IFIED DEA	THS - 2016	5				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
				-	11	48		84	447	147	50	100	_	652
27	Acute rheumatic fever and chronic rheumatic heart	M	7	6	12	55	57 68	99	117 84	94	59 37	109 79	5 4	543
	diseases (I00-I09)	0	0	0	0	0	0	0	1	0	0	0	0	1
		M	7	1	8	18	16	34	33	43	22	37	0	219
1	Acute rheumatic fever (I00-I02)	F	6	1	3	24	35	47	35	32	11	26	0	220
	` ′	0	0	0	0	0	0	0	1	0	0	0	0	1
2		М	2	5	3	30	41	50	84	104	37	72	5	433
2	Chronic rheumatic heart diseases (I05-I09)	F	1	3	9	31	33	52	49	62	26	53	4	323
		0	0	0	0	0	0	0	0	0	0	0	0	0
28		M	147	21	35	80	193	426	800	1049	441	953	53	4198
	Hypertensive disease (I10 - I15)	F	75	17	22	110	131	196	411	640	315	699	21	2637
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	134	17	28	58	109	148	247	379	174	393	48	1735
1	Hypertensive heart disease (III)	F	61	14	16	77	75	76	105	185	107	280	20	1016
	Trypertensive near disease (iii)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	13	4	7	22	84	278	553	670	267	560	5	2463
2	All other hypertensive diseases (I10, I12-I15)	F	14	3	6	33	56	120	306	455	208	419	1	1621
	1 '	0	0	0	0	0	0	0	0	0	0	0	0	0
29		М	12	8	7	12	59	165	272	392	185	407	11	1530
25	Ischaemic heart diseases (I20-I25)	F	9	0	3	14	21	38	91	172	112	276	12	748
		0	0	0	0	0	0	0	0	0	0	0	0	0
		1					4.5			400		400	<u> </u>	400
1	A suita mus cardial inforation (IO1 IOO)	M F	4	2	3	4	12	46	70	100	58	130	4	433
	Acute myocardial infarction (I21-I22)	0	6	0	0	0	9	14 0	23 0	53 0	30	95 0	6	238
		M	8	6	4	8	47	119	202	292	127	277	7	1097
2	All other ischaemic heart diseases (I20 & I23-I25)	F	3	0	3	12	12	24	68	119	82	181	6	510
	7.4. Gard. Idonadino fidali diddada (IEO d IEO IEO)	0	0	0	0	0	0	0	08	0	0	0	0	0

					Table -1									
	DEATHS B	Y CAUSE	OF DEATH				LLY CERT	IFIED DEA	THS - 2016	6				
-		1		Α	GE IN YEA	RS	ı	1	ı		ı	ı	NOT.	
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
						400	400	404	200		20.4		40	2000
30	Diseases of pulmonary circulation and other forms of	M F	82 54	44	20 29	100 64	129 74	181 76	299 166	529 247	234 141	675 470	16 14	2309
-	heart disease (I26- I58)	0	0	21 0	0	0	0	0	0	0	0	0	0	1356 0
		0	U	U	U	U	U	U	U	U	U	U	U	U
		М	26	5	3	14	32	27	56	83	34	100	1	381
1	Pulmonary heart disease and diseases (I26-I28)	F	27	5	3	19	14	16	30	40	23	73	5	255
		0	0	0	0	0	0	0	0	0	0	0	0	0
_		М	56	39	17	86	97	154	243	446	200	575	15	1928
2	Other forms of heart diseases (I30-I58)	F	27	16	26	45	60	60	136	207	118	397	9	1101
	, ,	0	0	0	0	0	0	0	0	0	0	0	0	0
21		М	17	7	9	38	60	124	217	273	114	245	10	1114
31	Cerebrovascular diseases (I60-I69)	F	3	3	5	20	39	52	89	133	55	145	11	555
		0	0	0	0	0	0	0	0	0	0	0	1	1
1		М	17	7	9	38	60	124	217	273	114	245	10	1114
	Cerebrovascular diseases (I60-I69)	F	3	3	5	20	39	52	89	133	55	145	11	555
		0	0	0	0	0	0	0	0	0	0	0	1	1
32		М	9	2	2	8	6	17	28	41	14	38	2	167
	Other diseases of the circulatory system (I70-I99)	F	6	2	2	6	8	6	15	18	9	31	5	108
		0	0	0	0	0	0	0	0	0	0	0	0	0
1		M	0	0	0	0	0	4	3	11	1	3	0	22
	Atherosclerosis (I70)	F	0	1	0	1	0	1	1	1	2	5	4	16
		0	0	0	0	0	0	0	0	0	0	0	0	0
2	Arterial embolism and thrombosis (I74)	M F	0	0	0	1	2	1	2	1	1	1	0	9
	Arteriai embolism and thrombosis (174)		0	0	0	0	1	0	0	3	0	4	0	8
		O M	0	0	0	0	0	0	0	0	0	0	0	0
3	Other diseases of arteries, arterioles & capillaries (I71-I73 &	F	2	1	1	2	0 2	2	11 8	9	5 4	6 4	1 1	40 33
-	<b>-</b>  177-178)	0	0	0	0	0	0	0	0	0	0	0	0	0
-		M	4	0	1	2	2	5	6	5	1	3	1	30
4	Phlebitis, thrombophlebitis, venous embolism and	F	2	0	0	3	4	2	2	1	0	1	0	15
	thrombosis (I80-I82)	O	0	0	0	0	0	0	0	0	0	0	0	0
I										U		U		U

					Table -1									
	DEATHS BY	Y CAUSE	OF DEATH				ALLY CERT	IFIED DEA	THS - 2016	3				
		1	1	Α	GE IN YEA	RS			1	1	1	1		
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
5		М	3	1	0	3	2	5	6	15	6	25	0	66
	All other diseases of the circulatory system (I83-I99)	F	2	0	1	0	1	1	4	7	3	17	0	36
		0	0	0	0	0	0	0	0	0	0	0	0	0
									_					
Х		М	393	117	126	232	312	492	748	1098	500	1118	71	5207
	DISEASES OF THE RESPIRATORY SYSTEM (J00-J98)	F	223	99	115	198	229	248	360	579	258	678	66	3053
		0	0	0	0	0	0	0	0	0	0	0	0	0
33	DISEASES OF THE UPPER RESPIRATORY TRACT (J00-	M F	44	23	28	65	74	121	188	264	105	229	11	1152
	J06 & J30-J39)	0	24	20	23	50 0	63 0	60	88	129 0	54 0	118	0	633
-		U	U	0	0	U	U	U	U	U	U	0	U	0
		М	0	0	0	0	0	0	2	1	1	1	2	7
1	Acute pharyngitis and acute tonsillitis (J02-J03)	F	0	0	0	1	0	0	0	1	0	0	0	2
	Acute priaryrights and acute torishints (002 000)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	1	0	1	0	0	2	2	1	0	0	7
2	Acute laryngitis and tracheitis (J04)	F	1	0	0	0	0	0	0	2	0	0	0	3
	, , , , , , , , , , , , , , , , , , , ,	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	41	21	27	63	69	117	182	252	97	221	8	1098
3	Other acute upper respiratory infections (J00-J01, J05-J06)	F	19	19	23	47	62	57	86	122	51	110	4	600
		0	0	0	0	0	0	0	0	0	0	0	0	0
4		М	3	1	1	1	5	4	2	9	6	7	1	40
4	All other diseases of upper respiratory tract (J30-J39)	F	4	1	0	2	1	3	2	4	3	8	0	28
		0	0	0	0	0	0	0	0	0	0	0	0	0
34		M	27	11	6	45	65	133	251	437	199	411	22	1607
	Lower respiratory diseases (J20-J22 & J40-J47)	F	19	2	5	28	50	57	108	235	80	250	33	867
		0	0	0	0	0	0	0	0	0	0	0	0	0
1	A cute branchitic and coute branchiclitic (100, 104)	M F	5	1	3	9	5	11	18	22	3	28	2	107
-	Acute bronchitis and acute bronchiolitis (J20-J21)	0	0	0	3	1	4	5	4	21 0	7	16	7	69
-		M	3	0	0	6	0 13		0 39	78	0 31	0	0	0
2	Bronchitis, chronic and unspecified, emphysema (J40-J43)	F	2	1	0	3	9	40 7	10	22	7	58 24	0	268 85
-	portionities, ornorine and unspecified, emphysellia (040-045)	0	0	0	0	0	0	0	0	0	0	0	0	0
-		М	1	1	0	0	2	7	23	23	17	30	2	106
3	Asthma (J45-J46)	F	1	0	0	3	3	9	12	23	16	33	2	100
		0	0	0	0	0	0	0	0	0	0	0	0	0
1														, ,

	DEATHC D	/ OALICE	OF DEAT	IC ACE A	Table -1	D MEDIO	ULV OEDT	TIELED DE A	TUC 004	_				
	DEATHS BY	CAUSE	OF DEATH		GE IN YEA		ALLY CERT	IFIED DEA	1115 - 2010	0				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
4		М	18	9	3	30	45	75	171	314	148	295	18	1126
	Other lower respiratory disorders (J22, J44 & J47)	F	15	1	2	21	34	36	82	169	50	177	24	611
		0	0	0	0	0	0	0	0	0	0	0	0	0
35	Other diseases of the respiratory system (J10-J18,J60-	М	322	83	92	122	173	238	309	397	196	478	38	2448
	J98)	F	180	77	87	120	116	131	164	215	124	310	29	1553
		0	0	0	0	0	0	0	0	0	0	0	0	0
							•		20	25				450
1	Influence ( Id 0 - Id 1)	M F	9	0	1	5	9	8	20	25	27	53	1	158
	Influenza (J10-J11)	0	5	2	2	3	2	6	11	14	13	28	4	90
		M	0	0	0 57	0 55	72	0 98	0	0	0 78	0 226	0	1191
2	Pneumonia (J12-J18)	F	253 147	65 64	48	61	39	98 54	116 62	155 86	55	140	16 12	768
	Frieditionia (312-316)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	1	2	3	6	5	4	1	6	0	28
3	Pleurisy (J90)	F	0	2	3	3	2	1	4	2	1	4	0	22
		0	0	0	0	0	0	0	0	0	0	0	0	0
		M	60	18	33	60	89	126	168	213	90	193	21	1071
4	All other diseases of the respiratory system (J60-J86, J92-	F	28	9	34	53	73	70	87	113	55	138	13	673
	-J98)	0	0	0	0	0	0	0	0	0	0	0	0	0
VI		М	60	15	51	116	376	656	654	510	162	267	39	2906
ΧI	DISEASES OF THE DIGESTIVE SYSTEM (K00-K92)	F	38	12	52	72	98	119	170	210	76	187	36	1070
		0	0	0	0	0	0	0	0	0	0	0	0	0
36	Diseases of oral cavity, salivary glands and jaws (K00-	М	2	1	1	5	4	2	8	11	2	6	0	42
	K14)	F	1	0	1	2	2	0	9	1	2	4	1	23
		0	0	0	0	0	0	0	0	0	0	0	0	0
ļ						_	<u> </u>		_					
1	Discourse of analysis the self-second and is a 1920-1944	M	2	1	1	5	4	2	8	11	2	6	0	42
	Diseases of oral cavity, salivary glands and jaws (K00-K14)	F	1	0	1	2	2	0	9	1	2	4	1	23
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	58	14	50	111	372	654	646	499	160	261	39	2864
37	Diseases of the other parts of digestive system (K20-	F	37	12	51	70	96	119	161	209	74	183	35	1047
	K92)	0	0	0	0	0	0	0	0	0	0	0	0	0
								-						
			1	1	1	1	1	1	1	1	1	1	1	1

		,			Table -1									
	DEATHS BY	CAUSE	OF DEATH		ND SEX FO		LLY CERT	IFIED DEA	THS - 2016	5				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
1		М	1	2	1	1	1	7	3	3	1	5	1	26
	Gastric and duodenal ulcer (K25-K27)	F	1	0	0	0	0	1	0	3	1	4	1	11
		0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	0	0	0	0	3	1	3	0	0	3	0	10
	Gastritis and duodenitis (K29)	F	1	0	0	0	0	0	0	2	0	0	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
3		M	0	0	0	0	0	1	2	1	1	1	0	6
	Diseases of appendix (K35-K38)	F	0	0	0	0	0	1	1	0	0	1	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
4	11	M	14	1	4	1	2	7	6	3	3	5	6	52
	Hernia (K40-K46)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
5	Devolutio il cuo and intentinal abote stina utilita utilita di la comia (KEC)	M F	0	0	0	0	5	3 7	9	16 7	4	9	3	49
	Paralytic ileus and intestinal obstruction without hernia (K56)	0	0	0	0	0	0	0	3	0	0	6	0	35 0
		M	15	0	7	25	32	46	26	37	17	18	6	230
6	Peritonitis (K65)	IVI	12	4	11	15	10	7	12	14	7	17	5	114
	Pentonius (Roo)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	14	9	33	61	269	497	505	324	90	91	18	1911
7	Diseases of the liver (K70-K76)	IVI E	6	7	34	41	55	69	80	92	34	39	14	471
	Discuses of the liver (1770 1770)	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	1	0	1	0	2	3	1	4	2	1	0	15
8	Chiolelithiasis and cholecystitis (K80-K81)	F	0	0	0	1	4	3	6	8	3	6	0	31
		0	0	0	0	0	0	0	0	0	0	0	0	0
_		M	0	0	0	8	27	30	19	17	4	10	1	116
9	Disorders of the pancreas (K85-K86)	F	0	0	2	2	7	7	17	18	4	9	3	69
	<u> </u>	0	0	0	0	0	0	0	0	0	0	0	0	0
10	All other diseases of the other parts of digestive system	М	13	1	4	15	31	59	72	94	38	118	4	449
10	(K20-K22, K28, K30-K31, K50-K55, K57-K63, K66, K82-K83	F	15	1	3	10	16	24	42	65	23	101	10	310
	& K90-K92)	0	0	0	0	0	0	0	0	0	0	0	0	0
XII		М	1	2	4	6	5	2	5	10	3	2	2	42
/\iI	Diseases of the skin and subcutaneous tissue (L00-L98)	F	2	4	1	3	1	3	6	5	1	4	1	31
		0	0	0	0	0	0	0	0	0	0	0	0	0

	DEATHO D	/ OALIOE	OF DEAT	10 405 4	Table -1	D MEDIO	LLV OFFI	TIFIED DE A	TUO 004					
	DEATHS BY	CAUSE	OF DEATH	•	GE IN YEA		ALLY CERT	IFIED DEA	THS - 2010	•				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
38		М	1	2	4	6	5	2	5	10	3	2	2	42
30	Diseases of the skin and subcutaneous tissue (L00-L98)	F	2	4	1	3	1	3	6	5	1	4	1	31
		0	0	0	0	0	0	0	0	0	0	0	0	0
1		М	1	1	2	2	3	2	5	3	1	1	1	22
	Infections of the skin and subcutaneous tissue (L00-L08)	F	2	4	0	1	1	2	0	2	1	1	1	15
		0	0	0	0	0	0	0	0	0	0	0	0	0
2	All other diseases of the skin and subcutaneous tissue (L10-	М	0	1	2	4	2	0	0	7	2	1	1	20
	-L98)	F	0	0	1	2	0	1	6	3	0	3	0	16
		0	0	0	0	0	0	0	0	0	0	0	0	0
									_		_	_		
XIII	Diseases of the Musculoskeletal system connective	М	7	0	2	6	13	12	16	23	6	12	0	97
	tissue (M00-M99)	F	2	2	4	16	16	6	15	10	4	12	1	88
		0	0	0	0	0	0	0	0	0	0	0	0	0
				_	_	_					_		_	
39	Diseases of the Musculoskeletal system connective	M	7	0	2	6	13	12	16	23	6	12	0	97
	tissue (M00-M99)	F	2	2	4	16	16	6	15	10	4	12	1	88
	, ,	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Rheumatoid arthritis and other inflammatory	M	0	0	0	1	0	1	0	0	1	0	0	3
	polyarthropathies (M05-M13)	F	1	2	0	2	1	2	5	2	2	2	0	19
	, , , , , , , , , , , , , , , , , , , ,	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Oakaassa liika (MOO)	M	0	0	0	0	0	0	0	0	0	0	0	0
	Osteomyelitis (M86)		0	0	0	0	0	0	1	0	0	0	0	1
		0	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of the musculoskeletal system and	M	7	0	2	5	13	11	16	23	5	12	0	94
	connective tissue (M00-M02, M15-M43-M85, M87-M99)	F	1	0	4	14	15	4	9	8	2	10	1	68
	· · · · · · · · · · · · · · · · · · ·	0	0	0	0	0	0	0	0	0	0	0	0	0
		N.A	24	5	20	89	94	151	179	267	83	227	12	1151
XIV	DISEASES OF THE GENITOURINARY SYSTEM (N00 -	M F		7	12	49	68	102	179	145	57		12	
<u> </u>	-N99)	0	14 0	0	0	0	0	0	0	145	0	150 0	18	743 0
		U	U	U	U	U	U	U	U	U	U	U	U	U
		М	22	5	20	88	89	144	166	253	77	217	12	1093
40	Disease of urinary system (N00-N39)	F	9	6	12	46	67	98	114	141	56	145	16	710
	Disease of diffially system (1400-1435)	0	0	0	0	0	0	0	0	0	0	0	0	0
		5	U	U	U	U	U	U	U	U	U	U	U	U

					Table -1									
	DEATHS BY	CAUSE	OF DEATI				LLY CERT	IFIED DEA	THS - 2016	3				
CI			1	A	GE IN YEA	H5		1		1			NOT	
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
1	Glomerular diseases (including Nephritic Synodrome) (N00-	М	4	1	4	21	23	39	40	34	12	30	5	213
'	N07)	F	3	3	5	14	21	27	22	33	9	23	12	172
	107)	0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	5	0	2	3	2	6	5	5	2	4	2	36
	Renal tubulo-interstitial diseases (N10-N15)	F	0	1	1	2	3	4	2	6	0	4	1	24
		0	0	0	0	0	0	0	0	0	0	0	0	0
3		М	9	3	13	36	46	58	80	133	45	128	4	555
	Renal failure (N17-N19)	F	6	2	5	20	25	43	64	67	32	75	3	342
		0	0	0	0	0	0	0	0	0	0	0	0	0
4		М	0	0	0	1	2	0	3	3	0	2	0	11
	Urolithiasis (N20-N23)	F	0	0	0	1	0	0	0	1	1	0	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
5		М	3	1	0	23	15	36	33	60	15	28	1	215
	Other disorders of kidney and ureter (N25-N28)	F	0	0	0	9	17	17	22	23	9	29	0	126
		0	0	0	0	0	0	0	0	0	0	0	0	0
6		M	1	0	1	4	1	5	5	18	3	25	0	63
	All other diseases of urinary system (N30-N39)	F	0	0	1	0	1	7	4	11	5	14	0	43
		0	0	0	0	0	0	0	0	0	0	0	0	0
			_		_		_				_			
41		M	2	0	0	1	5	7	13	14	6	10	0	58
	Other diseases of the genitourinary system (N40-N99)	F	5	1	0	3	1	4	7	4	1	5	2	33
		0	0	0	0	0	0	0	0	0	0	0	0	0
1	I have explain of property (NI40)	M	1	0	0	0	1	4	5	2	3	7	0	23
<u> </u>	Hyperplsia of prostate (N40)	F	0	0	0	0	0	0	0	0	0	0	0	0
<u> </u>		0	0	0	0	0	0	0	0	0	0	0	0	0
2	All athor discours of male marital arrange (NAC NEO)	M	1	0	0	1	4	3	8	12	3	3	0	35
	All other diseases of male genital organs (N41-N50)		0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
3	Colmingitie and compositie (NIZC)	M F	0	0	0	0	0	0	0	0	0	0	0	0
ļ	Salpingitis and oophoritis (N70)	•	3	1	0	0	0	0	0	0	0	0	0	4
		0	0	0	0	0	0	0	0	0	0	0	0	0
4	All other diseases of female genital organs (N60-N64, N71-	M F	0	0	0	0	0	0	0	0	0	0	0	0
	N76, N80-N99)		2	0	0	3	1	4	7	4	1	5	2	29
		0	0	0	0	0	0	0	0	0	0	0	0	0
1			1	1	1	1	1	1	1					1

					Table -1									
	DEATHS BY	CAUSE	OF DEATH		ND SEX FO		LLY CERT	IFIED DEA	THS - 2016	5				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
χV	PREGNANCY,CHILDBIRTH AND THE PUERPERIUM	М	0	0	0	0	0	0	0	0	0	0	0	0
Λ ۷	-(000-099)	F	0	0	0	55	82	14	5	0	0	0	0	156
	(000 000)	0	0	0	0	0	0	0	0	0	0	0	0	0
42		М	0	0	0	0	0	0	0	0	0	0	0	0
	Pregnancy with abortive outcome (O00-O08)	F	0	0	0	3	11	1	0	0	0	0	0	15
		0	0	0	0	0	0	0	0	0	0	0	0	0
1		М	0	0	0	0	0	0	0	0	0	0	0	0
	Spontaneous abortion (O03)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	0	0	0	0	0	0	0	0	0	0	0	0
	Medical abortion (O04)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
3	Other pregnancies with abortive outcome (O00-O02 & O05-	М	0	0	0	0	0	0	0	0	0	0	0	0
	-008)	F	0	0	0	3	11	1	0	0	0	0	0	15
	333)	0	0	0	0	0	0	0	0	0	0	0	0	0
43		М	0	0	0	0	0	0	0	0	0	0	0	0
	Other direct obsteric deaths (O10-O92)	F	0	0	0	34	45	8	5	0	0	0	0	92
		0	0	0	0	0	0	0	0	0	0	0	0	0
1	Oedema, proteinuria and hypertensive disorders in	М	0	0	0	0	0	0	0	0	0	0	0	0
	pregnancy, childbirth and the puerperium (O10-O16)	F	0	0	0	4	3	0	0	0	0	0	0	7
	programo, common and are particular (core core)	0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	0	0	0	0	0	0	0	0	0	0	0	0
	Infections of genitourinary tract in pregnancy (O23)	F	0	0	0	1	1	0	0	0	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
3		M	0	0	0	0	0	0	0	0	0	0	0	0
	Obstructed labour (O64-O66)	F	0	0	0	1	1	0	0	0	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
4	Complications pre-dominantly related to the puerperium	M	0	0	0	0	0	0	0	0	0	0	0	0
•	-(O85-O92)	F	0	0	0	3	5	3	3	0	0	0	0	14
	,	0	0	0	0	0	0	0	0	0	0	0	0	0
5	Other complications of pregnancy and delivery (O20-	M	0	0	0	0	0	0	0	0	0	0	0	0
	-022,024-063 & 067-084)	F	0	0	0	25	35	5	2	0	0	0	0	67
	, , , , , , , , , , , , , , , , , , , ,	0	0	0	0	0	0	0	0	0	0	0	0	0

					Table -1									
	DEATHS BY	CAUSE	OF DEATH				LLY CERT	IFIED DEA	THS - 2016	6				
			1	Α	GE IN YEA	RS	1		1	1	1	1		
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
		М	0	0	0	0	0	0	0	0	0	0	0	0
44	Other obsteric conditions, not elsewhere classified (O95-	F	0	0	0	18	26	5	0	0	0	0	0	49
	O99)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	0	0	0	0	0	0	0	0	0
1	Indirect obstetric deaths (O98-O99)	F	0	0	0	17	23	5	0	0	0	0	0	45
	1	0	0	0	0	0	0	0	0	0	0	0	0	0
2	All other phototric conditions, not alcoupers alcouified (COE	М	0	0	0	0	0	0	0	0	0	0	0	0
2	All other obstetric conditions, not elsewhere classified (O95-O97)	F	0	0	0	1	3	0	0	0	0	0	0	4
	-097)	0	0	0	0	0	0	0	0	0	0	0	0	0
ΥVI	Certain conditions originating in the perinatal period	М	1428	0	0	0	0	0	0	0	0	0	663	2091
741	-(P00-P96)	F	855	0	0	0	0	0	0	0	0	0	490	1345
	(1-00-1-90)	0	6	0	0	0	0	0	0	0	0	0	7	13
45	Certain conditions originating in the perinatal period	M	1428	0	0	0	0	0	0	0	0	0	663	2091
-10	(P00-P96)	F	855	0	0	0	0	0	0	0	0	0	490	1345
	(1. 55 1. 55)	0	6	0	0	0	0	0	0	0	0	0	7	13
1	Slow fetal growth, fetal malnutrition and immaturity (P05-	М	270	0	0	0	0	0	0	0	0	0	187	457
	-P07)	F	156	0	0	0	0	0	0	0	0	0	141	297
	' '	0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	1	0	0	0	0	0	0	0	0	0	0	1
	Birth trauma (P10-P15)	F	3	0	0	0	0	0	0	0	0	0	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
3	Hypoxia, birth asphyxia and other respiratory conditions	M F	838	0	0	0	0	0	0	0	0	0	428	1266
	(P20-P28)	•	514	0	0	0	0	0	0	0	0	0	312	826
-		0	6	0	0	0	0	0	0	0	0	0	7	13
4	Lleamelytic disease of fetus and new horn (DEC)	M	5	0	0	0	0	0	0	0	0	0	2	7
<u> </u>	Haemolytic disease of fetus and new born (P55)	0	0	0	0	0	0	0	0	0	0	0	0	0
-		M	5	0	0	0	0	0	0	0	0	0	0	5
5	Other perinatal Jaundice (P58-P59)	F	5	0	0	0	0	0	0	0	0	0	2	7
-	Other permatal daunate (F36-F39)	0	0	0	0	0	0	0	0	0	0	0	0	0
-		M	309	0	0	0	0	0	0	0	0	0	46	355
6	All other conditions originating in the perinatal period (P00-	F	175	0	0	0	0	0	0	0	0	0	35	210
	P04,P08,P29-P54,P56-P57,P60-P96)	0	0	0	0	0	0	0	0	0	0	0	0	0
		כ	U	U	U	U	U	U	U	U	U	U	U	U

	DEATHS BY	CAUSE	OF DEATH	IS AGE AI	Table -1	DR MEDICA	I I Y CERT	IFIED DEA	THS - 2016	3				
	52/6	07.002	0. 52,		GE IN YEA									
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
XVII	Congenital Malformations, Deformations & chromosomal abnormalities (Q00-Q99)	M F O	182 87 1	41 18 0	17 8 0	7 5 0	11 4 0	11 2 0	4 4 0	12 6 0	6 4 0	11 8 0	28 35 4	330 181 5
46	Congenital Malformations, Deformations & chromosomal abnormalities (Q00-Q99)	M F O	182 87 1	41 18 0	17 8 0	7 5 0	11 4 0	11 2 0	4 4 0	12 6 0	6 4 0	11 8 0	28 35 4	330 181 5
1	Spina bifida (Q05)	M F O	1 2 0	2 2 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 0	0 0 0	0 0 0	0 1 0	4 5 0
2	Congenital malformations of the circulatory sytem (Q20-Q28)	M F O	111 45 0	33 13 0	12 4 0	5 4 0	6 3 0	6 1 0	1 2 0	4 3 0	5 0 0	4 5 0	12 10 1	199 90 1
3	Cleft lip and cleft palate (Q35-Q37)	F O	0 0 0	1 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0	0 0 0	0 0	1 0 0	0 0
4	All other congenital malformations, deformations, and chromosomal abnormalities, not elsewhere classified (Q00-Q04, Q06-Q18, Q30-Q34 & Q38-Q99)	М F <b>О</b>	70 40 1	5 3 0	5 4 0	2 1 0	5 1 0	5 1 0	3 2 0	7 3 0	1 4 0	7 3 0	15 24 3	125 86 4
XVIII	Symptoms, Signs and abnormal clinical &Laboratory finding not elasewhere classified (R00-R99)	M F O	1476 965 0	340 254 0	307 247 0	653 466 0	1092 477 0	1486 487 0	1739 676 1	1996 1018 0	882 584 0	2290 1651 0	224 143 0	12485 6968 1
47	Symptoms, Signs and abnormal clinical &Laboratory finding not elasewhere classified (R00-R99)	M F O	1476 965 0	340 254 0	307 247 0	653 466 0	1092 477 0	1486 487 0	1739 676 1	1996 1018 0	882 584 0	2290 1651 0	224 143 0	12485 6968 1
1	Abdominal and pelvic pain (R10)	M F O	1155 773 0	194 174 0	159 140 0	326 268 0	581 284 0	805 300 0	995 408 0	1086 649 0	475 353 0	1211 942 0	138 90 0	7125 4381 0
2	Ascites (R18)	М F <b>О</b>	0 0 0	0 0 0	0 0 0	0 3 0	3 0 0	6 1 0	6 1 0	2 2 0	0 1 0	1 1 0	0 0 0	18 9 0

					Table -1									
	DEATHS BY	CAUSE	OF DEATI				LLY CERT	IFIED DEA	THS - 2016	6				
				А	GE IN YEA	RS								
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
3		M	0	0	0	0	1	0	0	0	0	1	0	2
	Somnolence, stupor and coma (R40)	F	1	0	0	0	0	0	1	0	0	1	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
4		M	3	5	13	28	29	26	20	35	16	36	6	217
	Fever of unknown origin (R50)	F	7	2	12	33	12	14	13	11	5	16	2	127
		0	0	0	0	0	0	0	0	0	0	0	0	0
5		M	0	0	0	0	0	0	0	0	5	29	0	34
	Senility (R54)	F	0	0	0	0	0	0	0	0	4	34	0	38
		0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	M	0	0	1	0	0	0	0	2	0	4	0	7
	Syncope and collapse (R55)	F	0	0	0	0	0	0	2	0	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
7		M	3	3	5	13	26	26	43	52	23	80	2	276
	Convulsions, not elsewhere classified (R56)	F	5	2	2	5	6	11	16	18	21	56	0	142
		0	0	0	0	0	0	0	0	0	0	0	0	0
8	Observe and also who are also at (DE7)	M	223	47	53	108	164	262	368	542	270	749	23	2809
	Shock, not elsewhere classified (R57)	F	118	28	44	71	93	101	172	250	153	483	17	1530
	All all and a second all and a second all all and a second all and a second all all and a second all all and a	0	0	0	0	0	0	0	1	0	0	0	0	1
9	All other symptoms, signs and abnormal clinical and	M	92	91	76	178	288	361	307	277	93	179	55	1997
	laboratory findings, not elsewhere classified (R00-R09, R11-R17,R19-R39,R41-R49,R51-R53,R58-R99)	F 0	61	48	49	86	82	60	63	88	47	118	34	736
	n17,n19-n39,n41-n49,n31-n33,n36-n99)	U	0	0	0	0	0	0	0	0	0	0	0	0
		М	23	89	108	373	465	420	278	230	81	142	44	2253
XIX	Injury, poisoning and certain other (S00-T98)	F	27	84	82	312	259	155	116	105	39	104	33	1316
-	injury, poisoning and certain other (300-130)	0	0	0	0	0	0	0	0	0	0	0	0	0
-		<u> </u>	J	"	_ <u> </u>	"	_ <u> </u>	<u> </u>	, U	"		U	"	
		М	1	2	6	23	31	31	24	23	6	20	4	171
48	Fractures (S02,S12,S22,S32,S42,S52,S62	F	1	2	3	6	3	3	10	15	2	14	0	59
	S72,S82,S92,T02,T08,T10,T12)	0	0	0	0	0	0	0	0	0	0	0	0	0
		•	•	_ <u> </u>		_ <u> </u>	_ <u> </u>			_ <u> </u>				
		М	1	1	2	8	9	12	4	4	0	1	0	42
1	Fracture of skull and facial bones (S02)	F	0	2	2	3	1	0	1	4	0	3	0	16
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	1	7	12	16	13	10	2	3	1	65
2	Fracture of neck, thorax or pelvis (S12,S22,S32 & T08)	F	0	0	1	0	0	1	3	1	0	2	0	8
		0	0	0	0	0	0	0	0	0	0	0	0	0

					Table -1									
	DEATHS BY	CAUSE	OF DEATH		ND SEX FO		LLY CERT	IFIED DEA	THS - 2016	5				
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
3		М	0	1	0	2	2	1	2	0	0	1	0	9
	Fracture of upper limb (S42,S52,S62 & T10)	F	0	0	0	0	1	0	1	1	1	2	0	6
		0	0	0	0	0	0	0	0	0	0	0	0	0
4		М	0	0	2	5	6	2	5	9	4	15	3	51
	Fractures of lower limb (S72,S82,S92 & T12)	F	0	0	0	3	1	2	3	9	1	7	0	26
		0	0	0	0	0	0	0	0	0	0	0	0	0
5	Fractures involving multiple body regions and of unspecified	М	0	0	1	1	2	0	0	0	0	0	0	4
	body region (T02)	F	1	0	0	0	0	0	2	0	0	0	0	3
	, ,	0	0	0	0	0	0	0	0	0	0	0	0	0
49	Dislocations, sprains and strains of specified and	М	0	0	0	4	0	2	1	2	1	0	0	10
	multiple body regions (S03, S13, S23, S33, S43, S53,	F	0	0	0	0	1	0	1	0	0	1	0	3
	S63, S73, S83, S93, T03)	0	0	0	0	0	0	0	0	0	0	0	0	0
50	Intracranial and internal injuries, including nerves (S04,	М	11	16	18	48	65	66	65	75	25	53	6	448
	S06, S14, S24, S26-S27, S34, S36-S37, S44, S54, S64,	F	8	7	22	19	15	26	28	26	12	28	3	194
	S74, S84 & S94)	0	0	0	0	0	0	0	0	0	0	0	0	0
51	Crushing injuries and traumatic amputations of	М	0	0	1	0	1	2	1	3	3	3	0	14
	specified and multiple body regions (S07-S08, S17-S18,	F	0	0	0	0	1	0	0	1	0	1	0	3
	S28, S38, S47-S48, S57-S58, S67-S68, S77-S78, S87-S88,	0	0	0	0	0	0	0	0	0	0	0	0	0
52	Other injuries of specified, unspecified and multiple	M	2	32	49	120	191	182	106	76	32	41	16	847
	body regions (S00-S01, S05, S09-S11, S15-S16, S19-S21,	F	8	32	19	23	16	20	28	24	10	17	8	205
	S25, S29-S31, S35, S39-S41, S45-S46, S49-S51, S55-S56,	0	0	0	0	0	0	0	0	0	0	0	0	0
53	Effects of foreign body entering through natural orifice	М	0	0	0	0	2	2	5	7	1	1	1	19
	(T15-T19)	F	0	0	0	0	0	1	2	2	2	8	0	15
	(110 110)	0	0	0	0	0	0	0	0	0	0	0	0	0
54		М	8	34	27	116	116	79	48	19	6	12	14	479
	Burns and Corrosions (T20-T32)	F	10	40	33	209	198	86	39	29	11	24	22	701
		0	0	0	0	0	0	0	0	0	0	0	0	0
55	Poisonings by drugs & biological substances and Toxic	M	1	4	6	49	52	45	26	21	4	4	2	214
	effects of substances chiefly nonmedicinal as to source	F	0	3	5	48	24	17	4	3	1	3	0	108
	(T36-T50 & T51-T65)	0	0	0	0	0	0	0	0	0	0	0	0	0
56	Other and unspecified effects of external causes and	М	0	0	1	7	7	8	0	0	0	2	1	26
	certain early complications of trauma (T33-T35, T66-T79)	F	0	0	0	5	1	1	2	1	0	2	0	12
		0	0	0	0	0	0	0	0	0	0	0	0	0

					Table -1					-				
	DEATHS BY	CAUSE	OF DEATH		ND SEX FO		LLY CERT	IFIED DEA	THS - 2016	6				
SL.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
	O and the state of O and the sta	M	O O	0	0	5	0	2	2	4	3	6	0	22
57	Complications of Surgical and Medical care, not elsewhere classified (T80-T88)	F	0	0	0	2	0	1	1	2	1	6	0	13
	-eisewiiere ciassilieu (160-166)	0	0	0	0	0	0	0	0	0	0	0	0	0
58	Late effects of injuries, of poisoning and of other	М	0	1	0	1	0	1	0	0	0	0	0	3
30	consequences of external causes (T90-T98)	F	0	0	0	0	0	0	1	2	0	0	0	3
	consequences of external causes (130-130)	0	0	0	0	0	0	0	0	0	0	0	0	0
хх		М	198	94	127	436	634	685	801	1121	554	1518	33	6201
	External causes of Morbidity and Mortality (V01-Y89)	F	108	61	91	222	296	252	376	557	316	994	20	3293
		0	1	0	0	0	0	1	0	0	0	0	1	3
E48	T	М	1	4	4	55	74	45	34	31	9	9	0	266
	Transport Accidents (V01-V99)	F	0	1	0	5	11	8	5	7	2	3	1	43
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	1	1	1	1	4	0	0	0	8
1	Railway accidents (V05, V15, V80.6, V81, V82.2, V87.6 &	IVI F	0	0	0	0	0	0	1	1	0	0	0	2
	-V88.6)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Motor vehicle traffic accidents (V02-V04, V09.2-V09.3, V12-	М	0	0	0	7	6	3	1	1	0	0	0	18
2	V14, V19.4-V19.6, V19.9, V20-V28, V29.4-V29.6, V29.9, V30-	F	0	0	0	1	0	0	0	1	0	0	0	2
	V38,V39.4-V39.6,V39.9,V40-V48,V49.4-V49.6,V49.9,V50-	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Other road vehicle accidents (V01,V06,V09.9,V10-V11,V16-V18,V19.8,V29.8,V39.8,V49.8,V59.8,	М	1	4	4	47	67	41	32	26	9	9	0	240
3	V69.8,V79.8,V80.0-V80.2,V80.7-V80.9,V82.3-V82.7,V82.9 & V89.1)	F	0	1	0	4	11	8	4	5	2	2	1	38
		0	0	0	0	0	0	0	0	0	0	0	0	0
4		М	0	0	0	0	0	0	0	0	0	0	0	0
<u>'</u>	Water transport accidents (V90-V94)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
5	1	M	0	0	0	0	0	0	0	0	0	0	0	0
	Air & Space transport accidents (V95-V97)	F	0	0	0	0	0	0	0	0	0	1	0	1
	All others transport as sidents (VOC 0 VOC 1 V1C C	0	0	0	0	0	0	0	0	0	0	0	0	0
6	All other transport accidents (V09.0-V09.1,V19.0-	M	0	0	0	0	0	0	0	0	0	0	0	0
	V19.3,V29.0-V29.3, V39.0-V39.3,V49.0-V49.3,V59.0- V59.3,V69.0-V69.3,V79.0-V79.3,V82.0,V82.8, V83-		0	0	0	0	0	0	0	0	0	0	0	0
İ	v5a.5,v6a.0-v6a.5,v7a.0-v7a.5,v62.0,v62.6, V83-	0	0	0	0	0	0	0	0	0	0	0	0	0

					Table -1									
	DEATHS B	Y CAUSE	OF DEATH				LLY CERT	IFIED DEA	THS - 2016	6				
				А	GE IN YEA	RS								
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
E49		М	0	13	11	47	66	51	49	16	9	10	0	272
L+3	Accidental Falls (W00-W19)	F	3	8	1	11	6	5	4	6	1	9	0	54
		0	0	0	0	0	0	0	0	0	0	0	0	0
E50		М	0	0	2	1	5	5	4	4	1	2	0	24
	Accidental drowning and submersion (W65-W74)	F	0	2	0	1	1	1	0	0	0	2	0	7
		0	0	0	0	0	0	0	0	0	0	0	0	0
E51		М	0	0	1	0	2	0	1	1	0	0	0	5
	Exposure to smoke, fire and flames (X00-X09)	F	0	0	0	1	1	0	1	0	0	0	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
E52	Accidental poisoning by and exposure to noxious	М	0	0	0	10	6	9	4	3	2	0	0	34
	substances (X40-X49)	F	0	0	0	14	6	3	2	0	0	0	0	25
	, ,	0	0	0	0	0	0	0	0	0	0	0	0	0
E53		M	0	0	0	1	1	1	0	1	0	0	0	4
	Intentional self-harm (Suicide-attempted) (X60-X84)	F	0	0	0	2	0	0	0	0	0	0	0	2
		0	0	0	0	0	0	0	0	0	0	0	0	0
E54	A	M F	0	0	0	1	2	0	0	2	1	1	0	7
	Assault (Homicide) (X-85-Y09)	-	0	0	1	1	1	0	0	0	0	0	1	4
		0	0	0	0	0	0	0	0	0	0	0	0	0
		М	35	21	47	165	219	211	90	47	9	15	2	861
E55	Other Violence (Y10-Y36)	F	25	23	32	110	119	66	25	6	2	8	2	418
	Other violence (110-130)	0	0	0	0	0	0	1	0	0	0	0	1	2
		M	34	15	35	109	124	127	33	10	3	1	1	492
1	Event of undetermined intent (Y10-Y34)	F	22	18	28	73	94	50	15	10	0	2	0	303
		0	0	0	0	0	0	1	0	0	0	0	0	1
		M	1	6	12	56	95	84	57	37	6	14	1	369
2	Legal intervention (Y35)	F	1	5	4	37	25	16	10	5	2	6	2	113
	1 23	0	0	0	0	0	0	0	0	0	0	0	1	1
		M	0	0	0	0	0	0	0	0	0	0	0	0
3	Operations of war (Y36)	F	2	0	0	0	0	0	0	0	0	0	0	2
	1 ' ' '	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	0	0	0	1	3	1	3	3	6	2	0	19
E56	Complications of medical and surgical care (Y40-Y84)	F	0	0	0	0	3	0	0	2	0	2	0	7
	1	0	0	0	0	0	0	0	0	0	0	0	0	0
						-	-	-						-
	1													

					Table -1									
	DEATHS BY	Y CAUSE	OF DEATH	IS, AGE AI	ND SEX FO	R MEDICA	LLY CERT	IFIED DEA	THS - 2016	ò				
				Α	GE IN YEA	RS								
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
1	2	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
1	Drugs, medicaments and biological substances causing	М	0	0	0	1	2	0	2	2	3	2	0	12
. '	adverse effects in therapeutic use (Y40-Y59)	F	0	0	0	0	3	0	0	2	0	1	0	6
	,	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Misadven during surgical & medical care, adverse adverse	М	0	0	0	0	1	1	1	1	3	0	0	7
	incidents in diagnostic and therapeutic use, abnormal	F	0	0	0	0	0	0	0	0	0	1	0	1
	reactions and late complications (Y60-Y69,Y70-Y82 & Y83-	0	0	0	0	0	0	0	0	0	0	0	0	0
E57	Other external causes of accidental injury not	М	160	56	62	154	256	362	616	1013	517	1478	31	4705
	elasewhere classified (W20-W64, W75-W99, X10-X39,	F	80	27	57	77	148	169	339	536	311	970	16	2730
	X50-X59)	0	1	0	0	0	0	0	0	0	0	0	0	1
1	Accidents caused by machinery, and by cutting & piercing	М	0	0	0	0	2	2	0	2	1	0	0	7
	instruments (W24-W31)	F	0	0	0	0	0	0	0	0	0	0	0	0
	measure (1121 1161)	0	0	0	0	0	0	0	0	0	0	0	0	0
2		М	0	1	0	3	1	4	2	1	0	0	0	12
_	Accidents caused by firearm missile (W32-W34)	F	0	0	0	1	1	1	0	0	0	0	0	3
		0	0	0	0	0	0	0	0	0	0	0	0	0
3		М	1	0	0	0	1	1	0	1	0	1	0	5
	Bites of snakes & other venomous animals (X20-X27)	F	0	0	0	0	0	1	0	0	0	0	0	1
		0	0	0	0	0	0	0	0	0	0	0	0	0
4		М	0	0	0	0	1	0	0	0	0	0	0	1
	Sun stroke (X32)	F	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
5	All other accidents including late effects (W20-W23, W35-	М	159	55	62	151	251	355	614	1009	516	1477	31	4680
	W64, W75-W99, X10-X19, X28-X31, X33-X39 & X50-X59)	F	80	27	57	76	147	167	339	536	311	970	16	2726
	33,	0	1	0	0	0	0	0	0	0	0	0	0	1
E58	Late effects of external causes of morbidity and	М	2	0	0	1	0	0	0	0	0	1	0	4
	mortality (Y85-Y89)	F	0	0	0	0	0	0	0	0	0	0	0	0
	, (122 100)	0	0	0	0	0	0	0	0	0	0	0	0	0
		М	4979	1187	1493	3205	4729	6631	8267	10325	4447	10163	1380	56806
	Total	F	3028	904	1192	2514	2728	2921	4094	5588	2675	6998	1042	33684
		0	8	0	1	0	0	2	2	0	0	0	14	27
	All	Т	8015	2091	2686	5719	7457	9554	12363	15913	7122	17161	2436	90517

TABLE - 2

LOCAL BODY WISE DETAILS OF MEDICALLY CERTIFIED CAUSE OF DEATH DURING (2001-2016)

MEAD	TOTAL		INSTITUT	IONAL DEAT	HS LOCAL BO	DDY WISE	
YEAR	DEATH	MCD (U)	MCD (R)	TOTAL	NDMC	DCB	TOTAL
1	2	3	4	5	6	7	8
2001	81100	29094	23	29117	14866	1051	45034
2002	86176	25948	1684	27632	16192	1141	44965
2003	87743	29451	2530	31981	15195	1297	48473
2004	85378	30876	2016	32892	14316	1351	48559
2005	94187	33564	2686	36250	18744	1396	56390
2006	98909	37789	2437	40226	18804	1224	60254
2007	100974	34426	2953	37379	20388	1489	59256
2008	107600	31449	4917	36366	19187	1569	57122
2009	112013	40371	4447	44818	22249	1306	68373
2010	124353	50194	3325	53519	21591	1263	76373
2011	112142	42006	3917	45923	20994	1409	68326
2012	104616	39642	4302	43944	22373	1539	67856
2013	97185	42494	2063	44557	22070	1508	68135
2014	121286	49712	1500	51212	21754	1626	74592
2015	124516	47314	5420	52734	23524	1809	78067
2016	141632	54270	7280	61550	27164	1803	90517

TABLE - 3
SEX WISE DEATHS (2001-2016)

Year	Total Deaths	Male	Female	Others#		Institutio	nal Deaths	
1 car	Total Deaths	Maic	remare	Others	Male	Female	Others#	Total
1	2	3	4	5	6	7	8	9
2001	81100	51238	29862	N.A	28178	16856	N.A	45034
2002	86176	53405	32771	N.A	27445	17520	N.A	44965
2003	87743	54561	33182	N.A	29779	18694	N.A	48473
2004	85378	53016	32362	N.A	30054	18505	N.A	48559
2005	94187	58554	35633	N.A	35089	21301	N.A	56390
2006	98908	64028	34880	N.A	40475	19779	N.A	60254
2007	100974	63461	37513	N.A	37341	21915	N.A	59256
2008	107600	68033	39567	N.A	36973	20149	N.A	57122
2009	112013	70075	41938	N.A	42808	25565	N.A	68373
2010	124353	78092	46261	N.A	48032	28341	N.A	76373
2011	112142	69732	42410	N.A	42770	25556	N.A	68326
2012	104616	64608	40008	N.A	42452	25404	N.A	67856
2013	97185	60447	36738	N.A	42367	25768	N.A	68135
2014	121286	75404	45882	N.A	47001	27591	N.A	74592
2015	124516	76421	48095	N.A	48485	29582	N.A	78067
2016	141632	87704	53887	41	56806	33684	27	90517

# includes transgender/ ambiguous/ not stated

TABLE - 4

							DETA	AILS OF I	NSTITUT	IONAL	DEATHS	S BY AGE	& SEX	(2001-201	6)						
YEAR		Below 1	4		15-24			25-44			45-64		•	65 and abo	ove		Not state	ed		Total	
IEAK	MALE	FEMALE	OTHERS	MALE	FEMALE	OTHERS	MALE	FEMALE	OTHERS	MALE	FEMALE	OTHERS	MALE	FEMALE	OTHERS	MALE	FEMALE	OTHERS	MALE	FEMALE	OTHERS
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
2001	6874	4545	N.A.	2038	1803	N.A.	5888	3418	N.A.	7550	3509	N.A.	5207	3071	N.A.	621	510	N.A.	28178	16856	N.A.
2002	5532	3581	N.A.	1844	1679	N.A.	4661	2872	N.A.	6972	3551	N.A.	6963	4482	N.A.	1473	1355	N.A.	27445	17520	N.A.
2003	6141	4228	N.A.	2091	1689	N.A.	5900	3543	N.A.	7763	4274	N.A.	7596	4812	N.A.	288	148	N.A.	29779	18694	N.A.
2004	7394	4834	N.A.	2559	2133	N.A.	5972	3556	N.A.	8001	3997	N.A.	5895	3843	N.A.	233	142	N.A.	30054	18505	N.A.
2005	7994	5394	N.A.	2946	2315	N.A.	7278	4152	N.A.	9546	4714	N.A.	6458	4210	N.A.	867	516	N.A.	35089	21301	N.A.
2006	8357	4791	N.A.	4013	1989	N.A.	9032	3766	N.A.	11217	4677	N.A.	7778	4512	N.A.	78	44	N.A.	40475	19779	N.A.
2007	7838	5204	N.A.	2885	2081	N.A.	7764	4246	N.A.	11021	5321	N.A.	7833	5061	N.A.	0	2	N.A.	37341	21915	N.A.
2008	5855	3706	N.A.	2743	1727	N.A.	8568	4368	N.A.	12014	5840	N.A.	7750	4494	N.A.	43	14	N.A.	36973	20149	N.A.
2009	7382	5096	N.A.	3314	2517	N.A.	9872	5577	N.A.	13354	6554	N.A.	8863	5794	N.A.	23	27	N.A.	42808	25565	N.A.
2010	7652	5360	N.A.	3498	2796	N.A.	10475	5682	N.A.	15858	7706	N.A.	10549	6797	N.A.	0	0	N.A.	48032	28341	N.A.
2011	7448	5120	N.A.	3084	2460	N.A.	9114	4932	N.A.	13613	6742	N.A.	9511	6302	N.A.	0	0	N.A.	42770	25556	N.A.
2012	7638	5132	N.A.	2903	2262	N.A.	9147	4719	N.A.	13581	6837	N.A.	9183	6454	N.A.	0	0	N.A.	42452	25404	N.A.
2013	7210	4926	N.A.	2809	2290	N.A.	8996	4741	N.A.	13679	7242	N.A.	9673	6569	N.A.	0	0	N.A.	42367	25768	N.A.
2014	7230	4892	N.A.	2878	2262	N.A.	9883	4648	N.A.	15578	8097	N.A.	11109	7488	N.A.	322	204	N.A.	47001	27591	N.A.
2015	7671	5330	N.A.	3028	2308	N.A.	10127	5367	N.A.	16038	8644	N.A.	11583	7895	N.A.	38	38	N.A.	48485	29582	N.A.
2016	7659	5124	9	3205	2514	0	11360	5649	2	18592	9682	2	14610	9673	0	1380	1042	14	56806	33684	27

# OTHERS includes transgender/ ambiguous/ not stated

TABLE - 5

			INS	TITUTI	ONAL IN	NFANT D	EATHS 1	DUE TO	MAJOR	DISEAS	SES DUR	ING (200	1-2016)				
Sl. No.	Cause of Death	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
1	Slow foetal growth,foetal malnutration and immatuarity	1014 (14.47)	1386 (29.62)	1626 (36.54)	1603 (40.04)	1140 (28.00)	995 (17.70)	1211 (15.10)	611 (10.70)	708 (10.59)	343 (4.40)	677 (8.73)	788 (9.20)	630 (7.65)	630 (7.88)	625 (7.26)	426 (5.32)
2	All other signs, symptoms and ill defined conditions	2275 (32.48)	353 (7.54)	66 (1.48)	197 (4.92)	86 (2.11)	327 (5.81)	544 (6.78)	357 (6.25)	245 (3.66)	1160 (14.87)	1805 (23.28)	2245 (26.20)	157 (1.91)	96 (1.20)	177 (2.05)	153 (1.91)
3	All other signs, causes in perinatal period	20 (0.28)	134 (2.86)	109 (2.45)	935 (23.36)	2460 (60.43)	2195 (39.04)	4077 (50.83)	2602 (45.57)	2821 (42.58)	1478 (18.94)	604 (7.79)	511 (5.96)	2439 (29.62)	719 (9.00)	537 (6.23)	484 (6.04)
4	Septicemia	1015 (14.48)	352 (7.52)	420 (9.44)	420 (10.49)	22 (0.54)	294 (5.23)	137 (1.71)	195 (3.42)	593 (8.87)	696 (8.92)	747 (9.64)	697 (8.13)	718 (8.72)	908 (11.37)	978 (11.36)	933 (11.64)
5	Meningitis	211 (3.01)	30 (0.64)	76 (1.71)	103 (2.57)	39 (0.96)	200 (3.56)	139 (1.73)	71 (1.24)	86 (1.28)	27 (0.35)	27 (0.35)	132 (1.54)	130 (1.58)	116 (1.45)	37 (0.43)	68 (0.85)
6	Pneumonia	341 (4.86)	105 (2.24)	99 (2.22)	317 (7.92)	9 (0.22)	115 (2.04)	101 (1.26)	106 (1.86)	167 (2.56)	372 (4.76)	172 (2.22)	353 (4.12)	338 (4.11)	308 (3.86)	396 (4.60)	400 (4.99)
7	Others	2132 (30.42)	2319 (49.56)	2054 (46.16)	428 (10.69)	315 (7.74)	1497 (26.62)	1812 (22.59)	1768 (30.96)	2068 (30.92)	3726 (47.76)	3720 (47.99)	3843 (44.85)	3821 (46.41)	5213 (65.24)	5862 (68.07)	5551 (69.26)
	Total	7008	4679	4450	4003	4071	5623	8021	5710	6688	7802	7752	8569	8233	7990	8612	8015

TABLE - 6 PERCENTAGE DISTRIBUTION OF LEADING MAJOR CAUSES OF DEATH DURING (2001-2016) XVIII (Symptoms, Signs XVI (Certain I (Certain Infectious IX (Diseases of the X (Diseases of the and abnormal clinical & **Condition Originating** OTHER TOTAL And Parasitic Diseases) Circulatory System) Respiratory System) Laboratory finding YEAR in the Perinatal Period) n.e.c.) NUMBER % NUMBER % NUMBER % NUMBER % NUMBER NUMBER NUMBER % 3 8 9 1 2 4 5 6 7 10 11 12 13 14 15 2001 3231 7.17 1982 18018 40.00 8893 19.74 45034 5965 13.24 6960 15.45 4.40 100.00 8391 2002 18.66 7266 16.16 3812 8.48 3252 7.23 13758 31.37 8486 18.87 44965 100.00 2003 10682 22.04 9577 19.76 3672 7.58 2738 5.65 13777 27.90 8027 16.56 48473 100.00 18.92 2004 9186 9976 20.54 2288 4.71 2479 5.11 16183 33.33 8447 17.40 48559 100.00 2005 12072 21.41 6448 11.43 2769 4.91 3632 6.44 19546 34.66 11923 21.15 56390 100.00 2006 8365 13.88 6848 11.37 2316 3.84 3190 5.30 23550 39.08 15985 26.53 60254 100.00 2007 9099 15.36 13476 22.74 2465 4.16 5288 8.92 14587 24.62 14341 24.20 59256 100.00 2008 8513 14.90 12949 22.67 2696 4.72 3213 5.62 15263 26.72 14488 25.36 57122 100.00 2009 9171 13.41 13904 20.34 3115 4.56 3529 5.16 21264 31.1 17390 25.43 68373 100.00 2010 15879 20.79 8215 10.76 3746 4.90 2697 3.53 25513 33.41 20323 26.61 76373 100.00 2011 10652 15.59 8435 12.35 3942 5.77 2027 2.97 17305 25.33 25965 37.99 68326 100.00 2012 9984 4215 2.93 18288 23962 14.71 9420 13.89 6.22 1987 26.95 35.30 67856 100.00 2013 10929 16.04 9617 4655 6.83 16787 24.64 21985 32.27 100.00 14.11 4162 6.11 68135 2014 12529 16.80 9455 12.68 5282 7.08 2797 3.75 18584 24.91 25945 34.78 74592 100.00 2015 11929 15.28 11875 15.21 6239 7.99 2959 3.79 19583 25.09 25482 32.64 78067 100.00 33.03 2016 13540 14.96 15919 17.59 8260 9.13 3449 3.81 19454 21.49 29895 90517 100.00

TABLE - 7
DEATHS IN DELHI DUE TO HEART ATTACK (2001-2016)

				No. Of	Deaths Du	e to Hear	t Attack	No. Of H	eart Attac MCCD F		in which		% of Heart
Year	Total Deaths	Institutional Deaths	Domicillary Deaths	Male	Female	Others	Total	Male	Female	Others	Total	% of Deaths Due to Heart Attack	Attack Deaths in which MCCD Reported
1	2	3	4	5	6	7	8	9	10	11	12	13	14
2001	81100	45034	36066	5232	2904	N.A.	8136	4399	2561	N.A.	6960	10.03	85.55
2002	86176	44965	41211	8986	2906	N.A.	11892	5233	2033	N.A.	7266	13.80	61.1
2003	87743	48473	39270	8285	3436	N.A.	11721	6017	3560	N.A.	9577	13.36	81.71
2004	85378	48559	36819	8148	4521	N.A.	12669	6252	3724	N.A.	9976	14.84	78.74
2005	94187	56390	37797	5504	3072	N.A.	8576	3980	2468	N.A.	6448	9.11	75.19
2006	98908	60254	38654	6112	2724	N.A.	8836	4698	2150	N.A.	6848	8.93	77.5
2007	100974	59256	41718	9974	5468	N.A.	15442	8524	4952	N.A.	13476	15.29	87.27
2008	107600	57122	50478	10345	5531	N.A.	15876	8487	4462	N.A.	12949	14.75	81.56
2009	112013	68373	43640	10514	5644	N.A.	16158	8665	5239	N.A.	13904	14.43	86.05
2010	124353	76373	47980	5222	3014	N.A.	8236	5208	3007	N.A.	8215	6.62	99.75
2011	112142	68326	43816	6961	3733	N.A.	10694	5315	3120	N.A.	8435	9.54	78.88
2012	104616	67856	36760	7673	4051	N.A.	11724	5910	3510	N.A.	9420	11.21	80.95
2013	97185	68135	29050	7487	4035	N.A.	11522	6039	3578	N.A.	9617	11.86	83.47
2014	121286	74592	46694	6838	4042	N.A.	10880	5786	3669	N.A.	9455	8.97	86.90
2015	124516	78067	46449	7912	4768	N.A.	12680	7293	4582	N.A.	11875	10.18	93.65
2016	141632	90517	51115	10548	6115	2	16665	9970	5947	2	15919	11.77	95.52

											TABLE											
		* O*** 4 4 **	T D.C		45.447				DICALLY C							1-2016)	N G			m.o.	m. v	
YEAR		LOW 14 Y	-		15-24 YEA			25-44 YEA			45-64 YEA			65 & ABO			Not State				TAL	
	MALE	FEMALE	OTHERS	MALE	FEMALE	OTHERS	MALE	FEMALE	OTHERS	MALE	FEMALE	OTHERS	MALE	FEMALE	OTHERS	MALE	FEMALE	OTHERS	MALE	FEMALE	OTHERS	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
2001	470	313	N.A.	220	145	N.A.	746	487	N.A.	1542	740	N.A.	1315	794	N.A.	106	82	N.A.	4399	2561	N.A.	6960
2002	218	134	N.A.	222	119	N.A.	1066	253	N.A.	1988	654	N.A.	1688	849	N.A.	51	24	N.A.	5233	2033	N.A.	7266
2003	417	211	N.A.	278	253	N.A.	1138	631	N.A.	2141	1074	N.A.	2008	1372	N.A.	35	19	N.A.	6017	3560	N.A.	9577
2004	654	404	N.A.	404	302	N.A.	1178	637	N.A.	2103	1067	N.A.	1885	1295	N.A.	28	19	N.A.	6252	3724	N.A.	9976
2005	382	222	N.A.	204	154	N.A.	736	478	N.A.	1453	780	N.A.	1060	745	N.A.	145	89	N.A.	3980	2468	N.A.	6448
2006	374	150	N.A.	362	135	N.A.	933	370	N.A.	1719	732	N.A.	1302	757	N.A.	8	6	N.A.	4698	2150	N.A.	6848
2007	712	476	N.A.	565	343	N.A.	1661	929	N.A.	2999	1444	N.A.	2587	1760	N.A.	0	0	N.A.	8524	4952	N.A.	13476
2008	597	368	N.A.	551	365	N.A.	1867	901	N.A.	3075	1377	N.A.	2383	1831	N.A.	14	3	N.A.	8487	4462	N.A.	12949
2009	775	548	N.A.	540	399	N.A.	1874	969	N.A.	3076	1567	N.A.	2392	1742	N.A.	8	14	N.A.	8665	5239	N.A.	13904
2010	313	205	N.A.	225	221	N.A.	1114	527	N.A.	2121	1015	N.A.	1405	1039	N.A.	0	0	N.A.	5208	3007	N.A.	8215
2011	283	166	N.A.	255	171	N.A.	967	484	N.A.	2117	1071	N.A.	1693	1228	N.A.	0	0	N.A.	5315	3120	N.A.	8435
2012	354	212	N.A.	274	236	N.A.	1073	659	N.A.	2391	1162	N.A.	1818	1241	N.A.	0	0	N.A.	5910	3510	N.A.	9420
2013	358	200	N.A.	297	208	N.A.	1061	604	N.A.	2488	1241	N.A.	1835	1325	N.A.	0	0	N.A.	6039	3578	N.A.	9617
2014	310	208	N.A.	235	173	N.A.	948	552	N.A.	2394	1349	N.A.	1887	1378	N.A.	12	9	N.A.	5786	3669	N.A.	9455
2015	297	189	N.A.	273	192	N.A.	1186	694	N.A.	3113	1725	N.A.	2423	1781	N.A.	1	1	N.A.	7293	4582	N.A.	11875
2016	448	274	0	286	269	0	1501	808	0	4164	2160	1	3474	2369	0	97	67	1	9970	5947	2	15919

TABLE - 9 **DEATHS IN DELHI DUE TO PNUEMONIA (2001-2016)** NO. OF PNUEMONIA % OF NO. OF DEATHS DUE TO **DEATHS IN WHICH PNUEMONIA PNEUMONIA** % OF DEATHS TOTAL INSTITUTIONAL **DOMICILIARY** MCCD REPORTED **DEATHS IN** YEAR **DUE TO DEATHS DEATHS DEATHS** WHICH **PNUEMONIA** MCCD Male **Female** Total Male Female Total REPORTED 1.49 99.58 2.61 86.93 2.49 80.34 90.68 1.45 1.60 86.09 93.32 0.880.87 92.38 1.43 88.17 1.42 90.96 99.27 1.77 1.42 98.94 98.88 1.54 1.59 99.48 1.22 99.79 1.57 99.64 98.49

1.40

											TABLE	- 10										
	1									_			DEATH	S BY AGE		001-2016	,					
Year		elow 14 Ye			15-24 Year	_		25-44 Yea			45-64 Yea			65 & Abov			Not State				otal	
		FEMALE			FEMALE					MALE	FEMALE	OTHERS	MALE	FEMALE	OTHERS	MALE	FEMALE		MALE	FEMALE	OTHERS	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
2001	381	210	N.A.	39	35	N.A.	107	47	N.A.	131	48	N.A.	116	55	N.A.	20	11	N.A.	794	406	N.A.	1200
2002	675	558	N.A.	137	117	N.A.	78	40	N.A.	111	56	N.A.	115	61	N.A.	6	2	N.A.	1122	834	N.A.	1956
2003	616	424	N.A.	127	117	N.A.	78	40	N.A.	111	56	N.A.	115	61	N.A.	6	2	N.A.	1053	700	N.A.	1753
2004	337	202	N.A.	50	46	N.A.	97	60	N.A.	140	62	N.A.	65	49	N.A.	8	3	N.A.	697	422	N.A.	1119
2005	299	190	N.A.	70	45	N.A.	123	79	N.A.	151	90	N.A.	134	76	N.A.	24	13	N.A.	801	493	N.A.	1294
2006	169	120	N.A.	43	12	N.A.	89	36	N.A.	120	50	N.A.	101	66	N.A.	4	0	N.A.	526	284	N.A.	810
2007	165	117	N.A.	44	24	N.A.	66	41	N.A.	123	63	N.A.	114	61	N.A.	0	0	N.A.	512	306	N.A.	812
2008	193	143	N.A.	42	29	N.A.	213	103	N.A.	221	134	N.A.	169	108	N.A.	2	0	N.A.	840	517	N.A.	1357
2009	341	239	N.A.	32	43	N.A.	176	98	N.A.	162	96	N.A.	161	99	N.A.	2	0	N.A.	874	575	N.A.	1449
2010	371	257	N.A.	82	68	N.A.	229	139	N.A.	381	193	N.A.	281	184	N.A.	0	0	N.A.	1344	841	N.A.	2185
2011	256	181	N.A.	45	60	N.A.	122	90	N.A.	240	127	N.A.	278	182	N.A.	0	0	N.A.	941	640	N.A.	1581
2012	298	219	N.A.	48	33	N.A.	120	69	N.A.	250	165	N.A.	238	155	N.A.	0	0	N.A.	954	641	N.A.	1595
2013	284	218	N.A.	53	41	N.A.	127	85	N.A.	233	128	N.A.	224	146	N.A.	0	0	N.A.	921	618	N.A.	1539
2014	258	184	N.A.	28	41	N.A.	120	75	N.A.	220	134	N.A.	224	146	N.A.	4	4	N.A.	854	584	N.A.	1438
2015	373	265	N.A.	46	58	N.A.	190	134	N.A.	296	166	N.A.	251	164	N.A.	0	0	N.A.	1156	787	N.A.	1943
2016	375	259	0	55	61	0	170	93	0	271	148	0	304	195	0	16	12	0	1191	768	0	1959

TABLE - 11

DEATHS IN DELHI DUE TO TUBERCULOSIS (2001-2016)

YEAR	TOTAL	INSTITUTIONAL	DOMICILLARY		F DEATHS DUBERCULOS			BERCULOSI CH MCCD RE		% OF DEATHS DUE TO	% OF TUBERCULOSIS DEATHS IN
	DEATHS	DEATHS	DEATHS	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	TUBERCULOSIS	WHICH MCCD REPORTED
1	2	3	4	5	6	7	8	9	10	11	12
2001	81100	45034	36066	1219	662	1881	898	575	1473	2.32	78.31
2002	86176	44965	41211	2976	1707	4683	2315	1239	3554	5.43	75.89
2003	87743	48473	39270	3099	1825	4924	2354	1243	3597	5.61	73.05
2004	85378	48559	36819	1518	797	2315	1254	733	1987	2.71	85.83
2005	94187	56390	37797	2332	1286	3618	2066	1213	3279	3.84	90.63
2006	98908	60254	38654	2337	1173	3510	1987	1077	3064	3.55	87.29
2007	100974	59256	41718	1724	792	2516	1321	697	2018	2.49	80.21
2008	107600	57122	50478	1886	746	2632	1486	653	2139	2.45	81.27
2009	112013	68373	43640	1798	760	2558	1539	712	2251	2.28	87.99
2010	124353	76373	47980	2375	1071	3446	2073	992	3065	2.77	88.94
2011	112142	68326	43816	2696	1272	3968	2410	1193	3603	3.54	90.8
2012	104616	67856	36760	2363	1133	3496	2085	1033	3118	3.34	89.19
2013	97185	68135	29050	2460	1202	3662	2162	1077	3239	3.77	88.45
2014	121286	74592	46694	3394	1536	4930	2959	1391	4350	4.06	88.24
2015	124516	78067	46449	2849	1416	4265	2382	1253	3635	3.43	85.23
2016	141632	90517	51115	2939	1509	4448	2445	1288	3733	3.14	83.93

TABLE - 12 DISTRIBUTION OF MEDICALLY CERTIFIED TUBERCULOSIS DEATHS BY AGE & SEX (2001-2016) **BELOW 14 YEARS 15-24 YEARS 25-44 YEARS 45-64 YEARS** TOTAL 65 & ABOVE Not Stated YEAR MALE FEMALE OTHERS TOTAL N.A. 

TABLE - 13

DEATHS IN DELHI DUE TO CANCER (2001-2016)

	TOTAL DEATHS	INSTITUTI- ONAL DEATHS	DOMICI-	NO. OI	F DEATHS I	OUE TO CA	NCER	NO. OF	CANCER D MCCD R	DEATHS IN EPORTED	% OF	% OF CANCER	
YEAR				LLARY DEATHS	MALE	FEMALE	OTHERS	TOTAL	MALE	FEMALE	OTHERS	TOTAL	DEATHS DUE TO CANCER
1	2	3	4	5	6	7	8	9	10	11	12	13	14
2001	81100	45034	36066	666	451	N.A.	1117	605	372	N.A.	977	1.38	87.47
2002	86176	44965	41211	894	658	N.A.	1552	488	383	N.A.	871	1.80	56.12
2003	87743	48473	39270	897	592	N.A.	1489	522	426	N.A.	948	1.70	63.67
2004	85378	48559	36819	923	610	N.A.	1533	662	431	N.A.	1093	1.79	71.30
2005	94187	56390	37797	1207	802	N.A.	2009	956	589	N.A.	1545	2.13	76.90
2006	98908	60254	38654	1236	824	N.A.	2060	880	591	N.A.	1471	2.08	71.41
2007	100974	59256	41718	1589	1008	N.A.	2597	1160	751	N.A.	1911	2.57	73.58
2008	107600	57122	50478	2011	1059	N.A.	3070	1502	702	N.A.	2204	2.85	71.79
2009	112013	68373	43640	2512	1424	N.A.	3936	2066	1161	N.A.	3227	3.51	81.99
2010	124353	76373	47980	3514	2214	N.A.	5728	3412	2024	N.A.	5436	4.61	94.90
2011	112142	68326	43816	6109	3816	N.A.	9925	5715	3551	N.A.	9266	8.85	93.36
2012	104616	67856	36760	3813	2631	N.A.	6444	3457	2315	N.A.	5772	6.16	89.57
2013	97185	68135	29050	3244	2326	N.A.	5570	2379	1730	N.A.	4109	5.73	73.77
2014	121286	74592	46694	3366	2320	N.A.	5686	3224	2255	N.A.	5479	4.69	96.36
2015	124516	78067	46449	2950	2044	N.A.	4994	2748	1918	N.A.	4666	4.01	93.43
2016	141632	90517	51115	3436	2305	1	5742	2819	1992	1	4812	4.05	83.80

**TABLE - 14** DISTRIBUTION OF MEDICALLY CERTIFIED CANCER DEATHS BY AGE & SEX (2001-2016) Total **Below 14 Years** 15-24 Years 25-44 Years 45-64 Years 65 & Above Not Stated Year Male Female Others **Total** N.A. 

**TABLE - 15** DEATHS IN DELHI DUE TO DIABETIC MELLITUS (2001-2016) No. of Deaths Due To Diabetic No. of Diabetic MellitusDeaths in % of Deaths % of Diabetic **Mellitus** which MCCD Reported Total Domicillary Due To **Mellitus Deaths** Institutional Year in which MCCD **Deaths Deaths Deaths** Diabetic **Mellitus** Reported **MALE FEMALE TOTAL MALE FEMALE** TOTAL 0.76 91.29 0.76 89.95 0.86 84.54 0.92 81.84 1.20 92.85 5.35 96.64 3.88 95.94 4.30 86.17 4.17 95.29 1.11 91.88 1.46 93.06 1.55 93.53 2.08 94.86 1.53 94.78 1.17 92.94 

1.86

96.93

	TABLE - 16																					
	DISTRIBUTION OF MEDICALLY CERTIFIED DIABETIC MELLITUS DEATHS BY AGE & SEX (2001-2016)																					
YEAR	BELOW 14 YEARS		15-24 YEARS		25-44 YEARS		45-64 YEARS		65 & ABOVE		Not Stated			Total								
TEAR	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Male	Female	Others	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
2001	9	6	N.A.	6	8	N.A.	34	25	N.A.	172	83	N.A.	113	90	N.A.	11	9	N.A.	345	221	N.A.	566
2002	5	5	N.A.	3	6	N.A.	23	45	N.A.	144	140	N.A.	99	114	N.A.	3	4	N.A.	277	314	N.A.	591
2003	6	7	N.A.	4	1	N.A.	29	20	N.A.	178	118	N.A.	144	132	N.A.	1	0	N.A.	362	278	N.A.	640
2004	6	7	N.A.	4	1	N.A.	29	20	N.A.	178	118	N.A.	144	132	N.A.	1	0	N.A.	362	278	N.A.	640
2005	6	6	N.A.	3	5	N.A.	61	33	N.A.	263	212	N.A.	219	215	N.A.	16	13	N.A.	568	484	N.A.	1052
2006	885	635	N.A.	243	169	N.A.	355	326	N.A.	795	494	N.A.	711	499	N.A.	4	2	N.A.	2993	2125	N.A.	5118
2007	339	294	N.A.	147	114	N.A.	337	226	N.A.	684	513	N.A.	616	491	N.A.	0	0	N.A.	2123	1638	N.A.	3761
2008	548	328	N.A.	139	134	N.A.	356	256	N.A.	687	434	N.A.	668	433	N.A.	1	2	N.A.	2399	1587	N.A.	3986
2009	524	363	N.A.	134	108	N.A.	328	268	N.A.	818	515	N.A.	757	635	N.A.	0	1	N.A.	2561	1890	N.A.	4451
2010	6	10	N.A.	7	3	N.A.	50	36	N.A.	340	218	N.A.	350	247	N.A.	0	0	N.A.	753	514	N.A.	1267
2011	8	7	N.A.	11	9	N.A.	66	44	N.A.	410	276	N.A.	375	322	N.A.	0	0	N.A.	870	658	N.A.	1528
2012	11	19	N.A.	15	18	N.A.	66	57	N.A.	389	332	N.A.	315	296	N.A.	0	0	N.A.	796	722	N.A.	1518
2013	8	2	N.A.	6	10	N.A.	109	95	N.A.	495	419	N.A.	431	346	N.A.	0	0	N.A.	1049	872	N.A.	1921
2014	2	2	N.A.	9	8	N.A.	69	64	N.A.	472	390	N.A.	395	351	N.A.	0	0	N.A.	947	815	N.A.	1762
2015	2	4	N.A.	5	7	N.A.	65	35	N.A.	347	299	N.A.	340	252	N.A.	0	0	N.A.	759	597	N.A.	1356
2016	2	9	0	14	19	0	136	110	0	673	612	0	508	464	0	4	6	0	1337	1220	0	2557

TABLE-17

DISTRIBUTION OF INFANT DEATHS (2001-2016)

Year	Neonatal Deaths (Infants below 4 weeks)	Neonatal Mortality rate	Post-natal deaths (Infant 28 days-12 months)	Post-natal Mortality Rate	Infant deaths (Infant 0-12 months)	Infant mortality rate	% Infant deaths to total deaths
1	2	3	4	5	6	7	8
2001	4213	14.22	2878	9.71	7091	23.93	8.74
2002	3115	10.36	1776	5.91	4891	16.27	5.68
2003	3455	11.07	1790	5.95	5245	17.42	5.98
2004	2774	9.07	1229	4.02	4003	13.08	4.69
2005	3183	9.81	999	3.08	4182	12.89	4.44
2006	3756	11.64	2069	6.41	5825	18.05	5.89
2007	4917	15.27	3277	10.18	8194	25.44	8.11
2008	4485	13.43	1653	4.95	6138	18.38	5.70
2009	4887	13.79	1834	5.17	6721	18.96	6.00
2010	5509	15.32	2569	7.15	8078	22.47	6.49
2011	5283	14.93	2469	6.98	7752	21.91	6.91
2012	5168	14.33	3460	9.60	8628	23.93	8.25
2013	5687	15.37	2591	7.00	8278	22.37	8.52
2014	5293	14.16	2804	7.50	8097	21.66	6.67
2015	5908	15.80	2787	7.45	8695	23.25	6.98
2016	4878	12.87	3217	8.48	8095	21.35	5.72

TABLE-18

Death Rate of Delhi (2001-2016)

	In La			
Year	*Mid Year Population as on 1 <sup>st</sup> July	Total number of Deaths	Death Rate	
2001	139.40	0.81	5.81	
2002	142.10	0.86	6.05	
2003	144.86	0.88	6.07	
2004	147.68	0.85	5.76	
2005	150.54	0.94	6.24	
2006	153.47	0.99	6.45	
2007	156.45	1.01	6.46	
2008	159.49	1.08	6.77	
2009	162.58	1.12	6.89	
2010	165.74	1.24	7.48	
2011	168.96	1.12	6.63	
2012	172.24	1.05	6.10	
2013	175.59	0.97	5.52	
2014	179.00	1.21	6.77	
2015	182.47	1.25	6.83	
2016	186.01	1.42	7.61	

<sup>\*</sup>Estimated Mid Year Population based on Census-2011.