




# ANNUAL REPORT ON REGISTRATION OF BIRTHS & DEATHS IN DELHI - 2022



**GOVERNMENT OF NCT OF DELHI  
DIRECTORATE OF ECONOMICS & STATISTICS  
&  
OFFICE OF THE CHIEF REGISTRAR (BIRTHS & DEATHS)  
VIKAS BHAWAN - II, 3rd FLOOR, 'B' WING  
UPPER BELA ROAD, NEAR METCALF HOUSE, DELHI - 110054**



**GOVERNMENT OF NATIONAL CAPITAL  
TERRITORY OF DELHI**

**ANNUAL REPORT  
ON  
REGISTRATION OF BIRTHS & DEATHS  
IN DELHI – 2022**



**DIRECTORATE OF ECONOMICS & STATISTICS  
&**

**OFFICE OF THE CHIEF REGISTRAR  
(BIRTHS & DEATHS)**

**3<sup>rd</sup> FLOOR, B-WING, VIKAS BHAWAN-II,  
CIVIL LINES , DELHI -110054**

**Tel :23812851, Email : [jddes.delhi@gov.in](mailto:jddes.delhi@gov.in)**

**Visit our website: [www.des.delhi.gov.in](http://www.des.delhi.gov.in)**

## PREFACE

The Annual Report on Registration of Births and Deaths in N.C.T. of Delhi has been brought out for the year 2022 by the Directorate of Economics and Statistics & Office of Chief Registrar (Births & Deaths) under Sections 4(4) and 19(2) Registration of Births & Deaths Act, 1969, which makes it mandatory to bring out the Annual Report on Registration of Births and Deaths.

This report presents an overview of the working of the Civil Registration System (CRS) in the NCT of Delhi and provides good source of information on the vital rates at all levels. The Report elicits very useful statistical information on registered births, deaths, infant deaths and still births and sex ratio at birth based on Civil Registration Records. Many valuable indicators are presented in the Report like birth rate, death rate, trends in birth order and its relation with level of literacy of parents, type of medical attention at the time of birth, deaths by age group, leading medically certified causes of deaths and a host of many other features in an exhaustive manner. The information would be very useful for evolving policies for improved health management in the state.

The report is presented in five sections. The first section gives details of the administrative set-up of the Civil Registration System, registration initiatives taken for effective implementation of the provisions of the Registration of Births & Deaths Act, 1969 and other related aspects, whereas, sections three and four covers birth profile and death profile respectively. Detailed statistical tables are given in section five. Maximum number of tables as prescribed by the Office of RGI, have been presented in the Report.

The Report has been prepared by the Vital Statistics Unit of the Directorate of Economics & Statistics, Delhi with IT support from the EDP Section. I sincerely acknowledge the sincere efforts of all the officers and officials associated in this exercise. My special thanks are to the functionaries of the local bodies (MCD, NDMC & DCB) engaged in the Civil Registration work for providing the basic data on registration of births & deaths in Delhi.

I hope, this report will be of immense help to the Policy makers, Planners and Research Scholars interested in the study of Vital Statistics in N.C.T. of Delhi. It will be our constant endeavor to improve the quality of the publication, for which, we invite the valuable comments and suggestions from the readers of this Report.

**DELHI**  
**July, 2023**

**NIHARIKA RAI (I.A.S)**  
**SECRETARY, PLANNING**

## TEAM OF OFFICERS/OFFICIALS ASSOCIATED

### WITH THE PREPARATION OF THE REPORT

#### **VITAL STATISTICS UNIT**

SH. SHAN-E-ALAM	:	JOINT DIRECTOR
SH. BHAG SINGH MEENA	:	DEPUTY DIRECTOR
SH. S. S. RAWAT	:	ASSISTANT DIRECTOR
MS. ARCHANA	:	STATISTICAL OFFICER
MS. UPASANA	:	STATISTICAL ASSISTANT
SH. SUDHIR KUMAR SINGH	:	STATISTICAL ASSISTANT
SH. CHIMAN LAL	:	M.A.

#### **EDP UNIT**

SH. ASHOK KUMAR	:	SYSTEM ANALYST
-----------------	---	----------------

# Annual Report on “Registration of Births and Deaths in N.C.T. of Delhi for the year 2022”

## TABLE OF CONTENTS

	<b>CONTENTS</b>	<b>PAGE NO.</b>
	<b>EXECUTIVE SUMMARY</b>	<b>i - iii</b>
<b>SECTION ONE</b>	<b>INTRODUCTION</b>	<b>1-14</b>
<b>SECTION TWO</b>	<b>ANNUAL RESULTS AT A GLANCE</b>	<b>15-24</b>
<b>SECTION THREE</b>	<b>BIRTH REGISTRATION PROFILE</b>	<b>25-34</b>
<b>SECTION FOUR</b>	<b>DEATH REGISTRATION PROFILE</b>	<b>35-41</b>
<b>SECTION FIVE</b>	<b>STATISTICAL TABLES</b>	<b>42-113</b>
<b>SECTION SIX</b>	<b>ANNEXURE</b>	<b>114-115</b>

# ANNUAL REPORT ON REGISTRATION OF BIRTHS & DEATHS IN DELHI – 2022

## EXECUTIVE SUMMARY

The following are the main highlights of the “Annual Report on Registration of Births & Deaths in Delhi - 2022.

### A. PRIME VITAL INDICATORS:

- i) **Birth Rate:** The birth rate worked out to 14.24 per thousand of population during 2022 as against 13.13 for the year 2021.
- ii) **Death Rate:** The Death Rate per thousand of population worked out to 6.07 during 2022 as against 8.28 in 2021.
- iii) **Infant Mortality Rate:** The infant mortality rate per thousand live births was 23.82 during 2022 as against 23.60 during 2021.
- iv) **Maternal Mortality Rate:** Maternal mortality rate per thousand live births was 0.49 in 2022 while it was 0.44 in 2021.
- v) **Sex Ratio at Birth:** The Sex Ratio is 929 females per thousand males during 2022 as against 932 during 2021.

### B. BIRTH REGISTRATION: The brief profile of birth registration is as under:

- i) The total number of births registered during 2022 was 3,00,350 as against 2,71,786 during 2021.
- ii) Average number of births per day in Delhi worked out to 823 in 2022 as against 745 in 2021.
- iii) Out of the total births registered, 1,55,670 (51.83%) were males, 1,44,581 (48.14%) females and 99 (0.03%) others (“others” includes transgender/ambiguous/ not stated).
- iv) Out of the total births, 2,82,389 (94.02%) were institutional and 17,961 (5.98%) domiciliary in nature.

- v) Out of 2,82,389 institutional births, 1,86,905 (66.19%) births occurred in govt. hospitals. Out of the total institutional births, 1,35,439 (48%) were females.  
Out of 17,961 non institutional births, 9142 (50.9 %) were females.
- vi) MCD accounted for 2,59,052 (86.25%) of total births whereas 37,975 (12.64%) occurred in NDMC areas and 3323 (1.11 %) in DCB. Further, the analysis as per three local bodies (i.e. considering the unification of MCD) shows that maximum (86.25%) births were occurred in Municipal Corporation of Delhi.
- vii) Out of total births, 10.85% births were rural and 89.15% were urban according to place of residence of mother.
- viii) Out of the total births, 53.49% were of first order, 35.56% of second order, 9.27% of third order and 1.68% were of fourth or higher order.
- ix) Analysis of domiciliary birth events with respect to the type of medical assistance available at the time of delivery revealed that in 13.53% of cases, the doctor/ nurse/ trained mid-wife was present and in 25.85% of cases, attendance of un-trained mid-wife/ traditional birth attendant was available. In 60.62% cases, the delivery occurred with the help of relatives/others/not stated.
- x) Age-group of the mother at the time of delivery was analyzed and it was revealed that in maximum (37.52%) cases, it was 25-29 years followed by 30.55% cases in 20-24 years group and in 29.71% cases, the age of mother was more than 29 years. Further, it is observed that in 2.23% cases, the age of mother was even 19 years or less.
- xi) There is a close relationship between the level of educational attainment of the mother and order of births. It is observed that out of total births of fourth and higher birth order, in 37.05% cases, the level of education of mother was 'matric but below graduate' and in 18.74% cases, the mothers were illiterate. Obviously, in case of fourth and higher order of birth proportion of births was 8.48% in the category of mother having 'graduation or above qualification'.

**C. DEATH REGISTRATION:-** A brief profile of death registration is as under:

- i) In Delhi, 1,28,106 deaths were registered during 2022 as compared to 1,71,476 deaths registered during 2021.
- ii) Out of the total deaths registered 79,052 (61.71%) were males and 49,004 (38.25%) females while 50 (0.04%) cases of deaths were having sex “others” (includes transgender/ ambiguous/ not stated).
- iii) MCD accounted for 74.29% of total registered deaths while the share of NDMC was 24.28% and DCB registered only 1.43% of the total deaths.
- iv) The average number of deaths per day in Delhi worked out to 351 in the year 2022 as against 470 during 2021.
- v) 63.72% of the total deaths were reported by the medical institutions and the remaining 36.28% were domiciliary deaths during 2022.
- vi) Out of total 1,28,106 deaths registered during the year 2022 the infant deaths were 7155.
- vii) Deaths by age group revealed that maximum (39.20%) deaths occurred in 65 years & above age group followed by 17.29% in 55-64 years age group, 13.93% in 45-54 age group and remaining 29.59% deaths were in the age of below 45 years including age not stated.
- viii) The analysis of major causes of institutional deaths during 2022 as per ICD 10 (i.e. International Classification of Diseases-10<sup>th</sup> Revision) reflect that 14.85% deaths were occurred due to septicemia, 11.51% deaths were due to diseases of pulmonary circulation and other forms of heart diseases, 7.64% deaths due to shock not elsewhere classified, 4.43% deaths due to diseases of liver, 4.33% deaths due to tuberculosis and 1.59 % deaths were due to COVID-19 virus identified and not identified. The remaining MCCD deaths were due to other causes.



# **-: SECTION ONE :-**

## **INTRODUCTION**

(Review of the Working of Act)

## **SECTION ONE INTRODUCTION**

The Civil registration is the continuous, permanent, compulsory and universal recording of the occurrence and characteristics of events, including vital events, pertaining to the population, as provided by decree or regulation, in accordance with the legal requirements of a country. Civil Registration is carried out primarily for the purpose of establishing the legal documents provided for by law. These records are also the best source of vital statistics.

The Civil Registration System (CRS) aimed at proper accounting of vital events for the issuance of certificates as well as generation of valuable data for plan & policy formulation on health sector, received a big boost with the promulgation of the Registration of Births and Deaths Act, 1969 (RBD Act, 1969) in all States/ UTs in the country. This Act came into force in Delhi w.e.f. 1<sup>st</sup> July, 1970 and accordingly the Delhi Registration of Births and Deaths Rules, 1970 have also been notified w.e.f. 1<sup>st</sup> January, 1971. These rules were modified and made more people friendly in December 1999 and came into force w.e.f. 1<sup>st</sup> January, 2000. Prior to the implementation of the Registration of Births and Deaths Act, 1969 (Act No. 18 of 1969), Registration of Births and Deaths in Delhi was governed by multiple Acts/ Rules. The urban area of Municipal Corporation of Delhi (MCD) was covered under the provisions of the Delhi Municipal Corporation Act, 1957 (Section 394-96) and by laws made there under, whereas this function in the rural area of MCD was carried out under the Panchayat Raj Act, 1959. Further, the MCD had been trifurcated w.e.f. May, 2012 into three corporations namely East Delhi Municipal Corporation (East DMC), North Delhi Municipal Corporation (North DMC) and South Delhi Municipal Corporation (South DMC) and re-unified into a single entity on 22<sup>nd</sup> day of May 2022 as Municipal Corporation of Delhi. On the other hand, the registration within the limits of New Delhi Municipal Council (NDMC) was governed by section 188 (c) and subsection (1) of section 199 of the Punjab Municipal Act, 1911. In the area under Delhi Cantonment this function was performed under clause (1) of section 281 of Cantonment Act, 1924.

### **MEANING & SCOPE OF CRS**

According to the United Nations, civil registration is defined as the continuous permanent and compulsory recording of the occurrence of vital events, like, live births, deaths, fetal deaths, marriages, divorces as well as annulments, judicial separation, adoptions, legitimations and recognitions. Civil registration is performed under a law, decree or regulation so as to provide a legal basis to the records and certificates made from the system,

which has got several civil uses in the personal life of individual citizens. Moreover, the information collected through the registration process provides very useful and important vital statistics also on a continuous basis at the national level starting from the smallest administrative unit. In fact, obtaining detailed vital statistics on a regular basis is one of the major functions of the Civil Registration System (CRS) in several countries of the world. Vital records obtained under CRS have got administrative uses in designing and implementing public health programmes and carrying out social, demographic and historical research. For an individual, the birth registration records provide legal proof of identity and civil status, age, nationality, dependency status etc., on which depend a wide variety of rights.

Civil Registration System may be defined as the legal recording of the occurrence of vital events (births and deaths) through a network of government offices and designated officials, together with certain identifying or descriptive characteristics of the events on a continuous, permanent and compulsory basis. Civil Registration System also serves as the tool for measuring the changes in the population. In other words, population census held once in a period of 10 years gives stock of population at a point of time whereas, vital statistics presents the flow of population.

## **ADMINISTRATIVE SET UP**

### **National level Machinery:**

The Registrar General, India is appointed by the Central Government under section 3(1) of the Act and is the central authority to coordinate and unify the activities of the Chief Registrars of Births & Deaths in States and Union Territories and to provide general directions and guidance in the matter of registration of births and deaths and working of the Act. He has to submit to the Central Government an annual report on the working of the Act in the various states as stipulated in section 3(3) of the Act.

At the national level, all matters relating to vital registration and vital statistics are handled by the Vital Statistics (Civil Registration) Division. The Division assists the Registrar General, India in (i) coordinating and unifying the work of registration and compilation of vital statistics in the states, (ii) providing direction and guidance to the state authorities, (iii) standardization of forms and procedures for registration and compilation of vital statistics for promoting uniformity and comparability, (iv) providing clarifications on various provisions of the Act and ensuring uniform interpretations of the law, (v) organizing training programmes, (vi) initiating publicity and other promotional measures, (vii) preparation of annual report on the working of the Act in different states for submission to the Central Government, (viii) preparation of annual statistical report for the country entitled '**Vital Statistics of India**'

and (ix) various other matters for securing a uniform and efficient system of registration throughout the country.

### **State level Machinery:**


Director, Directorate of Economics and Statistics, Govt. of NCT of Delhi also functions as the **Chief Registrar (Births & Deaths)** for the NCT of Delhi. The Chief Registrar is responsible for the proper implementation of the RBD Act, 1969 and the rules made there under and keeps a close liaison with the Registrar General of India, Ministry of Home Affairs, which is the nodal agency for such matters at the national level. The Chief Registrar is assisted by a secretariat in the form of vital statistics unit of the Directorate.

### **Local Authority level Machinery:**

The actual registration of births and deaths in Delhi was done by three local bodies viz MCD, NDMC and Delhi Cantonment Board through a network of centers spread all over Delhi and with effect from May 2012 five local bodies were doing the civil registration work due to trifurcation of MCD into North/South/East Delhi Municipal Corporations. The three existing civic bodies, East DMC, North DMC and South DMC are re-unified into a single entity on 22<sup>nd</sup> day of May, 2022 as Municipal Corporation of Delhi. Each local body has a notified Additional Chief Registrar to coordinate the functions in the designated geographical area. The administrative set up of the civil registration system in Delhi may be seen from the organization chart.

## **REGISTRATION PROCEDURE**

Registration of births, still births and deaths is compulsory under the Registration of Births & Deaths Act, 1969 and rules framed there under. According to the Act, it is the duty of the head of the household and if he is not present in the house the nearest relative of the head present in the house and in the absence of any such person, the oldest adult person present in the house to report the occurrence of any live birth or still birth or death. For births and deaths in hospitals/ health centers/ maternity homes/ nursing homes, other similar institutions or in jail or in dharamshala or in hostels etc., it is the responsibility of the In-charge of the institution to report birth, still birth and death to the Registrar (B&D) in their respective area within the prescribed time limit. Further, Registrar (Births & Deaths) can act suo moto and direct concerned to report the event under section 21 of the RBD Act 1969, if he/ she comes to know that a vital event has occurred in the area under jurisdiction.



As per Delhi Registration of Births & Deaths Rules, 1999, all births, still births and deaths within 21 days of the occurrence are to be reported to the Registrar/ Sub-Registrar of the concerned local area. The information is to be given in live birth report (Form-1), still-birth report (Form-3) and death report (Form-2). To get the birth registration of adopted child in the name of adoptive parents, the provision of Form 1-A has been made. Further, as per direction of ORGI, the UID number has been incorporated in the Forms. As soon as registration of birth or death is completed, a certificate in form No. 5 or 6 respectively containing essential particulars of the event is given free of cost to the applicant under Section 12 of the R.B.D. Act 1969. Additional copies of the birth/ death certificates may be obtained by the applicant by paying the prescribed fee under section 17 of the RBD Act.

### **ADDITION OF NAME IN BIRTH RECORD**

In case, where the birth of any child had been registered without a name, the parents or guardian of such a child may approach the Registrar (B&D) for addition of the name of the child in the birth certificate free of cost within 12 months from the date of registration of the birth of a child. In case where the registration had been made prior to 01.01.2000 or in case where the registration is made after the date of the commencement of DRBD Rules 1999, the name of child can also be entered in the record after 12 months of registration but within a period of fifteen years on payment of a late fee of rupees five. Further five years extension has been given for addition of name of child vide Gazette Notification No F.13(1)/VS/DES/2006/9742-78 dated 08/12/2014.

Vide Gazette Notification No. F. 4(18)/VS/DES/2020/10020, dated 09/07/2021, for clause (i) and (ii) of sub-rule-1 of rule 10 of the Delhi Registration of Births and Deaths Rules, 1999, the following provisions for extension of further five years for addition of name of child in birth record has been notified:-

(i) (a) In case where the registration had been made prior to the date of commencement of the principal rule, further five years period from the date of commencement of this rule (i.e. Registration of Births & Deaths (Amendment) Rules, 2021) shall be given. Or

(b) In case where the registration had been made after the date of commencement of the principal rule and fifteen years period from date of registration has already been lapsed, they shall also be given five years period from the date of commencement of this rule (i.e. Registration of Births & Deaths (Amendment) Rules, 2021). In respect of those cases, where fifteen years period from the date of registration has not yet been lapsed, they shall be allowed to avail the fifteen years period. Or

(ii) In case where the registration is made after the date of commencement of the Registration of Births & Deaths (Amendment) Rules, 2021, the period of fifteen years from the date of such registration, subject to the provisions of sub-section (4) of section 23.

the Registrar shall-

- (a) If the register is in his possession forthwith enter the name in the relevant column of the concerned form in the birth register on payment of a late fee of rupees five.
- (b) If the register is not in his possession and if the information is given orally, make a report giving necessary particulars, and if the information is given in writing, forward the same to the officer specified by the State Government in this behalf for making the necessary entry on payment of a late fee of rupees five.

### **DELAYED REGISTRATION**

Any vital event not reported to the appropriate authority within a period of 21 days from date of occurrence constitutes delay. The following procedure is to be followed in such situations:

- (a) Any birth or death of which information is given to the Registrar after the expiry of the specified period of **21 days** but within thirty days of its occurrence shall be registered on payment of a late fee of Rs. 2/-.
- (b) Any birth or death of which information is given to Registrar after **30 days**, but within one year of its occurrence shall be registered only with the written permission of the concerned Registrar on payment of late fee of Rs. 5/-.
- (c) Any birth or death which has not been registered **within one year** of its occurrence, shall be registered only on an order of Area Sub-Divisional Magistrate and payment of late fee of Rs. 10/-.

### **MEDICAL CERTIFICATION OF CAUSE OF DEATH**

One important aspect of vital statistics is the certification of cause of death. Medical Certification of Cause of Death (MCCD) provides reliable data on cause of mortality. This data serves as a valuable tool for public health planners, administrators, medical professionals and research workers to study cause of death in the population. Keeping in view the importance of this information, the provision has been made u/s 10(2) and 10(3) of the Registration of Births & Deaths Act, 1969 for cause of death certification by the medical practitioner of the hospital last attended by the deceased and report it on Form No. 4 (in case of institutional death) and on Form No. 4A (for domiciliary death) for further submission of it along with death reporting form (Form No. 2) to the Registrar's office at the time of registration of death. Form 4 has two parts, Part-I provides for entering the diseases in a specific sequence of events leading to death so that the immediate cause is shown first

and the underlying cause is shown last. The underlying cause is that morbid condition which initiated the chain of events leading to death.

In Delhi, the reporting of Medical Certification of Cause of Death has been made compulsory since the year 2003 in respect of institutional deaths. The domiciliary deaths have not been brought under the ambit of MCCD due to various practical problems such as lack of awareness among the citizens, economic conditions and also due to non-availability of adequate health infrastructure.

### **LEVEL OF COMPUTERIZATION & FLOW OF DATA**

All local bodies have computerized the births & deaths registration system and all hospitals are reporting the events online to the concerned Registrar (B&D). NIC has developed new software for Birth and Death Registration process, addition of name of child, correction in birth/death records in Municipal Corporation of Delhi. This has enabled a complete online system to facilitate citizen to apply Birth & Death registration/certificates from their home. Birth/death certificates can also be downloaded by the Citizens from the websites of concerned local bodies.

In Municipal Corporation of Delhi, all hospitals/ nursing homes report the vital events through newly developed online system thereby avoiding manual handling for feeding the data/ information and consequently less chances of delays, omissions etc. for reporting the events. In NDMC & DCB, almost all hospitals are reporting the vital events online. Soft copy of the CRS data is supplied along with MCCD to Chief Registrar's Office by the local bodies for preparation of Annual Report.

### **FUNDS UTILISED FOR CIVIL REGISTRATION SYSTEM**

During the year 2022-23, a total amount of Rs. 1,83,555/- was spent from State budget on printing of birth and death reporting forms in Delhi. The item wise expenditure is as under:

#### **Statement 1.1: Expenditure incurred on CRS in Delhi**

Sl. No.	Items	Expenditure incurred from			
		State Budget (Rs)		Central Assistance (Rs)	
		2021-22	2022-23	2021-22	2022-23
1	Printing of reporting forms	18,39,012	1,83,555	-	-
2	Training programmes (MCCD)	-	-	-	-
	<b>Total</b>	<b>18,39,012</b>	<b>1,83,555</b>	<b>-</b>	<b>-</b>



## LEVEL OF REGISTRATION

The registration of births and deaths varies from state to state and between births and deaths. One way to assess the performance of CRS is to compare the rates derived at state level from CRS with those derived from SRS, which collects these information for the usually resident population and provides reliable estimates of birth and death rates at state level.

The CRS in quantitative terms can be gauged primarily from the level of registration achieved consistently in a given region/ state. The level of registration may be taken as the ratio of actual number of births/ deaths registered as per CRS to the estimated births/ deaths under SRS in a calendar year.

### Statement 1.2: Level of Registration in Delhi

Year	Registered Under Civil Registration System		Estimated under Sample Registration System		Level of Registration	
	Births	Deaths	Births	Deaths	Births	Deaths
2006	322750	98908	281814	71985	115	137
2007	322044	100974	282595	74942	114	135
2008	333908	107600	292854	76397	114	141
2009	354482	112013	293673	71390	121	157
2010	359463	124353	294412	69468	122	179
2011	353759	112142	295995	72730	120	154
2012	360473	104616	299152	72626	120	144
2013	370000	97185	303924	72447	122	134
2014	373693	121286	303190	68579	123	177
2015	374012	124516	302170	66330	124	188
2016	379161	141632	291447	75212	130	188
2017	367046	136117	291566	70973	126	192
2018	362803	145533	287547	64551	126	225
2019	365868	145284	287136	63808	127	228
2020	301645	142789	288530	73148	105	195
2021	271786	171476	NA	NA	NA	NA
2022	300350	128106	NA	NA	NA	NA

Obviously, Delhi is among the few States/ UTs which have achieved 100% level of birth and death registration. Apart from Delhi, this list includes Andhra Pradesh, Assam, Chandigarh, Goa, Gujarat, Karnataka and Puducherry. The level of registration of births/ deaths in Delhi over a period of time is indicated in the above statement. It is evident from the above statement that the level of registration in Delhi was more than hundred percent mainly because of the existence of good health infrastructure as well as responsive registration mechanism at ground level. Due to this fact, the people from other areas outside Delhi also come to avail better health facilities/ treatment in Delhi's hospitals and consequently the births and deaths pertaining to non-residents of Delhi also occurred here and then the registrations of such vital events are done in Delhi in accordance with provisions of the RBD Act, 1969 to register the vital event as per the place of occurrence of

the event. Evidently, this factor plays a key role in having the number of registered births and deaths higher than the SRS estimates.

### **MEASURES FOR IMPROVEMENT OF CIVIL REGISTRATION SYSTEM**

- (i) A Citizen's Charter for Registration of Births & Deaths has been implemented and the issuance of Births & Deaths certificates has been covered under e-Service Level Agreement (SLA) to facilitate the public. The citizen charter indicates brief procedure and guidelines to be followed by the citizens of Delhi and Local Bodies for registration of Births & Deaths. This may prove helpful to improve the Civil Registration System in Delhi. All registration centers have to display the informative boards regarding various provisions under e-SLA pertains to issuance of Birth & Death certificate to guide the public properly.
- (ii) The Chief Registrar's Office is operating a website '[www.des.delhi.gov.in](http://www.des.delhi.gov.in)' giving details of registration procedure, zone wise registration centre, administrative machinery for redressal of grievances etc. Provision has also been made for the general public to give their suggestions for the improvement of the system through e-mail.
- (iii) All the local bodies have computerized their operations resulting in improvement in the quality of service rendered to the public. All hospitals, government/ private have been provided the facility of online reporting of events and this has sped up the process of reporting/ registration of events. Further, online facility to take the birth/ death certificates directly from website is also being provided by all local bodies i.e. NDMC, MCD and DCB.
- (iv) Total 3,29,515 birth certificates and 1,50,949 death certificates were issued under section 12 & 17 of RBD Act, 1969 during the year 2022 in Delhi.
- (v) No penalties have been imposed under section 23 of RBD Act, 1969 on defaulting institution, registrar and the individuals for non-registration, non reporting and for negligence to register any birth/ death in the year 2022.
- (vi) Inspection of Registration centers: During the year 2022, two registration zones (NDMC and Civil Lines zone, MCD) have been inspected on 27.05.2022 and 14.06.2022 jointly by the officers of DCO and Office of Chief Registrar (Births & Deaths). MRD branch of Guru Teg Bahadur hospital has also been inspected by the officers of DCO and Office of Chief Registrar (Births & Deaths) on 06.06.2023. Further, inspection of 12 registration units was done by the officers/ officials of Headquarter of Municipal Corporation of Delhi to examine the working of registration units and ascertain the difficulties of public in registration and obtaining birth and death certificates.

- (vii) Supply of Registration stationery: The office of Chief Registrar (B&D) provides registration stationary i.e. Birth reporting forms, Death reporting forms, Still birth reporting forms, MCCD forms etc. free of cost to the local bodies, Govt. and Private hospitals, Nursing homes and Maternity Centers.
- (viii) NGOs and other voluntary organizations were involved in the propagation of benefits of registration of births/ deaths and identification of unregistered cases if any, in slum areas. The Office of Chief Registrar (Births & Deaths) has cooperated in the mission of Plan India by providing the birth certificate of children in difficult circumstances with the help of zonal offices of Municipal Corporation.
- (ix) As per the initiative of office of RGI, GOI; some new tables based on statistical information reflected in birth & death reporting forms have been added w.e.f. the Annual Report, 2013. These statistical tables (like birth weight of child at the time of birth, age of mother at the time of marriage, the gap in years between marriage and different orders of the children etc.) have been presented in the section 5 of the report.
- (x) During the field visits/surveys in the area/cluster pamphlets containing the advantages of institutional deliveries related benefits under the Government schemes, role of ASHA workers along with list of nearest hospitals were distributed among the citizens by the O/o Chief Registrar (Births & Deaths). Awareness was provided through pamphlets how citizen can get birth certificate without any hassle in case of hospital delivery. It was also appealed that the medical facilities available at nearest Government hospitals may be availed for delivery. Publicity was also done by MCD through handbills, display board and through website.

### **Monitoring and Coordination**

A high level Interdepartmental Co-ordination Committee (IDCC) has been constituted in Delhi under the Chairmanship of Pr. Secretary (Plg.) and Chief Registrar (B&D) as Member Secretary. This committee consists of representatives from Directorate of Health Services, Education, Police and local bodies etc. to sort out the matters relating to the subject without much delay. This platform is expected to ensure close coordination and effective monitoring of the implementation of the provisions of the Act. Vide Order dated 23.09.2021 it has been decided to reconstitute Inter Departmental Co-ordination Committee (IDCC) to review the progress of registration of births and deaths in NCT of Delhi from time to time and also to ensure proper co-ordination among various departments/ institutions and local bodies entrusted with the responsibilities of the registration of births and deaths in NCT of Delhi. The latest IDCC meeting was held on 09.12.2021 under the Chairmanship of Pr. Secretary (Plg.), GNCTD to discuss further measures to make the Civil Registration System people friendly.

## Sex Ratio in Delhi

The main source for bringing out this vital indicator is Population Census data and CRS data. The population data gives universal sex ratio for every 10 years. This data suffers from two major limitations viz. time lag and does not give the realistic situation as it gets affected by the in and out migrations. Therefore, the records of registration of births & deaths become the primary source for compilation of sex ratio at State/ District etc. levels. The CRS data will provide short term and very effective inputs on this burning problem so that remedial measures can be initiated without loss of time.

The sex ratio is expressed as the number of female births to thousand male births for a particular period of time says one year/ month etc. As per the International practice, sex ratio is worked out as number of male births per 100 female births. As per the International standard, sex ratio around 105 males per 100 females is considered as an acceptable level.

### Sex Ratio as per Population Census

The universal sex ratio of Delhi as per population census for all age groups taken together was 821 females per 1000 males in 2001 and it has become 868 females per 1000 males as per final data of census - 2011. Child sex ratio (0-6 years) of Delhi went up marginally from 868 (as per census 2001) to 871 (as per census 2011). As can be seen from statement 1.3, at both points of time the figures of Delhi were below the All India level. The district-wise scenario for the children of 0-6 years varies in different districts.

### Statement 1.3: Sex ratio of Delhi/All India as per population Census Data

Sl. No.	Item	Census year	
		2001	2011
A	<b>District wise sex ratio (children of 0-6 years)</b>		
	South	888	885
	South West	846	845
	North West	857	865
	North	886	873
	Central	903	905
	New Delhi	898	894
	East	865	871
	North East	875	880
	West	859	872
B	Delhi		
	Children of 0-6 years	868	871
	All ages	821	868
C	All India		
	Children of 0-6 years	927	919
	All ages	933	943


Source: Population Census -2011.

## Sex Ratio as per CRS Data

The data available from Civil Registration System indicates that sex ratio at birth (refer statement 1.4) was 822 females per 1000 males in the year 2005 and it is improving every year and was 848 in the year 2007. However, during 2008 the sex ratio was reversed showing 1004 females per 1000 males which was unprecedented and may be due to implementation of LADLI SCHEME w.e.f. 01.01.2008. Further, the sex ratio at birth has marginally decreased from 932 females per 1000 males in the year 2021 to 929 during the year 2022.

**Statement 1.4: Sex ratio of Delhi at birth – CRS Data**

Year	Sex Ratio at Birth (CRS Data)	
	No. of Females per 1000 males	No. of Males per 100 females
2005	822	122
2006	831	120
2007	848	118
2008	1004	100
2009	915	109
2010	901	111
2011	893	112
2012	886	113
2013	895	112
2014	896	111
2015	898	111
2016	902	111
2017	913	110
2018	924	108
2019	920	109
2020	933	107
2021	932	107
2022	929	108



## **MONTHLY MONITORING OF THE SEX RATIO OF INSTITUTIONAL BIRTH**

The national conference of Chief Registrars Births & Deaths, held in 2003 unanimously recommended for the monitoring of sex ratio on a regular basis at the State/UT level taking into account the alarming decline in the sex ratio which has become a cause of concern for the policy makers and administrators. In compliance of the mandate of the Chief Registrar Conference, Delhi has started the monthly monitoring of sex ratio of institutional births w.e.f. the year 2004.

The data is collected on monthly basis from 100 major hospitals which account for 72.96% of total registered births in the year 2022 in Delhi. This helps to review the sex ratio at the highest level in the shortest possible time without waiting for the yearly indicators. The sex ratio of institutional births on the basis of these 100 hospitals comes out to 923 in the year 2022.

From the month of January, 2022 onwards data is being collected from 100 major hospitals to increase the coverage of health institutions under the monthly monitoring system to make this exercise meaningful and truly representative of the ground reality.

## **COMPARISON OF SEX-RATIO AMONG STATES/ UTs**

The data pertaining to the scenario of sex ratio in different States/ UTs, given by office of R.G.I. may be seen in Statement 1.5. However, at the time of comparing it should also be kept in mind that Level of Registration is not uniform in all States/ UTs.

**Statement 1.5: Sex Ratio at Birth based on registered events**

Sl. No.	State/U.T.	2015	2016	2017	2018	2019	2020
	<b>India</b>	<b>881</b>	<b>877</b>	<b>903</b>	<b>921</b>	<b>920</b>	<b>923</b>
1	Andhra Pradesh	971	806	935	931	935	939
2	Arunachal Pradesh	895	964	1047	1084	1024	1011
3	Assam	885	888	921	904	903	956
4	Bihar	870	837	N.A.	N.A.	N.A.	964
5	Chhattisgarh	938	980	968	934	931	940
6	Goa	928	900	910	943	948	947
7	Gujarat	N.A.	N.A.	898	897	901	909
8	Haryana	851	865	N.A.	914	923	916
9	Himachal Pradesh	903	910	934	930	918	936
10	Jharkhand	879	863	N.A.	N.A.	N.A.	948
11	Karnataka	893	896	949	957	947	949
12	Kerala	948	954	965	963	960	969
13	Madhya Pradesh	904	909	N.A.	902	905	921
14	Maharashtra	883	904	N.A.	N.A.	N.A.	N.A.
15	Manipur	686	N.A.	N.A.	757	934	880
16	Meghalaya	975	N.A.	937	942	927	922
17	Mizoram	973	964	964	964	975	954
18	Nagaland	897	967	948	965	1001	953
19	Odisha	866	858	930	928	947	941
20	Punjab	891	857	890	896	914	925
21	Rajasthan	794	806	931	949	916	952
22	Sikkim	973	999	N.A.	N.A.	N.A.	N.A.
23	Tamil Nadu	818	840	932	933	942	939
24	Telangana	834	881	915	924	953	937
25	Tripura	1000	917	962	945	949	974
26	Uttarakhand	862	825	929	956	960	954
27	Uttar Pradesh	877	885	N.A.	N.A.	N.A.	N.A.
28	West Bengal	919	911	N.A.	N.A.	941	951
	<b>Union Territories</b>						
1	A&N Islands	925	987	957	953	965	984
2	Chandigarh	898	901	907	909	938	943
3	Dadra & Nagar Haveli	1001	945	936	923	921	898
4	Daman & Diu	924	974	879	877	926	-
5	Delhi	898	902	913	924	920	933
6	Jammu & Kashmir	912	914	909	952	909	
7	Ladakh	N.A.	N.A.	N.A.	N.A.	N.A.	1104
8	Lakshadweep	891	945	914	839	953	957
9	Puducherry	939	931	931	941	934	947

N.A. - Not Available

\* Source: Vital Statistics of India based on CRS, 2020 published by Office of the Registrar General, India, Ministry of Home Affairs, Govt. of India and Annual Report on Registration of Births and Deaths in Delhi- 2020.

**SECTION TWO**  
**RESULTS AT A GLANCE**  
**2022**



## SECTION TWO

### RESULTS AT A GLANCE

This section is devoted to the brief analysis of the vital events registered under the Civil Registration System in Delhi during the calendar year 2022. The main focus will be on number of events, sex-wise distribution, type of event, geographical distribution etc. The total number of vital events registered in Delhi during 2022 were 4,28,456. Out of them 300350 were births and 1,28,106 deaths. Gross natural addition to the population of Delhi during 2022 comes to about 1.72 lakh persons.

#### Statement 2.1.: Distribution of Vital Events by Sex

Sl. No.	Item	Male	Female	Others #	Total
<b>Events</b>					
A.	Births	155670	144581	99	300350
	<i>Percentage</i>	51.83	48.14	0.03	100
B.	Deaths	79052	49004	50	128106
	<i>Percentage</i>	61.71	38.25	0.04	100
	Gross natural addition to the population (A) - (B)	76618	95577	49	172244

# Sex "others" includes transgender/ambiguous/ not stated.

Sex wise distribution of births revealed that 51.83% were male, 48.14% female and 0.03% others during 2022. Break up of deaths registration in terms of sex indicated that 61.71% were male, 38.25% female whereas 0.04% were others.

#### Statement 2.2.: Distribution of Vital Events by Sector

Sl. No.	Item	Number				Percentage
		Male	Female	Others	Total	
<b>A</b>	<b>Births</b>					
(i)	Rural	16952	15619	10	32581	10.85
(ii)	Urban	138718	128962	89	267769	89.15
<b>B</b>	<b>Deaths</b>					
(i)	Rural	9063	4901	3	13967	10.90
(ii)	Urban	69989	44103	47	114139	89.10

Births and Deaths registered in Delhi during 2022 are presented sector wise in statement 2.2. For births, it is based on the town or village pertains to residence of mother of the new born and for deaths, it is based on the town or village of residence of the deceased.

During 2022, the proportion of urban births has accounted for 89.15% and rural births 10.85%. For deaths, this proportion is 89.10% for urban and 10.90% for rural.

**Statement 2.3: Distribution of Vital Events by Type**

Sl. No.	Item	Number				Percentage
		Male	Female	Other	Total	
<b>A</b>	<b>Births</b>					
(i)	Institutional	146852	135439	98	282389	94.02
(ii)	Non-institutional	8818	9142	1	17961	5.98
<b>B</b>	<b>Deaths</b>					
(i)	Institutional	50666	30923	41	81630	63.72
(ii)	Non-institutional	28386	18081	9	46476	36.28


It is observed that during 2022 the institutional births have accounted for 94.02% and domiciliary i.e. non-institutional births 5.98%. On a positive note, it is observed that except 2021, the proportion of institutional births out of total births is continuously increasing. It has increased from 73.72% (in 2005) to 94.02% (in 2022) i.e. more than 20% increase has occurred in proportion of institutional births during preceding 18 years.

During 2022, the proportion of institutional deaths was 63.72% and non-institutional 36.28%.

**Statement 2.4:-Proportion of Institutional Vital Events**

Year	Percentage of Institutional Births to Total Births	Percentage of Institutional Deaths to Total Deaths
2005	73.72	59.87
2006	77.92	60.92
2007	74.57	58.68
2008	73.45	53.09
2009	75.64	61.04
2010	78.51	61.42
2011	79.51	60.93
2012	81.35	64.86
2013	81.75	70.11
2014	82.83	61.50
2015	84.41	62.70
2016	86.74	63.91
2017	89.10	65.66
2018	90.28	67.44
2019	91.15	65.98
2020	91.94	60.57
2021	91.21	57.79
2022	94.02	63.72

The analysis of institutional vital events reflects that the proportion of institutional births to total births is higher than the proportion of institutional deaths to total deaths. During the last five consecutive years, the proportion of Institutional births to total births has crossed the level of 90%.



## Registration of Vital Events by Local body


The responsibility for registration of all types of vital events lies with the local bodies in Delhi. The majority of the registrations were done in Municipal Corporation of Delhi followed by New Delhi Municipal Council and Delhi Cantonment Board. The details about proportion of registered births and deaths in different local bodies during the year 2022 are reflected in statement 2.5.

### Statement 2.5: Distribution of Vital Events by Local body

Sl. No.	Local Body	Number		Percentage	
		Births	Deaths	Births	Deaths
A	Municipal Corporation of Delhi	259052	95165	86.25	74.29
B	New Delhi Municipal Council	37975	31106	12.64	24.28
C	Delhi Cantonment Board	3323	1835	1.11	1.43
	<b>Total (A+B+C)</b>	<b>300350</b>	<b>128106</b>	100.0	100.0

**Statement 2.6: Trend of Proportion of Institutional Births (Local Body-Wise)**

Year	Percentage of Institutional Births to Concerned Local Body's total births						Percentage of institutional Births to Total Births
	North DMC	South DMC	East DMC	Unified MCD	NDMC	DCB	
2005	NA	NA	NA	69.99	98.50	86.38	73.72
2006	NA	NA	NA	74.61	99.65	89.74	77.92
2007	NA	NA	NA	70.85	98.94	93.44	74.57
2008	NA	NA	NA	68.73	99.66	96.47	73.45
2009	NA	NA	NA	72.18	99.71	95.11	75.64
2010	NA	NA	NA	75.56	99.79	95.63	78.51
2011	NA	NA	NA	77.02	99.80	97.05	79.75
2012	NA	NA	NA	78.77	99.78	97.02	81.35
2013	83.89	75.03	78.45	79.33	99.77	97.02	81.75
2014	84.43	76.56	79.72	80.43	99.85	96.95	82.83
2015	85.78	77.92	82.55	82.16	99.81	97.95	84.41
2016	87.18	80.26	87.31	84.73	99.83	99.37	86.74
2017	90.02	83.89	88.20	87.38	99.87	99.39	89.10
2018	90.85	85.09	90.97	88.74	99.94	99.33	90.28
2019	91.79	85.94	92.25	89.75	99.96	99.66	91.15
2020	92.81	89.91	89.57	90.90	100.00	99.61	91.94
2021	92.04	88.62	88.50	90.00	99.97	99.63	91.21
2022	-	-	-	93.08	99.93	99.88	94.02



The analysis of trend of proportion of institutional births in local bodies reveals that the NDMC and DCB had almost 100% births in the institutions/ hospitals whereas this


proportion in case of MCD mostly lies in between 68 and 93%.

It is observed that in Delhi, the proportion of institutional births during the five consecutive years was more than 90% in consequence of the positive impact of different government programmes to encourage institutional delivery for safe maternal and child health. Still, there is strong need to take further measures to achieve the milestone of cent-percent institutional delivery.

**Statement 2.7: Trend of Proportion of Institutional Deaths (Local Body-Wise)**

Year	Percentage of Institutional Deaths to Concerned Local Body's Total Deaths						Percentage of institutional Deaths to Total Deaths
	North DMC	South DMC	East DMC	Unified MCD	NDMC	DCB	
2005	NA	NA	NA	49.36	97.67	89.66	59.87
2006	NA	NA	NA	51.35	97.93	89.08	60.92
2007	NA	NA	NA	47.51	98.5	92.42	58.68
2008	NA	NA	NA	72.30	96.22	93.28	53.09
2009	NA	NA	NA	51.00	98.2	87.94	61.04
2010	NA	NA	NA	53.04	98.21	86.74	61.42
2011	NA	NA	NA	51.50	98.25	88.95	60.93
2012	NA	NA	NA	54.82	98.35	89.74	64.86
2013	67.32	43.89	79.06	60.65	100	91.50	70.11
2014	52.95	46.93	60.97	52.58	98.35	92.39	61.50
2015	54.35	47.41	61.32	53.42	98.72	91.73	62.70
2016	53.49	50.25	64.55	54.71	100.00	92.46	63.91
2017	56.29	50.4	65.84	56.35	100.00	100.00	65.66
2018	56.39	52.02	70.23	57.83	99.96	95.80	67.44
2019	55.65	48.91	66.08	55.47	98.82	91.69	65.98
2020	48.14	47.55	55.94	49.54	98.42	90.91	60.57
2021	49.80	45.08	45.02	47.05	98.26	94.16	57.79
2022	-	-	-	51.74	98.67	92.43	63.72

It is observed that the proportion of institutional deaths in the year 2022 was 63.72%. Further, local body wise analysis clearly reflect that the proportion of institutional deaths in case of NDMC and Delhi Cantt. were 98.67% and 92.43% respectively, whereas it was 51.74% in case of the Municipal Corporation of Delhi.



## Main Vital Indicators of Delhi and India

The vital indicators emerged out of the CRS of Delhi are presented in statement 2.8. For the benefit of data users; indicators of national level are also included.

### Statement 2.8: Main Vital Indicators of Delhi and India

Sl. No.	Item	Delhi @	India**
<b>A</b>	<b>Vital Rates (per 1000)</b>		
1	Birth Rate	14.24	19.5
2	Death Rate	6.07	6.0
3	Natural growth rate	8.17	13.5
4	Infant Mortality Rate	23.82	28
5	Maternal Mortality Rate	0.49	NA
<b>B</b>	<b>No. of events per day</b>		
1	Births	823	NA
2	Deaths	351	NA

@ Data of Delhi pertains to CRS 2022

\*\*Data of India pertains to SRS 2020

Religion wise sex composition of births and deaths is presented in statement 2.9. It can be observed that more or less same pattern was noticed in all religions with regard to sex composition, particularly in birth events.

**Statement 2.9: Distribution of Vital Events by Main Religion**

Sl. No.	Religion	Births				Deaths			
		Male	Female	Other	Total	Male	Female	Other	Total
<b>A</b>	<b>Number</b>								
1	Hindu	122048	112343	81	<b>234472</b>	65054	39671	39	104764
2	Muslim	30285	28931	17	<b>59233</b>	9984	6475	8	16467
3	Sikh	1668	1640	1	<b>3309</b>	2054	1636	0	3690
4	Christian	623	666	0	<b>1289</b>	457	324	0	781
5	Others (Including 'Not Stated')	1046	1001	0	<b>2047</b>	1503	898	3	2404
	<b>ALL</b>	<b>155670</b>	<b>144581</b>	<b>99</b>	<b>300350</b>	<b>79052</b>	<b>49004</b>	<b>50</b>	<b>128106</b>
<b>B</b>	<b>Percentage</b>								
1	Hindu	52.05	47.91	0.04	<b>100</b>	62.09	37.87	0.04	100
2	Muslim	51.13	48.84	0.03	<b>100</b>	60.63	39.32	0.05	100
3	Sikh	50.41	49.56	0.03	<b>100</b>	55.66	44.34	0	100
4	Christian	48.33	51.67	0	<b>100</b>	58.51	41.49	0	100
5	Others (Including 'Not Stated')	51.10	48.90	0	<b>100</b>	62.52	37.35	0.12	100
	<b>ALL</b>	<b>51.83</b>	<b>48.14</b>	<b>0.03</b>	<b>100</b>	61.71	38.25	0.04	100

**MEDICALLY CERTIFIED CAUSE OF DEATH:**

As per the Act and Rule, it is mandatory to provide medically certified cause of death for each institutional death by the doctor who attended the patient / deceased. During the year 2022, total 81630 deaths were reported by the hospitals/ nursing homes and registered in local bodies. These deaths have been provided medically certified cause of

death as per ICD-10 coding of WHO. The medically certified cause-wise broad classification of these deaths is given in statement 2.10.

**Statement 2.10: Broad Classification of MCCD by sex**

ICD 10 Chapter No.	Name of Broad Disease Group	No. of Persons				% to total
		Male	Female	Other	Total	
I	Infectious and Parasitic Diseases (A00-B99)	10136	6973	8	17117	20.97
II	Neoplasms (C00-D48)	3147	2261	1	5409	6.63
III	Diseases of the Blood & blood forming organs and certain disorders involving the immune mechanism (D50-D89)	388	315	0	703	0.86
IV	Endocrine, Nutritional and Metabolic Diseases (E00-E90)	735	674	2	1411	1.73
V	Mental and Behavioral disorders (F01-F99)	89	9	0	98	0.12
VI	Diseases of the Nervous System (G00-G98)	1018	677	1	1696	2.08
VII	Diseases of the eye and adnexa (H00 - H59)	0	1	0	1	0
VIII	Diseases of the ear and mastoid process (H60-H95)	1	3	0	4	0
IX	Diseases of the circulatory system (I00-I99)	10542	6437	3	16982	20.80
X	Diseases of the Respiratory System (J00-J98)	4412	3019	1	7432	9.10
XI	Diseases of the Digestive System (K00-K92)	3646	1101	0	4747	5.82
XII	Diseases of the skin and subcutaneous tissue (L00 - L99)	37	19	0	56	0.07
XIII	Diseases of the Musculoskeletal system connective tissue (M00-M99)	47	46	0	93	0.11
XIV	Diseases of the Genitourinary System (N00 - N99)	1488	1143	3	2634	3.23
XV	Pregnancy, Childbirth and the puerperium (O00 - O99)	0	138	0	138	0.17
XVI	Certain conditions originating in the perinatal period (P00-P96)	1510	957	7	2474	3.03
XVII	Congenital Malformations, Deformations & chromosomal abnormalities (Q00-Q99)	332	189	1	522	0.64
XVIII	Symptoms, Signs and abnormal clinical & laboratory findings n.e.c., (R00 - R99)	9318	5251	14	14583	17.86
XIX	Injury, poisoning and certain other consequences of external causes (S00-T98)	1972	772	0	2744	3.36
XX	External causes of Morbidity and Mortality (V01-Y89)	1029	456	0	1485	1.82
XXII	Codes for Special Purposes (U00-U49)	819	482	0	1301	1.59
<b>ALL</b>		<b>50666</b>	<b>30923</b>	<b>41</b>	<b>81630</b>	<b>100</b>






## CRS vis-à-vis SRS Results

Any attempt aimed at making a comparison between SRS estimates and CRS results strictly speaking is not tenable as they follow different approaches to determine the basic parameters. However they can be taken as two alternatives to complement/ supplement each other. SRS estimates which are based on sampling approach serves as a short term tool in the management of health scenario as CRS results are not available at short notice. Moreover SRS covers events pertaining to domicile population whereas CRS is inclusive of vital events of migratory population as events are registered as per place of occurrence under RBD Act. That is the reason why CRS results are usually on the higher side when compared to that of SRS. Further, if CRS results could be brought about in shortest possible time frame it can supplement the SRS in the times to come. Therefore the following statements are included to serve academic purpose at present.

### Statement 2.11: Comparison of Vital Rate on SRS and CRS Results

Year	Birth Rate		Death Rate		Infant Mortality Rate	
	S.R.S.	*C.R.S.	S.R.S	*C.R.S.	S.R.S.	C.R.S.
2005	18.6	21.52	4.6	6.24	35	13
2006	18.4	21.05	4.7	6.45	37	18
2007	18.1	20.58	4.8	6.46	36	25
2008	18.4	20.94	4.8	6.77	35	18
2009	18.1	21.77	4.4	6.89	33	19
2010	17.8	21.66	4.2	7.48	30	22
2011	17.5	20.92	4.3	6.63	28	22
2012	17.3	20.87	4.2	6.05	25	24
2013	17.2	20.94	4.1	5.50	24	22
2014	16.8	20.71	3.8	6.72	20	22
2015	16.4	20.30	3.6	6.76	18	23
2016	15.5	20.16	4.0	7.53	18	21.35
2017	15.2	19.13	3.7	7.10	16	20.83
2018	14.7	18.55	3.3	7.44	13	23.81
2019	14.4	18.35	3.2	7.29	11	24.12
2020	14.2	14.85	3.6	7.03	12	20.37
2021	NA	13.13	NA	8.28	NA	23.60
2022	NA	14.24	NA	6.07	NA	23.82

\*:- Revised as per latest Population Projections prepared by National Commission of Population from the year 2011.



**-: SECTION THREE :-**  
**BIRTH REGISTRATION**  
**PROFILE**

## SECTION THREE

### PROFILE OF BIRTHS REGISTRATION

In this section various aspects of birth registrations, that had taken place during 2022 under Civil Registration System, are analyzed with special reference to the number of events registered across years, male- female composition, matters relating to birth order and literacy, age of the mother at the time of child birth, the type of medical attention available in case of domiciliary events, local body-wise registration of events etc. The level of birth registration was found to be more than 100% consistently over a period of time thereby indicating the sound health of Civil Registration System in Delhi.

#### Birth Registration under Civil Registration System

During 2022, a total of 3,00,350 birth events were registered by all the local bodies taken together. Out of them, 1,55,670 (51.83%) were males, 1,44,581 (48.14%) were females and 99 (0.03%) were others.

#### Statement 3.1: Total Number of Births registered under CRS sex-wise

Year	Number of Births					Average registered births per day	Sex Ratio
	Male	Percentage	Female	Percentage	Total		
2005	178031	54.89	146305	45.11	324336	889	822
2006	176242	54.61	146508	45.39	322750	884	831
2007	174289	54.12	147755	45.88	322044	882	848
2008	166583	49.89	167325	50.11	333908	915	1004
2009	185131	52.22	169351	47.78	354482	971	915
2010	189122	52.61	170341	47.39	359463	985	901
2011	186870	52.82	166889	47.18	353759	969	893
2012	191129	53.02	169344	46.98	360473	988	886
2013	195226	52.76	174774	47.24	370000	1014	895
2014	197078	52.73	176615	47.26	373693	1024	896
2015	197080	52.69	176932	47.31	374012	1025	898
2016	199358	52.58	179738	47.40	379161	1036	902
2017	191876	52.28	175090	47.70	367046	1006	913
2018	188494	51.96	174196	48.01	362803	994	924
2019	190527	52.08	175267	47.90	365868	1002	920
2020	155973	51.71	145597	48.27	301645	824	933
2021	140604	51.73	131112	48.24	271786	745	932
*2022	155670	51.83	144581	48.14	300350	823	929

\* Out of total registered births, 99 births have Sex "Others" during the year 2022.

\* Sex "others" includes transgender/ ambiguous/ not stated.

It may be observed from the statement 3.1 that the composition of male and female births in the total births was consistently 50 - 55% and 45 - 50% respectively across the years.

The sex ratio at birth has decreased to 929 females per thousand males during 2022. Further analysis of institutional and non-institutional births indicates that sex ratio in respect of institutional births has slightly decreased from 924 (in the year 2021) to 922 in 2022, whereas in domiciliary births sex ratio increased from 1031 in 2021 to 1037 in 2022.

**Statement 3.1(A): Comparative Position of Sex Ratio in Institutional and Non-Institutional Births**

Year	Institutional Births				Domiciliary Births				Sex Ratio based on Total Births
	Total	Male	Female	Sex Ratio	Total	Male	Female	Sex Ratio	
2007	240154	129124	111030	860	81890	45165	36725	813	848
2008	245254	128095	117159	915	88654	38488	50166	1303	1004
2009	268119	143210	124909	872	86363	41921	44442	1060	915
2010	282197	150370	131827	877	77266	38752	38514	994	901
2011	282115	150392	131723	876	71644	36478	35166	964	893
2012	293231	157067	136164	867	67242	34062	33180	974	886
2013	302453	160932	141521	879	67547	34294	33253	970	895
2014	309538	164324	145214	884	64155	32754	31401	959	896
2015	315694	167868	147826	881	58318	29212	29106	996	898
2016	328872	173839	154969	891	50289	25519	24769	971	902
2017	327049	171778	155191	903	39997	20098	19899	990	913
2018	327552	170865	156574	916	35251	17629	17622	1000	924
2019	333492	174419	158999	912	32376	16108	16268	1010	920
2020	277334	144035	133224	925	24311	11938	12373	1036	933
2021	247889	128835	118984	924	23897	11769	12128	1031	932
*2022	282389	146852	135439	922	17961	8818	9142	1037	929

\*Out of total registered institutional births, 98 births have sex "Others" whereas in domiciliary births 1 case was registered having sex "Others".

The exceptionally higher sex ratio (during 2008) can perhaps be attributed mainly to the implementation of the various welfare schemes of the girl child (including Ladli Scheme w.e.f. 01.01.2008). However, the sex ratio based on total registered births (including institutional and domiciliary) during 2022 has been marginally decreased in comparison to the year 2021.


## BIRTH RATE

One of the important indicators that emerge out of Civil Registration System is the Birth Rate. Statement 3.2 provides the time series data from 2005-22. The birth rate during the period of the year 2005 to 2022 is hovering between 13-22 per 1000 population. The graph plotting the birth rate for the said period clearly exhibits this fact.

**Statement 3.2: Birth Rate as per CRS**

Year	In Lakhs		*Birth Rate
	*Mid Year Population as on 1 <sup>st</sup> July	No. of Births	
2005	150.54	3.24	21.52
2006	153.47	3.23	21.05
2007	156.45	3.22	20.58
2008	159.49	3.34	20.94
2009	162.58	3.54	21.77
2010	165.74	3.59	21.66
2011	169.14	3.53	20.92
2012	172.92	3.60	20.87
2013	176.70	3.70	20.94
2014	180.47	3.74	20.71
2015	184.25	3.74	20.30
2016	188.03	3.79	20.16
2017	191.82	3.67	19.13
2018	195.61	3.63	18.55
2019	199.40	3.66	18.35
2020	203.19	3.02	14.85
2021	207.03	2.72	13.13
2022	210.96	3.00	14.24

\*Revised as per latest Population Projections prepared by National Commission of Population from the year 2011.




## DISTRIBUTION OF LIVE BIRTHS BY BIRTH ORDER

Birth order statistics are important indicators for measuring the progress and effectiveness of family welfare activities. Time series data on percentage distribution of births by birth order is given in statement 3.3.

**Statement 3.3: Percentage Distribution of Births by Order of birth**

Year	Birth Order			
	1	2	3	4 & above
2005	50.59	32.42	12.45	4.54
2006	56.79	28.97	11.08	3.16
2007	58.98	27.47	9.79	3.76
2008	55.12	31.24	10.15	3.49
2009	53.39	32.81	11.01	2.79
2010	60.33	29.28	8.07	2.32
2011	56.37	32.39	8.80	2.44
2012	55.80	33.14	8.83	2.23
2013	61.19	29.21	7.69	1.91
2014	55.47	33.75	8.67	2.11
2015	62.78	32.57	3.93	0.72
2016	55.78	32.89	9.29	2.04
2017	54.48	34.24	9.32	1.96
2018	56.65	32.51	9.03	1.81
2019	55.90	33.00	9.22	1.88
2020	55.74	33.47	9.20	1.59
2021	53.84	35.55	9.41	1.20
2022	53.49	35.56	9.27	1.68

It is obvious from above statement that the first order of births accounts for 53.49% of the total births registered during 2022. The proportion of first and second order of births taken together accounted for 89.04% in the total registered births of 2022. The share of births beyond third order was only 1.68%.




## DISTRIBUTION OF LIVE BIRTHS BY AGE OF MOTHER

The age of the mother at the time of attainment of motherhood will have an influence on the overall health of the child and the safety of mother during the time of delivery. Attainment of motherhood below the age of 18 years is considered to be undesirable in the interest of mother as well as of the newly born child. Out of the total registered births during 2022, only 2.23% are from the mothers in the age group  $\leq 19$  years. The need of the hour is to undertake sustained campaign focused towards eligible couples in the age group of up to 18 years and living in slums, advising to avoid attainment of motherhood at such an early age.

### Statement 3.4: Percentage Distribution of Births by age of Mother

Year	Age Group of Mothers in Years				
	$\leq 19$	20-24	25-29	30-34	35 & above
2005	2.25	46.62	38.56	9.86	2.71
2006	1.97	45.56	39.67	9.37	3.43
2007	1.97	48.71	37.39	9.61	2.32
2008	1.91	49.86	36.23	9.63	2.37
2009	1.74	45.79	38.90	11.16	2.41
2010	1.62	52.37	34.30	9.46	2.25
2011	1.68	53.35	31.99	10.47	2.51
2012	2.21	51.51	33.00	10.66	2.62
2013	2.03	49.48	34.49	11.21	2.79
2014	1.93	46.69	36.91	11.56	2.91
2015	2.75	43.97	38.00	12.15	3.13
2016	3.10	43.58	36.52	13.35	3.45
2017	2.03	42.85	37.18	14.21	3.74
2018	2.09	39.23	39.20	15.11	4.37
2019	2.36	37.55	39.68	15.76	4.65
2020	2.07	35.34	39.85	17.48	5.26
2021	2.32	31.16	39.05	21.00	6.47
2022	2.23	30.55	37.52	22.40	7.31

Statement 3.4 further reveals that 68.07% of births were given by the mothers in the age group of 20 - 29 years followed by 22.40% by the mothers in the age group of 30 - 34 years, while 7.31% of the births were given by the mothers in the age group of 35 & above years.





## TYPE OF MEDICAL ATTENTION RECEIVED AT DELIVERY

The type of medical attention received at the time of birth in case of domiciliary events is an important factor in controlling the level of infant mortality. Further, it will have a bearing on the quality of service rendered by health workers involved in the field.

### Statement 3.5: Percentage Distribution of Births by type and medical attention

Year	Percentage of Births			
	Institutional	Non Institutional		
		Type of Medical Attention		
		Doctor/Nurse/ Trained Midwife	Untrained Midwife i.e. Traditional Birth Attendant	Relatives/ Others/ Not Stated
(1)	(2)	(3)	(4)	(5)
2005	73.72	0.32	19.16	6.80
2006	77.92	4.56	13.01	4.51
2007	74.57	5.27	13.86	6.30
2008	73.45	8.31	11.09	7.15
2009	75.64	7.18	11.97	5.21
2010	78.51	14.17	5.73	1.59
2011	79.75	8.92	8.42	2.91
2012	81.35	3.30	8.96	6.39
2013	81.75	3.78	8.89	5.58
2014	82.83	3.28	8.75	5.14
2015	84.41	2.66	12.80	0.13
2016	86.74	1.24	6.37	5.65
2017	89.10	0.11	6.46	4.33
2018	90.28	0.09	4.90	4.73
2019	91.15	0.05	3.52	5.28
2020	91.94	0.90	1.22	5.94
2021	91.21	1.21	2.06	5.53
2022	94.02	0.81	1.55	3.63

Statement 3.5 gives percentage wise distribution of live births by type of medical attention at the time of child birth. It may be seen from the above statement that medical institutions have accounted for more than 94% of the total births during 2022. Obviously, the share of institutional births has gone up continuously. It was only 73.72% in 2005. During 2022, the proportion of institutional births to total registered births has increased (2.81%) in comparison to year 2021. In the year 2022, total 2,82,389 live births occurred in the hospitals i.e. on an average 774 live births occurred daily in the hospitals during 2022.

## BIRTH EVENTS - LOCAL BODY WISE

Statement 3.6 reveals the distribution of birth events of 2022 among local bodies of Delhi. Out of the total births, 86.25% were registered in the MCD whereas NDMC accounted for 12.64%. The total registration under DCB constitutes only 1.11% of the total births. Further, break-up of registered birth events reveals that only 10.85% of the births were rural, whereas 89.15% were urban.

### Statement 3.6: Distribution of Rural and Urban Births as per Local Bodies

Sl.No.	Name of Local Body	No. of Births		
		Rural	Urban	Combined
A	MCD	24351	234701	259052 (86.25)
B	NDMC	8143	29832	37975 (12.64)
C	DCB	87	3236	3323 (1.11)
	ALL (A+B+C)	32581 (10.85)	267769 (89.15)	300350 (100.00)

Figures in ( ) indicate % to total

## BIRTHS BY BIRTH ORDER VIS-À-VIS LEVEL OF MOTHER'S EDUCATION

It is widely known that there is close relationship between the level of educational attainment of mother and order of births. The data presented in statement 3.7 states that a specific trend has been seen in the level of education of the mother, and the birth order. It is evident from column No. 6 that proportion of births under "Graduate and above" category is decreasing with the higher order of birth.

Further, it is observed that out of total births of fourth and higher birth order, in 37.05% cases the level of education of mother was 'matric but below graduate' and in 18.74% cases, the mothers were illiterate. Obviously, in case of fourth and higher order of birth minimum proportion of births were in the category of mother having 'below primary'.

**Statement3.7: Distribution of Births by birth order and level of education of mother**


Birth order	Levels of Literacy						Total
	Illiterate	Below Primary	Primary but Below Matric	Matric but below Graduate	Graduate and above	Not Stated	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1	9096	11651	20885	60646	51645	6724	160647
	5.66	7.25	13.00	37.75	32.15	4.19	100
2	6835	7902	15154	39763	32026	5117	106797
	6.40	7.40	14.19	37.23	29.99	4.79	100
3	3010	2074	5774	11250	4184	1556	27848
	10.81	7.45	20.73	40.40	15.02	5.59	100
4&Above	948	270	1328	1874	429	209	5058
	18.74	5.34	26.26	37.05	8.48	4.13	100
<b>ALL</b>	<b>19889</b>	<b>21897</b>	<b>43141</b>	<b>113533</b>	<b>88284</b>	<b>13606</b>	<b>300350</b>
	<b>6.62</b>	<b>7.29</b>	<b>14.36</b>	<b>37.80</b>	<b>29.39</b>	<b>4.53</b>	<b>100</b>

**DISTRIBUTION OF BIRTHS LOCAL BODY WISE BY TYPE AND SEX**

Statement 3.8 gives the distribution of births in institutional (government and non government) and non institutional categories in each local body. It reveals that during 2022, out of total births 94.02% births were institutional including 62.23% births in govt. institutions and 31.79% in non-govt. institutions, whereas, 5.98% were non-institutional i.e. domiciliary births. During 2022, govt. hospitals in Delhi have handled on an average 512 cases of live births per day (436 per day in 2021) as against 262 per day (243 per day in 2021) by non-govt. institutions. The sex composition in birth events in both type of institutions were more or less having same pattern and on the other hand the sex composition in non-institutional i.e. domiciliary cases has different picture.

**Statement 3.8: Distribution of Births events by type and sex**

Sl. No.	Name of Local Body	Institutional Births								Non-Institutional Births			
		Government				Non-Government				Male	Female	Other	Total
		Male	Female	Other	Total	Male	Female	Other	Total				
<b>A</b>	<b>MCD</b>	75381	70255	80	145716	49884	45514	6	95404	8804	9127	1	17932
<b>B</b>	<b>NDMC</b>	19816	18050	12	37878	33	39	0	72	11	14	0	25
<b>C</b>	<b>DCB</b>	1734	1577	0	3311	4	4	0	8	3	1	0	4
<b>ALL (A+B+C)</b>		96931	89882	92	186905	49921	45557	6	95484	8818	9142	1	17961
<b>Percentage</b>		<b>51.86</b>	<b>48.09</b>	<b>0.05</b>	<b>100</b>	<b>52.28</b>	<b>47.71</b>	<b>0.01</b>	<b>100</b>	<b>49.09</b>	<b>50.90</b>	<b>0.01</b>	<b>100</b>



**REGARDING STILLBIRTHS**

Of late, it is being observed that data / information which pertains to still births is not reported regularly by the hospitals/ institutions to the concerned Registrar (B&D). The Office of Chief Registrar (B&D) has made a communication to sensitize the Medical Superintendents of the hospitals/institutions to report the vital events inclusive of still births within the stipulated period of 21 days to the concerned Registrar (B&D).

An effort has been made to present the data on still births for the years 2017 to 2022 in the statement 3.9.

**Statement 3.9: The Local Body wise No. of Still Births**

Sl. No.	Name of Local Body	Sex	Year					
			2017	2018	2019	2020	2021	2022
A	MCD	Male	851	859	833	838	834	868
		Female	666	730	675	673	668	725
		Other	8	9	7	12	14	15
		<b>Total</b>	<b>1525</b>	<b>1598</b>	<b>1515</b>	<b>1523</b>	<b>1516</b>	<b>1608</b>
B	NDMC	Male	614	615	584	495	453	433
		Female	563	529	476	392	346	362
		Other	8	15	13	7	16	11
		<b>Total</b>	<b>1185</b>	<b>1159</b>	<b>1073</b>	<b>894</b>	<b>815</b>	<b>806</b>
C	DCB	Male	7	4	21	5	13	02
		Female	3	7	10	4	10	09
		Other	0	0	0	0	0	0
		<b>Total</b>	<b>10</b>	<b>11</b>	<b>31</b>	<b>9</b>	<b>23</b>	<b>11</b>
<b>Total (A+B+C)</b>		<b>Male</b>	<b>1472</b>	<b>1478</b>	<b>1438</b>	<b>1338</b>	<b>1300</b>	<b>1303</b>
		<b>Female</b>	<b>1232</b>	<b>1266</b>	<b>1161</b>	<b>1069</b>	<b>1024</b>	<b>1096</b>
		<b>Other</b>	<b>16</b>	<b>24</b>	<b>20</b>	<b>19</b>	<b>30</b>	<b>26</b>
<b>ALL</b>		<b>Total</b>	<b>2720</b>	<b>2768</b>	<b>2619</b>	<b>2426</b>	<b>2354</b>	<b>2425</b>

**-: SECTION FOUR :-**  
**DEATH REGISTRATION**  
**PROFILE**

## SECTION FOUR

### PROFILE OF DEATHS REGISTRATION

This section reflects the information on different aspects of death registrations that had taken place during 2022 under Civil Registration System with special reference to the number of events registered across years, male- female composition, age at the time of death, medically certified causes of deaths, infant and maternal mortality rates, local body-wise registration of death events etc. The level of death registration was found to be more than 100% consistently over a period of time thereby indicating good status of Civil Registration System in Delhi.

#### Death Registration under Civil Registration System

During 2022, a total of 1,28,106 deaths were registered by three local bodies. Out of total deaths, 79,052 (61.71%) were males, 49,004 (38.25%) were females and 50 (0.04%) were others. Sex ratio of deaths revealed that for every 1000 male deaths, 620 female deaths have occurred during 2022. On an average, 351 number of deaths were registered per day during 2022.

#### Statement 4.1: Total Number of Deaths registered under CRS, sex-wise

Year	Number of Deaths					Average registered deaths per day	Sex Ratio
	Male	Percentage	Female	Percentage	Total		
2005	58554	62.17	35633	37.81	94187	258	609
2006	64028	64.73	34880	35.27	98908	271	545
2007	63461	62.85	37513	37.15	100974	277	591
2008	68033	62.23	39567	36.77	107600	295	582
2009	70075	62.56	41938	37.44	112013	307	598
2010	78092	62.80	46261	37.20	124353	341	592
2011	69733	62.18	42409	37.82	112142	307	608
2012	64608	61.76	40008	38.24	104616	287	619
2013	60447	62.20	36738	37.80	97185	266	608
2014	75404	62.17	45882	37.83	121286	332	608
2015	76421	61.37	48095	38.63	124516	341	629
2016	87704	61.92	53887	38.05	141632	387	614
2017	83600	61.42	52485	38.56	136117	373	628
2018	89644	61.60	55848	38.37	145533	399	623
2019	89723	61.76	55527	38.22	145284	398	619
2020	88411	61.92	54350	38.06	142789	390	615
2021	103842	60.56	67602	39.42	171476	470	651
*2022	79052	61.71	49004	38.25	128106	351	620

\*Total No. of registered deaths also include 50 cases having sex "Others".

## DEATH RATE


The time series data on death rate from the year 2005 to 2022 is reflected in the statement 4.2. It is observed that the death rate in Delhi has remained in the range of 6 to 8 per 1000 persons in the population during said period.

The death rate of Delhi (CRS) & All India (SRS) is also presented in graphic form. Due to the non availability of CRS data for the concerned year at national level, a comparative view with SRS results of All India have been taken.

**Statement 4.2: Death Rate of Delhi (as per CRS) & All India (as per SRS)**

Year	In Lakhs		Death Rate (per 1000 population)	
	*Mid Year Population as on 1 <sup>st</sup> July	Total Number of Deaths	*Delhi (CRS)	All India (SRS)
2005	150.54	0.94	6.24	7.6
2006	153.47	0.99	6.45	7.5
2007	156.45	1.01	6.46	7.4
2008	159.49	1.08	6.77	7.4
2009	162.58	1.12	6.89	7.3
2010	165.74	1.24	7.48	7.2
2011	169.14	1.12	6.63	7.1
2012	172.92	1.05	6.05	7.0
2013	176.70	0.97	5.50	7.0
2014	180.47	1.21	6.72	6.7
2015	184.25	1.25	6.76	6.5
2016	188.03	1.42	7.53	6.4
2017	191.82	1.36	7.10	6.3
2018	195.61	1.46	7.44	6.2
2019	199.40	1.45	7.29	6.0
2020	203.19	1.43	7.03	6.0
2021	207.03	1.71	8.28	NA
2022	210.96	1.28	6.07	NA

\*Revised as per latest Population Projections prepared by National Commission of Population from the year 2011.





## Local Body –wise Deaths Registration

Distribution of registration of deaths local body-wise is presented in statement 4.3. Municipal Corporation of Delhi accounted for 74.29% deaths whereas 24.28% deaths occurred in NDMC and 1.43% in DCB during 2022. It is observed that out of total registered deaths, 89.10% were in urban sector.

### Statement 4.3: Distribution of Deaths Registered by Sector and Local Body

Sl.No.	Name of Local Body	No. of Deaths			% to total
		Rural	Urban	Combined	
A	MCD	6925	88240	95165	74.29
B	NDMC	7028	24078	31106	24.28
C	DCB	14	1821	1835	1.43
	<b>ALL (A+B+C)</b>	13967	114139	128106	100.00
	<b>% to Total</b>	10.90	89.10	100.00	100.00

### Type of Registration

The registered deaths as per type of registration under institutional and non institutional categories have been shown in Statement 4.4. The ratio of 64 : 36 was observed between institutional and domiciliary death events registered in 2022. The proportion of non institutional events decreased from 42.21% in 2021 to 36.28% in 2022.

### Statement 4.4: Distribution of Deaths by type of Registration


Year	Total No. of Deaths	Institutional		Domiciliary	
		Number	%	Number	%
2005	94187	56390	59.87	37797	40.13
2006	98908	60254	60.92	38654	39.08
2007	100974	59256	58.68	41718	41.32
2008	107600	57122	53.09	50478	46.91
2009	112013	68373	61.04	43640	38.96
2010	124353	76373	61.42	47980	38.58
2011	112142	68326	60.93	43816	39.07
2012	104616	67856	64.86	36760	35.14
2013	97185	68135	70.11	29050	29.89
2014	121286	74592	61.5	46694	38.5
2015	124516	78067	62.7	46449	37.3
2016	141632	90517	63.91	51115	36.09
2017	136117	89377	65.66	46740	34.34
2018	145533	98153	67.44	47380	32.56
2019	145284	95860	65.98	49424	34.02
2020	142789	86483	60.57	56306	39.43
2021	171476	99104	57.79	72372	42.21
2022	128106	81630	63.72	46476	36.28

## Deaths by Age group

Distribution of registered deaths in different age groups is presented in statement 4.5. As per this statement, it is observed that maximum (39.20%) deaths occurred in the age group of 65 years & above followed by 17.29% in the 55-64 years age group. Further, sex wise analysis reflects that the same trend continues for male deaths and female deaths.

**Statement 4.5: Distribution of Deaths by Age group and sex**

Age Group (Year)	Male	Percentage	Female	Percentage	Others	Percentage	Total	Percentage
Below 1	4274	5.41	2863	5.84	18	36	7155	5.59
01-04	1011	1.28	776	1.58	1	2	1788	1.40
05-14	1162	1.47	1051	2.14	0	0	2213	1.73
15-24	3102	3.92	2331	4.76	2	4	5435	4.24
25-34	5779	7.31	2610	5.33	1	2	8390	6.55
35-44	8701	11.01	3358	6.85	5	10	12064	9.42
45-54	12277	15.53	5555	11.34	8	16	17840	13.93
55-64	14415	18.23	7725	15.76	4	8	22144	17.29
65 & above	27794	35.16	22416	45.74	8	16	50218	39.20
Not Stated	537	0.68	319	0.65	3	6	859	0.67
<b>ALL</b>	<b>79052</b>	<b>100</b>	<b>49004</b>	<b>100</b>	<b>50</b>	<b>100</b>	<b>128106</b>	<b>100</b>



## Infant Deaths

It is evident from statement 4.6 that during the year 2022 the infant deaths were 7155 i.e. 5.59% of the total registered deaths which is more than 3.74% infant deaths during preceding year. Out of these infant deaths, 7126 were institutional and 29 non-institutional i.e. domiciliary. The Infant Mortality Rate per thousand live births during 2022 worked out to be 23.82 which is slightly on higher side as compared to 23.60 observed during preceding year.

**Statement 4.6: Distribution of infant Deaths**

Year	Neonatal Deaths (Infants below 4 weeks )	Neonatal Mortality rate	Post-natal deaths (infant 28 days -12 months)	Post-natal Mortality Rate	Infant deaths (infant 0-12 months)	Infant mortality rate	% Infant deaths to total deaths
2005	3183	9.81	999	3.08	4182	12.89	4.44
2006	3756	11.64	2069	6.41	5825	18.05	5.89
2007	4917	15.27	3277	10.18	8194	25.44	8.11
2008	4485	13.43	1653	4.95	6138	18.38	5.70
2009	4887	13.79	1834	5.17	6721	18.96	6.00
2010	5509	15.32	2569	7.15	8078	22.47	6.49
2011	5283	14.93	2469	6.98	7752	21.91	6.91
2012	5168	14.33	3460	9.60	8628	23.93	8.25
2013	5687	15.37	2591	7.00	8278	22.37	8.52
2014	5293	14.16	2804	7.50	8097	21.66	6.67
2015	5908	15.8	2787	7.45	8695	23.25	6.98
2016	4878	12.87	3217	8.48	8095	21.35	5.72
2017	5072	13.82	2573	7.01	7645	20.83	5.62
2018	5588	15.40	3051	8.41	8639	23.81	5.94
2019	5920	16.18	2903	7.93	8823	24.12	6.07
2020	4108	13.62	2037	6.75	6145	20.37	4.30
2021	4147	15.26	2266	8.34	6413	23.60	3.74
2022	4726	15.73	2429	8.09	7155	23.82	5.59

**Statement 4.7: Infant mortality rate of Delhi & India**

Year	DELHI (CRS)			INDIA (SRS)
	Neonatal Mortality rate	Post-natal Mortality Rate	Infant mortality rate	Infant mortality rate
2005	10	3	13	58
2006	12	6	18	57
2007	15	10	25	55
2008	13	5	18	53
2009	14	5	19	50
2010	15	7	22	47
2011	15	7	22	44
2012	14	10	24	42
2013	15	7	22	40
2014	14	8	22	39
2015	16	7	23	37
2016	13	8	21	34
2017	14	7	21	33
2018	15	8	24	32
2019	16	8	24	30
2020	14	7	20	28
2021	15	8	24	NA
2022	16	8	24	NA

The major causes of institutional infant deaths as per medically certified causes of deaths are presented in statement 4.8.

**Statement 4.8: Distribution of major causes of infant deaths as per MCCD**

Sl. No.	Cause of Death & ICD-10 Coding	No. of Infant Deaths				% to total MCCD Infant Deaths
		Male	Female	Others	Total	
1	All other conditions originating in the perinatal period (P00-P04,P08,P29-P54,P56-P57,P60-P96)	301	209	0	510	7.16
2	Hypoxia, birth asphyxia and other respiratory conditions (P20-P28)	598	383	2	983	13.79
3	Septicemia (A40-A41)	462	310	0	772	10.83
4	Slow fetal growth, fetal malnutrition and immaturity (P05-P07)	578	342	5	925	12.98
5	Pneumonia (J12-J18)	232	179	0	411	5.77
6	Congenital malformations of the circulatory system (Q20-Q28)	112	55	0	167	2.34
7	Shock, not elsewhere classified (R57)	522	378	3	903	12.67
8	Diseases of pulmonary circulation and other forms of heart disease (I26- I58)	227	175	1	403	5.66
9	Meningitis (G00-G03)	79	72	0	151	2.12
10	Tuberculosis (A15-A19)	105	58	0	163	2.29
<b>Total (1 to 10)</b>		<b>3216</b>	<b>2161</b>	<b>11</b>	<b>5388</b>	<b>75.61</b>
<b>All Infant Deaths (MCCD)</b>		<b>4253</b>	<b>2855</b>	<b>18</b>	<b>7126</b>	<b>100.00</b>

**Medically Certified Cause of Deaths**

Statement 4.9 provides MCCD data pertaining to institutional deaths as per coding of ICD-10. The ICD-10 is used to translate diagnosis and other health related problems from words to alphanumeric code and thereby facilitates the classification and analysis of data. This statement provides the status regarding major causes of deaths as per MCCD for institutional deaths during 2022. In this regard, more details are presented in Table D-11 of the section 5 of the report.

**Statement 4.9: Main causes of Death under MCCD by sex**

Sl. No.	Cause of Death & ICD-10 Coding	No. of Persons				% to total MCCD Deaths
		Male	Female	Others	Total	
1	Septicemia (A40-A41)	7074	5045	6	12125	14.85
2	Tuberculosis (A15-A19)	2188	1349	0	3537	4.33
3	Diseases of pulmonary circulation and other forms of heart disease (I26- I58)	5940	3453	2	9395	11.51
4	Shock, not elsewhere classified (R57)	3638	2595	4	6237	7.64
5	Cerebrovascular diseases (I60-I69)	1629	840	0	2469	3.02
6	Diabetes mellitus (E10-E14)	343	344	1	688	0.84
7	Diseases of the liver (K70-K76)	2949	665	0	3614	4.43
8	Pneumonia (J12-J18)	1278	885	0	2163	2.65
9	All other ischaemic heart diseases (I20 & I23-I25)	947	518	0	1465	1.79
10	Lower respiratory diseases (J20-J22 & J40-J47)	1287	861	0	2148	2.63
11	Burns and Corrosions (T20-T32)	322	308	0	630	0.77
12	Viral diseases (A70-A74 & A80-B34)	545	329	1	875	1.07
13	Hypoxia, birth asphyxia and other respiratory conditions (P20-P28)	598	383	2	983	1.20
14	Chronic rheumatic heart diseases (I05-I09)	273	293	0	566	0.69
15	Hypertensive disease (I10 - I15)	952	807	0	1759	2.15
16	Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81-C96)	647	367	0	1014	1.24
17	Renal failure (N17-N19)	1063	749	0	1812	2.22
18	Leukaemia (C91-C95)	381	219	0	600	0.74
19	Malignant neoplasms of digestive organs (C15-C26)	829	641	0	1470	1.80
20	Slow fetal growth, fetal malnutrition and immaturity (P05-P07)	578	342	5	925	1.13
21	Meningitis (G00 & G03)	250	209	0	459	0.56
22	Malignant neoplasms of lip. Oral cavity and pharynx (C00-C14)	305	48	0	353	0.43
23	COVID-19 Virus Identified (U07.1)	764	450	0	1214	1.49
24	COVID-19 Virus not Identified (U07.2)	55	32	0	87	0.11
<b>Total (1 to 24)</b>		<b>34835</b>	<b>21732</b>	<b>21</b>	<b>56588</b>	<b>69.32</b>
<b>All Institutional Deaths</b>		<b>50666</b>	<b>30923</b>	<b>41</b>	<b>81630</b>	<b>100.00</b>

**-: SECTION FIVE :-**  
**STATISTICAL TABLES**

**POPULATION, REGISTRATION UNITS, MONTHLY RETURNS DUE AND RECEIVED**

Name of local bodies	Total estimated Population as on 01.07.2022	No. of Registration Units	No. of Monthly returns due[Col.3]x12	No. of Monthly returns received	No. of Monthly returns Not received	% of Monthly Received[Col. 5/Col. 4]x100	Proportion of Monthly Returns Not received[Col.6/Col.4]x100
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>
MCD	21,096,000	12	144	144	0	100	0
NDMC		5	60	60	0	100	0
DCB		1	12	12	0	100	0

TABLE - B-1													
LIVE BIRTHS BY PLACE OF OCCURRENCE, DISTRICTS AND TOWNS WITH POPULATION ONE LAKH AND ABOVE (URBAN)													
SL. NO.	DISTRICT	INSTITUTIONAL				DOMICILIARY				ALL			
		MALE	FEMALE	OTHERS #	TOTAL	MALE	FEMALE	OTHERS #	TOTAL	MALE	FEMALE	OTHERS #	TOTAL
1	MCD	114460	105875	78	220413	7001	7286	1	14288	121461	113161	79	234701
2	NDMC	15545	14254	10	29809	10	13	0	23	15555	14267	10	29832
3	DELHI CANTT	1699	1534	0	3233	3	0	0	3	1702	1534	0	3236
	<b>ALL</b>	<b>131704</b>	<b>121663</b>	<b>88</b>	<b>253455</b>	<b>7014</b>	<b>7299</b>	<b>1</b>	<b>14314</b>	<b>138718</b>	<b>128962</b>	<b>89</b>	<b>267769</b>

TABLE - B-1													
LIVE BIRTHS BY PLACE OF OCCURRENCE, DISTRICTS AND TOWNS WITH POPULATION ONE LAKH AND ABOVE (RURAL)													
SL. NO.	DISTRICT	INSTITUTIONAL				DOMICILIARY				ALL			
		MALE	FEMALE	OTHERS #	TOTAL	MALE	FEMALE	OTHERS #	TOTAL	MALE	FEMALE	OTHERS #	TOTAL
1	MCD	10805	9894	8	20707	1803	1841	0	3644	12608	11735	8	24351
2	NDMC	4304	3835	2	8141	1	1	0	2	4305	3836	2	8143
3	DELHI CANTT	39	47	0	86	0	1	0	1	39	48	0	87
	<b>ALL</b>	<b>15148</b>	<b>13776</b>	<b>10</b>	<b>28934</b>	<b>1804</b>	<b>1843</b>	<b>0</b>	<b>3647</b>	<b>16952</b>	<b>15619</b>	<b>10</b>	<b>32581</b>

# Sex "others" includes transgender/ambiguous/ not stated.

\*Note: Urban or Rural pertains to residence of mother of the new born.



TABLE: B-3																					
TIME GAP IN REGISTRATION OF LIVE BIRTHS (URBAN)																					
SL. NO.	DISTRICT	WITHIN TIME LIMIT				DELAYED REGISTRATION															
						AFTER 21 DAYS TO 30 DAYS				AFTER 30 DAYS TO 1 YEAR				AFTER 1 YEAR				TOTAL DELAYED REGISTRATION			
		MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL
1	MCD	81617	75673	49	157339	13957	13000	10	26967	34603	33438	21	68062	12668	12653	0	25321	61228	59091	31	120350
2	NDMC	11406	10512	5	21923	2250	2028	1	4279	1905	1733	4	3642	27	21	0	48	4182	3782	5	7969
3	DELHI CANTT	1193	1104	0	2297	166	143	0	309	414	358	0	772	83	97	0	180	663	598	0	1261
	<b>All</b>	<b>94216</b>	<b>87289</b>	<b>54</b>	<b>181559</b>	<b>16373</b>	<b>15171</b>	<b>11</b>	<b>31555</b>	<b>36922</b>	<b>35529</b>	<b>25</b>	<b>72476</b>	<b>12778</b>	<b>12771</b>	<b>0</b>	<b>25549</b>	<b>66073</b>	<b>63471</b>	<b>36</b>	<b>129580</b>

TABLE: B-3																					
TIME GAP IN REGISTRATION OF LIVE BIRTHS (RURAL)																					
SL. NO.	DISTRICT	WITHIN TIME LIMIT				DELAYED REGISTRATION															
						AFTER 21 DAYS TO 30 DAYS				AFTER 30 DAYS TO 1 YEAR				AFTER 1 YEAR				TOTAL DELAYED REGISTRATION			
		MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL
1	MCD	6533	5975	1	12509	959	898	2	1859	7044	6778	5	13827	3089	2783	0	5872	11092	10459	7	21558
2	NDMC	3904	3504	2	7410	280	225	0	505	123	108	0	231	15	9	0	24	418	342	0	760
3	DELHI CANTT	32	35	0	67	2	6	0	8	7	9	0	16	3	2	0	5	12	17	0	29
	<b>All</b>	<b>10469</b>	<b>9514</b>	<b>3</b>	<b>19986</b>	<b>1241</b>	<b>1129</b>	<b>2</b>	<b>2372</b>	<b>7174</b>	<b>6895</b>	<b>5</b>	<b>14074</b>	<b>3107</b>	<b>2794</b>	<b>0</b>	<b>5901</b>	<b>11522</b>	<b>10818</b>	<b>7</b>	<b>22347</b>

# Sex "others" includes transgender/ambiguous/ not stated.

TABLE: B-4															
LIVE BIRTHS BY SEX AND MONTH OF OCCURRENCE (URBAN)															
Sl. No.	DISTRICT	SEX	MONTH												ALL
			JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEP	OCT	NOV	DEC	
1	MCD	MALE	10932	9884	10208	8120	8478	8681	10112	12327	11732	11226	10150	9611	121461
		FEMALE	10226	9373	9402	7736	7805	8166	9311	11356	10748	10439	9395	9204	113161
		OTHERS	7	3	2	5	13	3	6	10	10	10	5	5	79
2	NDMC	MALE	1122	1276	1295	838	844	826	1161	2082	1859	1930	1533	789	15555
		FEMALE	1063	1149	1175	751	752	787	1080	1897	1807	1666	1383	757	14267
		OTHERS	1	0	0	1	1	0	1	2	3	1	0	0	10
3	DELHI CANTT	MALE	143	130	146	135	124	130	149	176	143	149	139	138	1702
		FEMALE	111	114	110	119	111	131	139	136	148	137	133	145	1534
		OTHERS	0	0	0	0	0	0	0	0	0	0	0	0	0
		<b>TOTAL</b>	<b>23605</b>	<b>21929</b>	<b>22338</b>	<b>17705</b>	<b>18128</b>	<b>18724</b>	<b>21959</b>	<b>27986</b>	<b>26450</b>	<b>25558</b>	<b>22738</b>	<b>20649</b>	<b>267769</b>

TABLE: B-4															
LIVE BIRTHS BY SEX AND MONTH OF OCCURRENCE (RURAL)															
Sl. No.	DISTRICT	SEX	MONTH												ALL
			JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEP	OCT	NOV	DEC	
1	MCD	MALE	964	832	772	669	784	834	1159	1311	1501	1484	1304	994	12608
		FEMALE	964	741	730	636	686	754	1068	1213	1349	1345	1291	958	11735
		OTHERS	0	0	0	0	0	1	0	1	3	2	1	0	8
2	NDMC	MALE	221	201	184	434	509	686	631	64	202	248	544	381	4305
		FEMALE	186	181	180	394	446	581	582	57	150	227	544	308	3836
		OTHERS	0	0	0	0	0	1	0	0	0	1	0	0	2
3	DELHI CANTT	MALE	2	2	3	0	2	5	2	8	6	3	5	1	39
		FEMALE	2	4	2	0	2	3	6	4	8	7	6	4	48
		OTHERS	0	0	0	0	0	0	0	0	0	0	0	0	0
		<b>TOTAL</b>	<b>2339</b>	<b>1961</b>	<b>1871</b>	<b>2133</b>	<b>2429</b>	<b>2865</b>	<b>3448</b>	<b>2658</b>	<b>3219</b>	<b>3317</b>	<b>3695</b>	<b>2646</b>	<b>32581</b>

TABLE: B-5								
LIVE BIRTHS BY TYPE OF ATTENTION AT DELIVERY (URBAN)								
LIVE BIRTHS AT PREGNANCY								
SL. NO.	DISTRICT	INSTITUTIONAL		NON-INSTITUTIONAL				TOTAL
		GOVT.	PVT.	DOCTOR, NURSE AND TRAINED MID-WIFE	UNTRAINED MID-WIFE	RELATIVES	NOT STATED	
1	MCD	132852	87561	2128	4095	8065	0	234701
2	NDMC	29749	60	14	3	6	0	29832
3	DELHI CANTT	3225	8	3	0	0	0	3236
	<b>TOTAL</b>	<b>165826</b>	<b>87629</b>	<b>2145</b>	<b>4098</b>	<b>8071</b>	<b>0</b>	<b>267769</b>

TABLE: B-5								
LIVE BIRTHS BY TYPE OF ATTENTION AT DELIVERY (RURAL)								
LIVE BIRTHS AT PREGNANCY								
SL. NO.	DISTRICT	INSTITUTIONAL		NON-INSTITUTIONAL				TOTAL
		GOVT.	PVT.	DOCTOR, NURSE AND TRAINED MID-WIFE	UNTRAINED MID-WIFE	RELATIVES	NOT STATED	
1	MCD	12864	7843	283	545	2816	0	24351
2	NDMC	8129	12	1	0	1	0	8143
3	DELHI CANTT	86	0	1	0	0	0	87
	<b>TOTAL</b>	<b>21079</b>	<b>7855</b>	<b>285</b>	<b>545</b>	<b>2817</b>	<b>0</b>	<b>32581</b>

TABLE: B-6													
LIVE BIRTHS BY METHOD OF DELIVERY AND TYPE OF INSTITUTION FOR INSTITUTIONAL BIRTHS (URBAN)													
SL. NO.	DELIVERY TYPE	INSTITUTIONAL								TOTAL			
		GOVERNMENT				PRIVATE				MALE	FEMALE	OTHERS #	ALL
		MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL				
1	NORMAL	61852	58297	53	120202	16803	15948	5	32756	78655	74245	58	152958
2	CAESAREAN	23260	20751	29	44040	28138	25308	0	53446	51398	46059	29	97486
3	FORCEPS	878	705	1	1584	773	654	0	1427	1651	1359	1	3011
4	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>85990</b>	<b>79753</b>	<b>83</b>	<b>165826</b>	<b>45714</b>	<b>41910</b>	<b>5</b>	<b>87629</b>	<b>131704</b>	<b>121663</b>	<b>88</b>	<b>253455</b>

TABLE: B-6													
LIVE BIRTHS BY METHOD OF DELIVERY AND TYPE OF INSTITUTION FOR INSTITUTIONAL BIRTHS (RURAL)													
SL. NO.	DELIVERY TYPE	INSTITUTIONAL								TOTAL			
		GOVERNMENT				PRIVATE				MALE	FEMALE	OTHERS #	ALL
		MALE	FEMALE	OTHERS #	ALL	MALE	FEMALE	OTHERS #	ALL				
1	NORMAL	8263	7694	6	15963	1626	1462	1	3089	9889	9156	7	19052
2	CAESAREAN	2553	2337	3	4893	2546	2154	0	4700	5099	4491	3	9593
3	FORCEPS	125	98	0	223	35	31	0	66	160	129	0	289
4	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>10941</b>	<b>10129</b>	<b>9</b>	<b>21079</b>	<b>4207</b>	<b>3647</b>	<b>1</b>	<b>7855</b>	<b>15148</b>	<b>13776</b>	<b>10</b>	<b>28934</b>

# Sex "others" includes transgender/ambiguous/ not stated.

TABLE: B-7												
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER (URBAN)												
SL. NO.	MOTHER AGE	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	5544	103	2	0	0	0	0	0	0	0	5649
3	20 - 24	57478	19897	2428	19	0	0	0	0	0	0	79822
4	25 - 29	53363	37869	9338	128	6	4	0	0	0	0	100708
5	30 - 34	22337	27115	8857	2576	449	3	2	0	0	0	61339
6	35 - 39	4627	8743	3294	709	169	91	28	0	0	0	17661
7	40 - 44	641	889	480	130	35	12	6	0	0	0	2193
8	45 AND ABOVE	150	147	53	18	6	1	22	0	0	0	397
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>144140</b>	<b>94763</b>	<b>24452</b>	<b>3580</b>	<b>665</b>	<b>111</b>	<b>58</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>267769</b>

TABLE: B-7												
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER (RURAL)												
SL. NO.	MOTHER AGE	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	1016	22	1	0	0	0	0	0	0	0	1039
3	20 - 24	8048	3414	460	9	0	0	0	0	0	0	11931
4	25 - 29	5377	5136	1413	45	2	0	0	0	0	0	11973
5	30 - 34	1642	2718	1119	395	60	0	0	0	0	0	5934
6	35 - 39	345	648	330	71	20	12	1	0	0	0	1427
7	40 - 44	71	81	58	20	1	1	1	0	0	0	233
8	45 AND ABOVE	8	15	15	2	0	1	3	0	0	0	44
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>16507</b>	<b>12034</b>	<b>3396</b>	<b>542</b>	<b>83</b>	<b>14</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>32581</b>

TABLE: B-9								
LIVE BIRTHS BY AGE AND LEVEL OF EDUCATION OF MOTHER (URBAN)								
SL. NO.	MOTHER AGE	ILLITERATE	BELOW PRIMARY	BELOW MATRIC	BELOW GRADUATE	GRADUATE AND ABOVE	NOT STATED	ALL
1	< 15	0	0	0	0	0	0	0
2	15 - 19	481	636	1139	3132	0	261	5649
3	20 - 24	5766	6308	13764	39679	10979	3326	79822
4	25 - 29	6303	5998	13054	38459	32518	4376	100708
5	30 - 34	3726	2561	6623	17343	28529	2557	61339
6	35 - 39	1092	626	1887	4306	8998	752	17661
7	40 - 44	160	69	225	532	1125	82	2193
8	45 AND ABOVE	26	12	51	103	190	15	397
9	NOT STATED	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>17554</b>	<b>16210</b>	<b>36743</b>	<b>103554</b>	<b>82339</b>	<b>11369</b>	<b>267769</b>

TABLE: B-9								
LIVE BIRTHS BY AGE AND LEVEL OF EDUCATION OF MOTHER (RURAL)								
SL. NO.	MOTHER AGE	ILLITERATE	BELOW PRIMARY	BELOW MATRIC	BELOW GRADUATE	GRADUATE AND ABOVE	NOT STATED	ALL
1	< 15	0	0	0	0	0	0	0
2	15 - 19	92	220	260	410	0	57	1039
3	20 - 24	907	2255	2611	4132	1298	728	11931
4	25 - 29	703	2133	2097	3488	2700	852	11973
5	30 - 34	477	849	1115	1499	1560	434	5934
6	35 - 39	120	202	254	382	329	140	1427
7	40 - 44	32	18	55	57	48	23	233
8	45 AND ABOVE	4	10	6	11	10	3	44
9	NOT STATED	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>2335</b>	<b>5687</b>	<b>6398</b>	<b>9979</b>	<b>5945</b>	<b>2237</b>	<b>32581</b>

TABLE: B-10												
LIVE BIRTHS BY LEVEL OF EDUCATION OF FATHER AND BIRTH ORDER (URBAN)												
SL. NO.	EDUCATION OF FATHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	ILLITERATE	6672	5079	2074	469	116	27	11	0	0	0	14448
2	BELOW PRIMARY	8736	5861	1495	167	18	4	2	0	0	0	16283
3	PRIMARY & BELOW MATRIC	16438	11539	4561	843	182	30	21	0	0	0	33614
4	MATRIC & BELOW GRADUATE	55922	37297	10714	1513	266	33	17	0	0	0	105762
5	GRADUATE & ABOVE	50832	30661	4300	431	71	14	5	0	0	0	86314
6	NOT STATED	5540	4326	1308	157	12	3	2	0	0	0	11348
	<b>TOTAL</b>	<b>144140</b>	<b>94763</b>	<b>24452</b>	<b>3580</b>	<b>665</b>	<b>111</b>	<b>58</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>267769</b>

TABLE: B-10												
LIVE BIRTHS BY LEVEL OF EDUCATION OF FATHER AND BIRTH ORDER (RURAL)												
SL. NO.	EDUCATION OF FATHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	ILLITERATE	745	673	305	84	20	5	0	0	0	0	1832
2	BELOW PRIMARY	2982	2050	581	76	5	1	0	0	0	0	5695
3	PRIMARY & BELOW MATRIC	2797	2429	686	119	18	5	2	0	0	0	6056
4	MATRIC & BELOW GRADUATE	5209	3856	1234	192	34	3	3	0	0	0	10531
5	GRADUATE & ABOVE	3594	2250	347	39	4	0	0	0	0	0	6234
6	NOT STATED	1180	776	243	32	2	0	0	0	0	0	2233
	<b>TOTAL</b>	<b>16507</b>	<b>12034</b>	<b>3396</b>	<b>542</b>	<b>83</b>	<b>14</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>32581</b>

TABLE: B-11												
LIVE BIRTH BY LEVEL OF EDUCATION OF MOTHER AND BIRTH ORDER (URBAN)												
SL. NO.	EDUCATION OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	ILLITERATE	8115	6010	2630	610	146	32	11	0	0	0	17554
2	BELOW PRIMARY	8674	5854	1491	165	20	4	2	0	0	0	16210
3	PRIMARY & BELOW MATRIC	18008	12585	4989	902	209	30	20	0	0	0	36743
4	MATRIC & BELOW GRADUATE	55591	36119	10145	1422	224	35	18	0	0	0	103554
5	GRADUATE & ABOVE	48213	29852	3883	324	55	7	5	0	0	0	82339
6	NOT STATED	5539	4343	1314	157	11	3	2	0	0	0	11369
	<b>TOTAL</b>	<b>144140</b>	<b>94763</b>	<b>24452</b>	<b>3580</b>	<b>665</b>	<b>111</b>	<b>58</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>267769</b>

TABLE: B-11												
LIVE BIRTH BY LEVEL OF EDUCATION OF MOTHER AND BIRTH ORDER (RURAL)												
SL. NO.	EDUCATION OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	ILLITERATE	981	825	380	107	35	6	1	0	0	0	2335
2	BELOW PRIMARY	2977	2048	583	74	5	0	0	0	0	0	5687
3	PRIMARY & BELOW MATRIC	2877	2569	785	144	16	5	2	0	0	0	6398
4	MATRIC & BELOW GRADUATE	5055	3644	1105	151	20	2	2	0	0	0	9979
5	GRADUATE & ABOVE	3432	2174	301	33	5	0	0	0	0	0	5945
6	NOT STATED	1185	774	242	33	2	1	0	0	0	0	2237
	<b>TOTAL</b>	<b>16507</b>	<b>12034</b>	<b>3396</b>	<b>542</b>	<b>83</b>	<b>14</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>32581</b>



TABLE: B-12												
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER FOR EACH LEVEL OF EDUCATION OF THE MOTHER (URBAN)												
MOTHER EDUCATION (GRADUATE AND ABOVE)												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	0	0	0	0	0	0	0	0	0	0	0
3	20 - 24	9144	1722	113	0	0	0	0	0	0	0	10979
4	25 - 29	21903	9646	966	3	0	0	0	0	0	0	32518
5	30 - 34	13741	12834	1714	211	29	0	0	0	0	0	28529
6	35 - 39	2931	5050	907	84	18	6	2	0	0	0	8998
7	40 - 44	410	523	162	21	7	1	1	0	0	0	1125
8	45 AND ABOVE	84	77	21	5	1	0	2	0	0	0	190
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>48213</b>	<b>29852</b>	<b>3883</b>	<b>324</b>	<b>55</b>	<b>7</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>82339</b>

TABLE: B-12												
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER FOR EACH LEVEL OF EDUCATION OF THE MOTHER (RURAL)												
MOTHER EDUCATION (GRADUATE AND ABOVE)												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	0	0	0	0	0	0	0	0	0	0	0
3	20 - 24	1058	221	19	0	0	0	0	0	0	0	1298
4	25 - 29	1652	957	90	1	0	0	0	0	0	0	2700
5	30 - 34	595	799	139	24	3	0	0	0	0	0	1560
6	35 - 39	98	178	44	7	2	0	0	0	0	0	329
7	40 - 44	24	16	7	1	0	0	0	0	0	0	48
8	45 AND ABOVE	5	3	2	0	0	0	0	0	0	0	10
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>3432</b>	<b>2174</b>	<b>301</b>	<b>33</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>5945</b>

TABLE: B-12												
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER FOR EACH LEVEL OF EDUCATION OF THE MOTHER (URBAN)												
MOTHER EDUCATION (MATRIC BUT BELOW GRADUATE)												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	3108	24	0	0	0	0	0	0	0	0	3132
3	20 - 24	28632	9960	1087	0	0	0	0	0	0	0	39679
4	25 - 29	18251	16085	4119	4	0	0	0	0	0	0	38459
5	30 - 34	4562	7962	3573	1085	161	0	0	0	0	0	17343
6	35 - 39	878	1876	1181	279	52	33	7	0	0	0	4306
7	40 - 44	127	179	166	48	10	1	1	0	0	0	532
8	45 AND ABOVE	33	33	19	6	1	1	10	0	0	0	103
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>55591</b>	<b>36119</b>	<b>10145</b>	<b>1422</b>	<b>224</b>	<b>35</b>	<b>18</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>103554</b>

TABLE: B-12												
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER FOR EACH LEVEL OF EDUCATION OF THE MOTHER (RURAL)												
MOTHER EDUCATION (MATRIC BUT BELOW GRADUATE)												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	406	4	0	0	0	0	0	0	0	0	410
3	20 - 24	2778	1181	173	0	0	0	0	0	0	0	4132
4	25 - 29	1410	1602	475	1	0	0	0	0	0	0	3488
5	30 - 34	361	664	340	120	14	0	0	0	0	0	1499
6	35 - 39	86	168	97	22	6	2	1	0	0	0	382
7	40 - 44	13	21	16	7	0	0	0	0	0	0	57
8	45 AND ABOVE	1	4	4	1	0	0	1	0	0	0	11
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>5055</b>	<b>3644</b>	<b>1105</b>	<b>151</b>	<b>20</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>9979</b>

TABLE: B-12												
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER FOR EACH LEVEL OF EDUCATION OF THE MOTHER (URBAN)												
MOTHER EDUCATION (PRIMARY BUT BELOW MATRIC)												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	1121	18	0	0	0	0	0	0	0	0	1139
3	20 - 24	9275	3866	623	0	0	0	0	0	0	0	13764
4	25 - 29	5647	5397	2008	2	0	0	0	0	0	0	13054
5	30 - 34	1580	2486	1712	704	141	0	0	0	0	0	6623
6	35 - 39	328	722	576	165	58	28	10	0	0	0	1887
7	40 - 44	42	80	63	26	9	2	3	0	0	0	225
8	45 AND ABOVE	15	16	7	5	1	0	7	0	0	0	51
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>18008</b>	<b>12585</b>	<b>4989</b>	<b>902</b>	<b>209</b>	<b>30</b>	<b>20</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>36743</b>

TABLE: B-12												
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER FOR EACH LEVEL OF EDUCATION OF THE MOTHER (RURAL)												
MOTHER EDUCATION (PRIMARY BUT BELOW MATRIC)												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	259	1	0	0	0	0	0	0	0	0	260
3	20 - 24	1629	869	113	0	0	0	0	0	0	0	2611
4	25 - 29	721	1057	319	0	0	0	0	0	0	0	2097
5	30 - 34	205	503	277	116	14	0	0	0	0	0	1115
6	35 - 39	53	109	65	20	2	5	0	0	0	0	254
7	40 - 44	10	27	10	8	0	0	0	0	0	0	55
8	45 AND ABOVE	0	3	1	0	0	0	2	0	0	0	6
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>2877</b>	<b>2569</b>	<b>785</b>	<b>144</b>	<b>16</b>	<b>5</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>6398</b>

TABLE: B-12													
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER FOR EACH LEVEL OF EDUCATION OF THE MOTHER (URBAN)													
MOTHER EDUCATION (BELOW PRIMARY)													
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL	
		1	2	3	4	5	6	7	8	>8	NOT STATED		
1	< 15	0	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	596	39	1	0	0	0	0	0	0	0	0	636
3	20 - 24	4425	1671	201	11	0	0	0	0	0	0	0	6308
4	25 - 29	2781	2515	632	63	5	2	0	0	0	0	0	5998
5	30 - 34	732	1269	490	59	8	2	1	0	0	0	0	2561
6	35 - 39	125	323	144	28	5	0	1	0	0	0	0	626
7	40 - 44	11	32	20	4	2	0	0	0	0	0	0	69
8	45 AND ABOVE	4	5	3	0	0	0	0	0	0	0	0	12
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>8674</b>	<b>5854</b>	<b>1491</b>	<b>165</b>	<b>20</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>16210</b>

TABLE: B-12													
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER FOR EACH LEVEL OF EDUCATION OF THE MOTHER (RURAL)													
MOTHER EDUCATION (BELOW PRIMARY)													
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL	
		1	2	3	4	5	6	7	8	>8	NOT STATED		
1	< 15	0	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	209	10	1	0	0	0	0	0	0	0	0	220
3	20 - 24	1545	642	65	3	0	0	0	0	0	0	0	2255
4	25 - 29	951	876	274	30	2	0	0	0	0	0	0	2133
5	30 - 34	227	416	174	32	0	0	0	0	0	0	0	849
6	35 - 39	37	96	58	8	3	0	0	0	0	0	0	202
7	40 - 44	6	5	6	1	0	0	0	0	0	0	0	18
8	45 AND ABOVE	2	3	5	0	0	0	0	0	0	0	0	10
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>2977</b>	<b>2048</b>	<b>583</b>	<b>74</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>5687</b>

TABLE: B-12												
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER FOR EACH LEVEL OF EDUCATION OF THE MOTHER (URBAN)												
MOTHER EDUCATION (ILLITERATE)												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	473	8	0	0	0	0	0	0	0	0	481
3	20 - 24	3760	1728	278	0	0	0	0	0	0	0	5766
4	25 - 29	2731	2477	1091	4	0	0	0	0	0	0	6303
5	30 - 34	906	1352	904	457	106	0	1	0	0	0	3726
6	35 - 39	209	399	301	121	32	24	6	0	0	0	1092
7	40 - 44	27	40	53	26	5	8	1	0	0	0	160
8	45 AND ABOVE	9	6	3	2	3	0	3	0	0	0	26
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>8115</b>	<b>6010</b>	<b>2630</b>	<b>610</b>	<b>146</b>	<b>32</b>	<b>11</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>17554</b>

TABLE: B-12												
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER FOR EACH LEVEL OF EDUCATION OF THE MOTHER (RURAL)												
MOTHER EDUCATION (ILLITERATE)												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	87	5	0	0	0	0	0	0	0	0	92
3	20 - 24	547	298	62	0	0	0	0	0	0	0	907
4	25 - 29	232	317	154	0	0	0	0	0	0	0	703
5	30 - 34	85	161	109	94	28	0	0	0	0	0	477
6	35 - 39	22	37	40	11	6	4	0	0	0	0	120
7	40 - 44	8	6	13	2	1	1	1	0	0	0	32
8	45 AND ABOVE	0	1	2	0	0	1	0	0	0	0	4
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>981</b>	<b>825</b>	<b>380</b>	<b>107</b>	<b>35</b>	<b>6</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2335</b>

TABLE: B-12												
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER FOR EACH LEVEL OF EDUCATION OF THE MOTHER (URBAN)												
MOTHER EDUCATION (NOT STATED)												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	246	14	1	0	0	0	0	0	0	0	261
3	20 - 24	2242	950	126	8	0	0	0	0	0	0	3326
4	25 - 29	2050	1749	522	52	1	2	0	0	0	0	4376
5	30 - 34	816	1212	464	60	4	1	0	0	0	0	2557
6	35 - 39	156	373	185	32	4	0	2	0	0	0	752
7	40 - 44	24	35	16	5	2	0	0	0	0	0	82
8	45 AND ABOVE	5	10	0	0	0	0	0	0	0	0	15
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>5539</b>	<b>4343</b>	<b>1314</b>	<b>157</b>	<b>11</b>	<b>3</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>11369</b>

TABLE: B-12												
LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER FOR EACH LEVEL OF EDUCATION OF THE MOTHER (RURAL)												
MOTHER EDUCATION ( NOT STATED)												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	55	2	0	0	0	0	0	0	0	0	57
3	20 - 24	491	203	28	6	0	0	0	0	0	0	728
4	25 - 29	411	327	101	13	0	0	0	0	0	0	852
5	30 - 34	169	175	80	9	1	0	0	0	0	0	434
6	35 - 39	49	60	26	3	1	1	0	0	0	0	140
7	40 - 44	10	6	6	1	0	0	0	0	0	0	23
8	45 AND ABOVE	0	1	1	1	0	0	0	0	0	0	3
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>1185</b>	<b>774</b>	<b>242</b>	<b>33</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2237</b>

TABLE: B-13													
LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (URBAN)													
RELIGION - HINDU													
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL	
		1	2	3	4	5	6	7	8	>8	NOT STATED		
1	< 15	0	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	4233	84	1	0	0	0	0	0	0	0	0	4318
3	20 - 24	43898	15232	1757	15	0	0	0	0	0	0	0	60902
4	25 - 29	42000	29190	6560	104	4	3	0	0	0	0	0	77861
5	30 - 34	18507	21896	6045	1519	237	1	2	0	0	0	0	48207
6	35 - 39	3825	7258	2264	408	79	35	13	0	0	0	0	13882
7	40 - 44	511	734	335	75	19	7	2	0	0	0	0	1683
8	45 AND ABOVE	121	129	38	13	3	0	11	0	0	0	0	315
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>113095</b>	<b>74523</b>	<b>17000</b>	<b>2134</b>	<b>342</b>	<b>46</b>	<b>28</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>207168</b>

TABLE: B-13													
LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (URBAN)													
RELIGION - MUSLIM													
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL	
		1	2	3	4	5	6	7	8	>8	NOT STATED		
1	< 15	0	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	1279	18	1	0	0	0	0	0	0	0	0	1298
3	20 - 24	13004	4519	663	3	0	0	0	0	0	0	0	18189
4	25 - 29	9877	8123	2699	23	2	1	0	0	0	0	0	20725
5	30 - 34	2708	4191	2667	1036	203	2	0	0	0	0	0	10807
6	35 - 39	515	1021	927	289	90	55	14	0	0	0	0	2911
7	40 - 44	72	102	115	49	15	5	4	0	0	0	0	362
8	45 AND ABOVE	17	12	11	5	3	1	11	0	0	0	0	60
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>27472</b>	<b>17986</b>	<b>7083</b>	<b>1405</b>	<b>313</b>	<b>64</b>	<b>29</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>54352</b>

TABLE: B-13												
LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (URBAN)												
RELIGION - CHRISTIAN												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	7	0	0	0	0	0	0	0	0	0	7
3	20 - 24	91	27	2	1	0	0	0	0	0	0	121
4	25 - 29	223	79	16	0	0	0	0	0	0	0	318
5	30 - 34	238	193	28	6	7	0	0	0	0	0	472
6	35 - 39	65	126	33	4	0	0	0	0	0	0	228
7	40 - 44	26	20	13	3	1	0	0	0	0	0	63
8	45 AND ABOVE	2	1	0	0	0	0	0	0	0	0	3
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>652</b>	<b>446</b>	<b>92</b>	<b>14</b>	<b>8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1212</b>

TABLE: B-13												
LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (URBAN)												
RELIGION - SIKH												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	19	1	0	0	0	0	0	0	0	0	20
3	20 - 24	322	84	5	0	0	0	0	0	0	0	411
4	25 - 29	803	295	35	0	0	0	0	0	0	0	1133
5	30 - 34	577	512	68	11	1	0	0	0	0	0	1169
6	35 - 39	147	229	36	6	0	0	0	0	0	0	418
7	40 - 44	22	21	13	1	0	0	0	0	0	0	57
8	45 AND ABOVE	6	3	4	0	0	0	0	0	0	0	13
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>1896</b>	<b>1145</b>	<b>161</b>	<b>18</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3221</b>



TABLE: B-13												
LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (URBAN)												
RELIGION - OTHERS												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	6	0	0	0	0	0	0	0	0	0	6
3	20 - 24	163	35	1	0	0	0	0	0	0	0	199
4	25 - 29	460	182	28	1	0	0	0	0	0	0	671
5	30 - 34	307	323	49	4	1	0	0	0	0	0	684
6	35 - 39	75	109	34	2	0	1	1	0	0	0	222
7	40 - 44	10	12	4	2	0	0	0	0	0	0	28
8	45 AND ABOVE	4	2	0	0	0	0	0	0	0	0	6
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>1025</b>	<b>663</b>	<b>116</b>	<b>9</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1816</b>

TABLE: B-13												
LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (URBAN)												
RELIGION - ALL												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	5544	103	2	0	0	0	0	0	0	0	5649
3	20 - 24	57478	19897	2428	19	0	0	0	0	0	0	79822
4	25 - 29	53363	37869	9338	128	6	4	0	0	0	0	100708
5	30 - 34	22337	27115	8857	2576	449	3	2	0	0	0	61339
6	35 - 39	4627	8743	3294	709	169	91	28	0	0	0	17661
7	40 - 44	641	889	480	130	35	12	6	0	0	0	2193
8	45 AND ABOVE	150	147	53	18	6	1	22	0	0	0	397
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>144140</b>	<b>94763</b>	<b>24452</b>	<b>3580</b>	<b>665</b>	<b>111</b>	<b>58</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>267769</b>

TABLE : B-14												
LIVE BIRTHS BY THE AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (RURAL)												
RELIGION - HINDU												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	832	18	0	0	0	0	0	0	0	0	850
3	20 - 24	6779	2796	368	8	0	0	0	0	0	0	9951
4	25 - 29	4658	4311	1139	33	2	0	0	0	0	0	10143
5	30 - 34	1417	2317	877	295	44	0	0	0	0	0	4950
6	35 - 39	293	553	262	50	13	8	0	0	0	0	1179
7	40 - 44	62	69	50	13	0	0	0	0	0	0	194
8	45 AND ABOVE	7	14	12	1	0	1	2	0	0	0	37
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>14048</b>	<b>10078</b>	<b>2708</b>	<b>400</b>	<b>59</b>	<b>9</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>27304</b>

TABLE : B-14												
LIVE BIRTHS BY THE AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (RURAL)												
RELIGION - MUSLIM												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	179	4	1	0	0	0	0	0	0	0	184
3	20 - 24	1211	599	92	1	0	0	0	0	0	0	1903
4	25 - 29	639	760	263	11	0	0	0	0	0	0	1673
5	30 - 34	173	348	236	93	16	0	0	0	0	0	866
6	35 - 39	44	80	64	20	7	4	1	0	0	0	220
7	40 - 44	6	9	7	6	1	1	1	0	0	0	31
8	45 AND ABOVE	0	1	1	1	0	0	1	0	0	0	4
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>2252</b>	<b>1801</b>	<b>664</b>	<b>132</b>	<b>24</b>	<b>5</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4881</b>

TABLE : B-14												
LIVE BIRTHS BY THE AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (RURAL)												
RELIGION - CHRISTIAN												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	1	0	0	0	0	0	0	0	0	0	1
3	20 - 24	9	3	0	0	0	0	0	0	0	0	12
4	25 - 29	18	5	3	1	0	0	0	0	0	0	27
5	30 - 34	15	8	3	2	0	0	0	0	0	0	28
6	35 - 39	4	2	1	0	0	0	0	0	0	0	7
7	40 - 44	1	1	0	0	0	0	0	0	0	0	2
8	45 AND ABOVE	0	0	0	0	0	0	0	0	0	0	0
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>48</b>	<b>19</b>	<b>7</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>77</b>

TABLE : B-14												
LIVE BIRTHS BY THE AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (RURAL)												
RELIGION - SIKH												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	2	0	0	0	0	0	0	0	0	0	2
3	20 - 24	18	3	0	0	0	0	0	0	0	0	21
4	25 - 29	13	19	2	0	0	0	0	0	0	0	34
5	30 - 34	10	8	2	1	0	0	0	0	0	0	21
6	35 - 39	3	4	1	0	0	0	0	0	0	0	8
7	40 - 44	2	0	0	0	0	0	0	0	0	0	2
8	45 AND ABOVE	0	0	0	0	0	0	0	0	0	0	0
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>48</b>	<b>34</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>88</b>

TABLE : B-14												
LIVE BIRTHS BY THE AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (RURAL)												
RELIGION - OTHERS												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	2	0	0	0	0	0	0	0	0	0	2
3	20 - 24	31	13	0	0	0	0	0	0	0	0	44
4	25 - 29	49	41	6	0	0	0	0	0	0	0	96
5	30 - 34	27	37	1	4	0	0	0	0	0	0	69
6	35 - 39	1	9	2	1	0	0	0	0	0	0	13
7	40 - 44	0	2	1	1	0	0	0	0	0	0	4
8	45 AND ABOVE	1	0	2	0	0	0	0	0	0	0	3
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>111</b>	<b>102</b>	<b>12</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>231</b>

TABLE : B-14												
LIVE BIRTHS BY THE AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (RURAL)												
RELIGION - ALL												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	1016	22	1	0	0	0	0	0	0	0	1039
3	20 - 24	8048	3414	460	9	0	0	0	0	0	0	11931
4	25 - 29	5377	5136	1413	45	2	0	0	0	0	0	11973
5	30 - 34	1642	2718	1119	395	60	0	0	0	0	0	5934
6	35 - 39	345	648	330	71	20	12	1	0	0	0	1427
7	40 - 44	71	81	58	20	1	1	1	0	0	0	233
8	45 AND ABOVE	8	15	15	2	0	1	3	0	0	0	44
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>16507</b>	<b>12034</b>	<b>3396</b>	<b>542</b>	<b>83</b>	<b>14</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>32581</b>

TABLE: B-15												
LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (ALL)												
RELIGION- HINDU												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	5065	102	1	0	0	0	0	0	0	0	5168
3	20 - 24	50677	18028	2125	23	0	0	0	0	0	0	70853
4	25 - 29	46658	33501	7699	137	6	3	0	0	0	0	88004
5	30 - 34	19924	24213	6922	1814	281	1	2	0	0	0	53157
6	35 - 39	4118	7811	2526	458	92	43	13	0	0	0	15061
7	40 - 44	573	803	385	88	19	7	2	0	0	0	1877
8	45 AND ABOVE	128	143	50	14	3	1	13	0	0	0	352
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>127143</b>	<b>84601</b>	<b>19708</b>	<b>2534</b>	<b>401</b>	<b>55</b>	<b>30</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>234472</b>

TABLE: B-15												
LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (ALL)												
RELIGION - MUSLIM												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	1458	22	2	0	0	0	0	0	0	0	1482
3	20 - 24	14215	5118	755	4	0	0	0	0	0	0	20092
4	25 - 29	10516	8883	2962	34	2	1	0	0	0	0	22398
5	30 - 34	2881	4539	2903	1129	219	2	0	0	0	0	11673
6	35 - 39	559	1101	991	309	97	59	15	0	0	0	3131
7	40 - 44	78	111	122	55	16	6	5	0	0	0	393
8	45 AND ABOVE	17	13	12	6	3	1	12	0	0	0	64
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>29724</b>	<b>19787</b>	<b>7747</b>	<b>1537</b>	<b>337</b>	<b>69</b>	<b>32</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>59233</b>

TABLE: B-15												
LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (ALL)												
RELIGION - CHRISTIAN												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	8	0	0	0	0	0	0	0	0	0	8
3	20 - 24	100	30	2	1	0	0	0	0	0	0	133
4	25 - 29	241	84	19	1	0	0	0	0	0	0	345
5	30 - 34	253	201	31	8	7	0	0	0	0	0	500
6	35 - 39	69	128	34	4	0	0	0	0	0	0	235
7	40 - 44	27	21	13	3	1	0	0	0	0	0	65
8	45 AND ABOVE	2	1	0	0	0	0	0	0	0	0	3
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>700</b>	<b>465</b>	<b>99</b>	<b>17</b>	<b>8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1289</b>

TABLE: B-15												
LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (ALL)												
RELIGION - SIKH												
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	< 15	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	21	1	0	0	0	0	0	0	0	0	22
3	20 - 24	340	87	5	0	0	0	0	0	0	0	432
4	25 - 29	816	314	37	0	0	0	0	0	0	0	1167
5	30 - 34	587	520	70	12	1	0	0	0	0	0	1190
6	35 - 39	150	233	37	6	0	0	0	0	0	0	426
7	40 - 44	24	21	13	1	0	0	0	0	0	0	59
8	45 AND ABOVE	6	3	4	0	0	0	0	0	0	0	13
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>1944</b>	<b>1179</b>	<b>166</b>	<b>19</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3309</b>

TABLE: B-15													
LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (ALL)													
RELIGION - OTHERS													
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL	
		1	2	3	4	5	6	7	8	>8	NOT STATED		
1	< 15	0	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	8	0	0	0	0	0	0	0	0	0	0	8
3	20 - 24	194	48	1	0	0	0	0	0	0	0	0	243
4	25 - 29	509	223	34	1	0	0	0	0	0	0	0	767
5	30 - 34	334	360	50	8	1	0	0	0	0	0	0	753
6	35 - 39	76	118	36	3	0	1	1	0	0	0	0	235
7	40 - 44	10	14	5	3	0	0	0	0	0	0	0	32
8	45 AND ABOVE	5	2	2	0	0	0	0	0	0	0	0	9
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>1136</b>	<b>765</b>	<b>128</b>	<b>15</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2047</b>

TABLE: B-15													
LIVE BIRTHS BY AGE OF THE MOTHER, BIRTH ORDER AND RELIGION OF THE FAMILY (ALL)													
RELIGION - ALL													
SL. NO.	AGE OF MOTHER	BIRTH ORDER										ALL	
		1	2	3	4	5	6	7	8	>8	NOT STATED		
1	< 15	0	0	0	0	0	0	0	0	0	0	0	0
2	15 - 19	6560	125	3	0	0	0	0	0	0	0	0	6688
3	20 - 24	65526	23311	2888	28	0	0	0	0	0	0	0	91753
4	25 - 29	58740	43005	10751	173	8	4	0	0	0	0	0	112681
5	30 - 34	23979	29833	9976	2971	509	3	2	0	0	0	0	67273
6	35 - 39	4972	9391	3624	780	189	103	29	0	0	0	0	19088
7	40 - 44	712	970	538	150	36	13	7	0	0	0	0	2426
8	45 AND ABOVE	158	162	68	20	6	2	25	0	0	0	0	441
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0
	<b>TOTAL</b>	<b>160647</b>	<b>106797</b>	<b>27848</b>	<b>4122</b>	<b>748</b>	<b>125</b>	<b>63</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>300350</b>

TABLE: B-16

## LIVE BIRTH BY FATHER'S OCCUPATION AND BIRTH ORDER (URBAN)

SL. NO.	FATHER'S OCCUPATION	BIRTH ORDER										TOTAL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	PROFESSIONAL / TECHNICAL RELATED WORKERS	12130	7645	1699	187	23	4	3	0	0	0	21691
2	ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKERS	3888	3319	508	37	5	1	1	0	0	0	7759
3	CLERICAL WORKERS	0	0	0	0	0	0	0	0	0	0	0
4	SALE WORKERS	107	87	20	0	0	0	0	0	0	0	214
5	SERVICE WORKERS	90373	62064	16054	2231	430	61	33	0	0	0	171246
6	FARMERS,FISHERMEN,HUNTERS etc	0	0	0	0	0	0	0	0	0	0	0
7	PRODUCTION AND OTHER RELATED WORKERS	4169	3217	1390	283	62	14	6	0	0	0	9141
8	NON WORKERS	1298	574	111	33	4	0	1	0	0	0	2021
9	OTHERS/NOT STATED	32175	17857	4670	809	141	31	14	0	0	0	55697
	<b>ALL</b>	<b>144140</b>	<b>94763</b>	<b>24452</b>	<b>3580</b>	<b>665</b>	<b>111</b>	<b>58</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>267769</b>

TABLE: B-16

## LIVE BIRTH BY FATHER'S OCCUPATION AND BIRTH ORDER (RURAL)

SL. NO.	FATHER'S OCCUPATION	BIRTH ORDER										TOTAL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	PROFESSIONAL / TECHNICAL RELATED WORKERS	3155	2122	592	77	4	1	0	0	0	0	5951
2	ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKERS	572	465	88	10	1	0	0	0	0	0	1136
3	CLERICAL WORKERS	0	0	0	0	0	0	0	0	0	0	0
4	SALE WORKERS	12	3	0	1	1	0	0	0	0	0	17
5	SERVICE WORKERS	8649	6799	1855	276	49	9	2	0	0	0	17639
6	FARMERS,FISHERMEN,HUNTERS etc	0	0	0	0	0	0	0	0	0	0	0
7	PRODUCTION AND OTHER RELATED WORKERS	838	647	267	78	17	1	0	0	0	0	1848
8	NON WORKERS	151	92	26	3	2	1	0	0	0	0	275
9	OTHERS/NOT STATED	3130	1906	568	97	9	2	3	0	0	0	5715
	<b>ALL</b>	<b>16507</b>	<b>12034</b>	<b>3396</b>	<b>542</b>	<b>83</b>	<b>14</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>32581</b>



TABLE: B-17

## LIVE BIRTH BY MOTHER'S OCCUPATION AND BIRTH ORDER (URBAN)

SL. NO.	MOTHER'S OCCUPATION	BIRTH ORDER										TOTAL	
		1	2	3	4	5	6	7	8	>8	NOT STATED		
1	PROFESSIONAL / TECHNICAL RELATED WORKERS	1735	873	63	6	1	0	0	0	0	0	0	2678
2	ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKERS	1759	1336	128	6	0	0	1	0	0	0	0	3230
3	CLERICAL WORKERS	2	0	0	0	0	0	0	0	0	0	0	2
4	SALE WORKERS	5	2	1	0	0	0	0	0	0	0	0	8
5	SERVICE WORKERS	11395	5262	606	54	14	2	0	0	0	0	0	17333
6	FARMERS,FISHERMeN,HUNTERS etc	0	0	0	0	0	0	0	0	0	0	0	0
7	PRODUCTION AND OTHER RELATED WORKERS	94	43	24	8	1	0	0	0	0	0	0	170
8	HOUSEWIFE / NON WORKERS	121686	81910	22192	3333	632	106	54	0	0	0	0	229913
9	OTHERS/ NOT STATED	7464	5337	1438	173	17	3	3	0	0	0	0	14435
	<b>ALL</b>	<b>144140</b>	<b>94763</b>	<b>24452</b>	<b>3580</b>	<b>665</b>	<b>111</b>	<b>58</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>267769</b>

TABLE: B-17

## LIVE BIRTH BY MOTHER'S OCCUPATION AND BIRTH ORDER (RURAL)

SL. NO.	MOTHER'S OCCUPATION	BIRTH ORDER										TOTAL	
		1	2	3	4	5	6	7	8	>8	NOT STATED		
1	PROFESSIONAL / TECHNICAL RELATED WORKERS	118	56	6	0	0	0	0	0	0	0	0	180
2	ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKERS	178	120	12	0	0	0	0	0	0	0	0	310
3	CLERICAL WORKERS	0	0	0	0	0	0	0	0	0	0	0	0
4	SALE WORKERS	0	0	0	0	0	0	0	0	0	0	0	0
5	SERVICE WORKERS	352	183	36	6	0	0	0	0	0	0	0	577
6	FARMERS,FISHERMEN,HUNTERS etc	0	0	0	0	0	0	0	0	0	0	0	0
7	PRODUCTION AND OTHER RELATED WORKERS	25	23	5	3	1	0	0	0	0	0	0	57
8	HOUSEWIFE / NON WORKERS	14593	10842	3084	500	80	14	5	0	0	0	0	29118
9	OTHERS/ NOT STATED	1241	810	253	33	2	0	0	0	0	0	0	2339
	<b>ALL</b>	<b>16507</b>	<b>12034</b>	<b>3396</b>	<b>542</b>	<b>83</b>	<b>14</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>32581</b>

TABLE: B-18												
LIVE BIRTHS BY DURATION OF MARRIAGE OF THE MOTHER AND BIRTH ORDER (URBAN)												
SL. NO.	DURATION OF MARRIAGE OF MOTHER AND BIRTH OF CHILD	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	0 - 4	123738	35297	2573	28	0	1	0	0	0	0	161637
2	5 - 9	16775	48028	13090	247	19	5	2	0	0	0	78166
3	10 - 14	2961	9906	7200	2698	471	27	7	0	0	0	23270
4	15 - 19	551	1316	1393	518	148	67	22	0	0	0	4015
5	20 - 24	102	186	174	76	24	11	11	0	0	0	584
6	25 - 29	12	25	20	13	3	0	16	0	0	0	89
7	30 AND ABOVE	1	5	2	0	0	0	0	0	0	0	8
	<b>ALL</b>	<b>144140</b>	<b>94763</b>	<b>24452</b>	<b>3580</b>	<b>665</b>	<b>111</b>	<b>58</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>267769</b>

TABLE: B-18												
LIVE BIRTHS BY DURATION OF MARRIAGE OF THE MOTHER AND BIRTH ORDER (RURAL)												
SL. NO.	DURATION OF MARRIAGE OF MOTHER AND BIRTH OF CHILD	BIRTH ORDER										ALL
		1	2	3	4	5	6	7	8	>8	NOT STATED	
1	0 - 4	14160	4995	416	12	1	0	0	0	0	0	19584
2	5 - 9	1896	5699	1977	69	2	0	0	0	0	0	9643
3	10 - 14	364	1152	803	384	64	3	0	0	0	0	2770
4	15 - 19	62	155	163	66	13	9	1	0	0	0	469
5	20 - 24	21	25	29	11	3	1	2	0	0	0	92
6	25 - 29	2	8	8	0	0	1	2	0	0	0	21
7	30 AND ABOVE	2	0	0	0	0	0	0	0	0	0	2
	<b>ALL</b>	<b>16507</b>	<b>12034</b>	<b>3396</b>	<b>542</b>	<b>83</b>	<b>14</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>32581</b>

TABLE: B-19											
LIVE BIRTHS BY DURATION OF MARRIAGE AND AGE OF MOTHER (URBAN)											
SL. NO.	DURATION OF MARRIAGE OF MOTHER AND BIRTH OF CHILD	AGE OF MOTHER									ALL
		<15	15-19	20-24	25-29	30-34	35-39	40-44	>44	NOT STATED	
1	0 - 4	0	5649	72732	59447	20647	2831	306	25	0	161637
2	5 - 9	0	0	7090	38648	25890	6051	407	80	0	78166
3	10 - 14	0	0	0	2613	14048	5962	597	50	0	23270
4	15 - 19	0	0	0	0	754	2631	563	67	0	4015
5	20 - 24	0	0	0	0	0	186	294	104	0	584
6	25 - 29	0	0	0	0	0	0	26	63	0	89
7	30 AND ABOVE	0	0	0	0	0	0	0	8	0	8
	<b>ALL</b>	<b>0</b>	<b>5649</b>	<b>79822</b>	<b>100708</b>	<b>61339</b>	<b>17661</b>	<b>2193</b>	<b>397</b>	<b>0</b>	<b>267769</b>

TABLE: B-19											
LIVE BIRTHS BY DURATION OF MARRIAGE AND AGE OF MOTHER (RURAL)											
SL. NO.	DURATION OF MARRIAGE OF MOTHER AND BIRTH OF CHILD	AGE OF MOTHER									ALL
		<15	15-19	20-24	25-29	30-34	35-39	40-44	>44	NOT STATED	
1	0 - 4	0	1039	10692	6092	1525	210	25	1	0	19584
2	5 - 9	0	0	1239	5475	2483	403	38	5	0	9643
3	10 - 14	0	0	0	406	1827	484	50	3	0	2770
4	15 - 19	0	0	0	0	99	309	57	4	0	469
5	20 - 24	0	0	0	0	0	21	56	15	0	92
6	25 - 29	0	0	0	0	0	0	7	14	0	21
7	30 AND ABOVE	0	0	0	0	0	0	0	2	0	2
	<b>ALL</b>	<b>0</b>	<b>1039</b>	<b>11931</b>	<b>11973</b>	<b>5934</b>	<b>1427</b>	<b>233</b>	<b>44</b>	<b>0</b>	<b>32581</b>

TABLE: B-20																				
LIVE BIRTHS BY DURATION OF PREGNANCY AND BIRTH WEIGHT (URBAN)																				
SL. NO.	DURATION OF PREGNANCY	BIRTH WEIGHT															ALL			
		< 1.500 Kg			1.500 - 2.000 kg			2.000-3.000 kg			3.000-4.000 kg			>4.000 kg			M	F	O	TOTAL
		M	F	O	M	F	O	M	F	O	M	F	O	M	F	O				
1	<32 week	934	831	0	473	359	1	200	144	0	17	14	0	0	1	0	1624	1349	1	2974
2	32-36 week	886	885	6	11430	11494	15	14132	11925	2	1151	701	1	2	1	0	27601	25006	24	52631
3	37-39 week	451	386	1	20874	24273	23	58943	51732	26	7111	4068	3	5	9	0	87384	80468	53	167905
4	=40 week	36	48	0	3408	4308	2	13045	12907	7	2172	1422	1	3	4	0	18664	18689	10	37363
5	>40 week	9	8	0	466	563	0	2570	2648	1	400	230	0	0	1	0	3445	3450	1	6896
	<b>ALL</b>	<b>2316</b>	<b>2158</b>	<b>7</b>	<b>36651</b>	<b>40997</b>	<b>41</b>	<b>88890</b>	<b>79356</b>	<b>36</b>	<b>10851</b>	<b>6435</b>	<b>5</b>	<b>10</b>	<b>16</b>	<b>0</b>	<b>138718</b>	<b>128962</b>	<b>89</b>	<b>267769</b>

TABLE: B-20																				
LIVE BIRTHS BY DURATION OF PREGNANCY AND BIRTH WEIGHT (RURAL)																				
SL. NO.	DURATION OF PREGNANCY	BIRTH WEIGHT															ALL			
		< 1.500 Kg			1.500 - 2.000 kg			2.000-3.000 kg			3.000-4.000 kg			>4.000 kg			M	F	O	TOTAL
		M	F	O	M	F	O	M	F	O	M	F	O	M	F	O				
1	<32 week	195	169	2	99	81	0	43	45	0	3	1	0	0	0	0	340	296	2	638
2	32-36 week	130	93	2	1506	1437	0	1669	1434	0	113	65	0	0	0	0	3418	3029	2	6449
3	37-39 week	77	79	0	2861	3329	2	6528	5615	2	744	426	1	2	0	0	10212	9449	5	19666
4	=40 week	5	14	0	530	653	0	1638	1529	0	310	159	0	0	0	0	2483	2355	0	4838
5	>40 week	1	0	0	60	85	0	365	354	1	72	51	0	1	0	0	499	490	1	990
	<b>ALL</b>	<b>408</b>	<b>355</b>	<b>4</b>	<b>5056</b>	<b>5585</b>	<b>2</b>	<b>10243</b>	<b>8977</b>	<b>3</b>	<b>1242</b>	<b>702</b>	<b>1</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>16952</b>	<b>15619</b>	<b>10</b>	<b>32581</b>

TABLE: B-21

## LIVE BIRTHS BY AGE OF MOTHER AND BIRTH WEIGHT (URBAN)

SL. NO.	AGE OF MOTHER	BIRTH WEIGHT															ALL			
		< 1.500 Kg			1.500 - 2.000 kg			2.000-3.000 Kg			3.000-4.000 Kg			> 4.000 Kg			M	F	O	TOTAL
		M	F	O	M	F	O	M	F	O	M	F	O	M	F	O				
1	<15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	15-19	61	51	0	1122	1183	3	1638	1443	2	90	56	0	0	0	0	2911	2733	5	5649
3	20-24	673	604	2	12775	14278	16	25367	22537	14	2211	1337	1	1	6	0	41027	38762	33	79822
4	25-29	753	692	2	12860	14410	9	34256	30907	9	4278	2515	3	7	7	0	52154	48531	23	100708
5	30-34	533	510	3	7358	8288	11	21046	18491	8	3191	1896	1	1	2	0	32129	29187	23	61339
6	35-39	227	214	0	2124	2350	2	5875	5332	2	975	560	0	0	0	0	9201	8456	4	17661
7	40-44	46	63	0	318	393	0	624	580	1	99	68	0	1	0	0	1088	1104	1	2193
8	45 AND ABOVE	23	24	0	94	95	0	84	66	0	7	3	0	0	1	0	208	189	0	397
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	<b>ALL</b>	<b>2316</b>	<b>2158</b>	<b>7</b>	<b>36651</b>	<b>40997</b>	<b>41</b>	<b>88890</b>	<b>79356</b>	<b>36</b>	<b>10851</b>	<b>6435</b>	<b>5</b>	<b>10</b>	<b>16</b>	<b>0</b>	<b>138718</b>	<b>128962</b>	<b>89</b>	<b>267769</b>

TABLE: B-21

## LIVE BIRTHS BY AGE OF MOTHER AND BIRTH WEIGHT (RURAL)

SL. NO.	AGE OF MOTHER	BIRTH WEIGHT															ALL			
		<1.500 Kg			1.500-2.000 Kg			2.000-3.000 Kg			3.000-4.000 Kg			> 4.000 Kg			M	F	O	TOTAL
		M	F	O	M	F	O	M	F	O	M	F	O	M	F	O				
1	<15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	15-19	16	10	0	196	237	0	270	282	0	19	9	0	0	0	0	501	538	0	1039
3	20-24	132	122	4	1974	2267	1	3669	3243	2	313	204	0	0	0	0	6088	5836	7	11931
4	25-29	142	133	0	1745	1931	1	3828	3396	1	526	268	1	1	0	0	6242	5728	3	11973
5	30-34	78	63	0	855	890	0	1959	1605	0	305	178	0	1	0	0	3198	2736	0	5934
6	35-39	26	18	0	222	220	0	443	387	0	70	40	0	1	0	0	762	665	0	1427
7	40-44	11	9	0	48	30	0	66	60	0	6	3	0	0	0	0	131	102	0	233
8	45 AND ABOVE	3	0	0	16	10	0	8	4	0	3	0	0	0	0	0	30	14	0	44
9	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	<b>ALL</b>	<b>408</b>	<b>355</b>	<b>4</b>	<b>5056</b>	<b>5585</b>	<b>2</b>	<b>10243</b>	<b>8977</b>	<b>3</b>	<b>1242</b>	<b>702</b>	<b>1</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>16952</b>	<b>15619</b>	<b>10</b>	<b>32581</b>

TABLE: B-22

## LIVE BIRTHS BY BIRTH ORDER AND BIRTH WEIGHT (URBAN)

SL. NO.	BIRTH ORDER	BIRTH WEIGHT															ALL			
		<1.500 Kg			1.500-2.000 Kg			2.000-3.000 Kg			3.000-4.000 Kg			> 4.000 Kg			M	F	O	TOTAL
		M	F	O	M	F	O	M	F	O	M	F	O	M	F	O				
1	1	1243	1117	3	20735	22918	20	47065	43131	15	4906	2972	2	5	8	0	73954	70146	40	144140
2	2	791	757	1	11985	13818	15	31920	28449	16	4366	2632	3	5	5	0	49067	45661	35	94763
3	3	229	219	2	3284	3603	6	8487	6599	4	1323	693	0	0	3	0	13323	11117	12	24452
4	4	39	45	1	525	534	0	1174	958	1	198	105	0	0	0	0	1936	1642	2	3580
5	5	12	16	0	98	97	0	197	175	0	43	27	0	0	0	0	350	315	0	665
6	6	1	2	0	17	14	0	31	30	0	10	6	0	0	0	0	59	52	0	111
7	7	1	2	0	7	13	0	16	14	0	5	0	0	0	0	0	29	29	0	58
8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	>8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	Not Stated	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	<b>ALL</b>	<b>2316</b>	<b>2158</b>	<b>7</b>	<b>36651</b>	<b>40997</b>	<b>41</b>	<b>88890</b>	<b>79356</b>	<b>36</b>	<b>10851</b>	<b>6435</b>	<b>5</b>	<b>10</b>	<b>16</b>	<b>0</b>	<b>138718</b>	<b>128962</b>	<b>89</b>	<b>267769</b>

TABLE: B-22

## LIVE BIRTHS BY BIRTH ORDER AND BIRTH WEIGHT (RURAL)

SL. NO.	BIRTH ORDER	BIRTH WEIGHT															ALL			
		<1.500 Kg			1.500-2.000 Kg			2.000-3.000 Kg			3.000-4.000 Kg			> 4.000 Kg			M	F	O	TOTAL
		M	F	O	M	F	O	M	F	O	M	F	O	M	F	O				
1	1	216	188	3	2670	3001	1	5015	4602	2	494	314	0	1	0	0	8396	8105	6	16507
2	2	145	124	1	1788	1955	1	3879	3335	1	533	270	0	2	0	0	6347	5684	3	12034
3	3	39	35	0	499	533	0	1147	866	0	176	100	1	0	0	0	1861	1534	1	3396
4	4	7	7	0	85	79	0	169	150	0	30	15	0	0	0	0	291	251	0	542
5	5	1	1	0	12	13	0	26	22	0	5	3	0	0	0	0	44	39	0	83
6	6	0	0	0	1	3	0	6	1	0	3	0	0	0	0	0	10	4	0	14
7	7	0	0	0	1	1	0	1	1	0	1	0	0	0	0	0	3	2	0	5
8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	>8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	Not Stated	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	<b>ALL</b>	<b>408</b>	<b>355</b>	<b>4</b>	<b>5056</b>	<b>5585</b>	<b>2</b>	<b>10243</b>	<b>8977</b>	<b>3</b>	<b>1242</b>	<b>702</b>	<b>1</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>16952</b>	<b>15619</b>	<b>10</b>	<b>32581</b>

<b>TABLE: B-23</b>											
<b>LIVE BIRTHS BY METHOD OF DELIVERY AND AGE OF MOTHER (URBAN)</b>											
<b>SL. NO.</b>	<b>METHOD OF DELIVERY</b>	<b>AGE OF MOTHER</b>									<b>ALL</b>
		<b>&lt;15</b>	<b>15-19</b>	<b>20-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45 and above</b>	<b>Not Stated</b>	
1	NORMAL	0	4568	58943	63305	31854	7644	825	130	0	167269
2	CAESAREAN	0	1028	20063	36144	28780	9850	1356	267	0	97488
3	FORCEP/OTHERS	0	53	816	1259	705	167	12	0	0	3012
4	NOT STATED	0	0	0	0	0	0	0	0	0	0
	<b>ALL</b>	<b>0</b>	<b>5649</b>	<b>79822</b>	<b>100708</b>	<b>61339</b>	<b>17661</b>	<b>2193</b>	<b>397</b>	<b>0</b>	<b>267769</b>

<b>TABLE: B-23</b>											
<b>LIVE BIRTHS BY METHOD OF DELIVERY AND AGE OF MOTHER (RURAL)</b>											
<b>SL. NO.</b>	<b>METHOD OF DELIVERY</b>	<b>AGE OF MOTHER</b>									<b>ALL</b>
		<b>&lt;15</b>	<b>15-19</b>	<b>20-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45 and above</b>	<b>Not Stated</b>	
1	NORMAL	0	880	9075	8108	3665	823	125	23	0	22699
2	CAESAREAN	0	148	2743	3754	2226	595	107	20	0	9593
3	FORCEP/OTHERS	0	11	113	111	43	9	1	1	0	289
4	NOT STATED	0	0	0	0	0	0	0	0	0	0
	<b>ALL</b>	<b>0</b>	<b>1039</b>	<b>11931</b>	<b>11973</b>	<b>5934</b>	<b>1427</b>	<b>233</b>	<b>44</b>	<b>0</b>	<b>32581</b>

**TABLE : D-1****DEATHS BY PLACE OF OCCURRENCE, DISTRICTS (URBAN & RURAL) AND TOWNS WITH POPULATION ONE LAKH AND ABOVE**

SL. NO.	DISTRICT	URBAN			RURAL			TOTAL		
		INSTITUTIONAL	DOMICILIARY	ALL	INSTITUTIONAL	DOMICILIARY	ALL	INSTITUTIONAL	DOMICILIARY	ALL
1	MCD	44757	43483	88240	4485	2440	6925	49242	45923	95165
2	NDMC	23709	369	24078	6983	45	7028	30692	414	31106
3	DELHI CANTT	1685	136	1821	11	3	14	1696	139	1835
	<b>TOTAL</b>	<b>70151</b>	<b>43988</b>	<b>114139</b>	<b>11479</b>	<b>2488</b>	<b>13967</b>	<b>81630</b>	<b>46476</b>	<b>128106</b>



**TABLE: D-3**

**TIME GAP IN REGISTRATION OF DEATHS (URBAN)**

SL. NO.	DISTRICT	WITHIN TIME LIMIT				DELAYED REGISTRATION															
		MALE	FEMALE	OTHER	TOTAL	AFTER 21 DAYS TO 30 DAYS				AFTER 30 DAYS TO 1 YEAR				AFTER 1 YEAR				TOTAL DELAYED REGISTRATION			
						MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	ALL
1	MCD	40411	26090	38	66539	3949	2444	1	6394	11801	8207	2	20010	1022	951	0	1973	16772	11602	3	28377
2	NDMC	9851	5637	4	15492	2013	1123	1	3137	3544	2165	1	5710	16	11	0	27	5573	3299	2	8874
3	DELHI CANTT	1060	658	0	1718	26	18	0	44	47	25	0	72	6	8	0	14	79	51	0	130
	<b>ALL</b>	<b>51322</b>	<b>32385</b>	<b>42</b>	<b>83749</b>	<b>5988</b>	<b>3585</b>	<b>2</b>	<b>9575</b>	<b>15392</b>	<b>10397</b>	<b>3</b>	<b>25792</b>	<b>1044</b>	<b>970</b>	<b>0</b>	<b>2014</b>	<b>22424</b>	<b>14952</b>	<b>5</b>	<b>37381</b>

**TABLE : D-3**

**TIME GAP IN REGISTRATION OF DEATHS (RURAL)**

SL. NO.	DISTRICT	WITHIN TIME LIMIT				DELAYED REGISTRATION															
		MALE	FEMALE	OTHER	TOTAL	AFTER 21 DAYS TO 30 DAYS				AFTER 30 DAYS TO 1 YEAR				AFTER 1 YEAR				TOTAL DELAYED REGISTRATION			
						MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	ALL
1	MCD	3694	2002	2	5698	256	131	0	387	712	385	0	1097	47	54	0	101	1015	570	0	1585
2	NDMC	3680	1989	1	5670	368	211	0	579	522	298	0	820	5	4	0	9	895	513	0	1408
3	DELHI CANTT	5	6	0	11	2	0	0	2	1	0	0	1	0	0	0	0	3	0	0	3
	<b>ALL</b>	<b>7379</b>	<b>3997</b>	<b>3</b>	<b>11379</b>	<b>626</b>	<b>342</b>	<b>0</b>	<b>968</b>	<b>1235</b>	<b>683</b>	<b>0</b>	<b>1918</b>	<b>52</b>	<b>58</b>	<b>0</b>	<b>110</b>	<b>1913</b>	<b>1083</b>	<b>0</b>	<b>2996</b>

TABLE: D-4															
DEATHS BY SEX AND MONTH OF OCCURRENCE (URBAN)															
SL. NO.	LOCAL BODIES	SEX	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEP	OCT	NOV	DEC	ALL
1	MCD	MALE	5940	4506	4360	4214	4396	4359	4023	4524	3873	4402	4258	4754	53609
		FEMALE	3954	2967	2783	2740	2833	2902	2486	2814	2516	2806	2741	3048	34590
		OTHER	4	1	6	1	4	4	5	2	4	0	6	4	41
2	NDMC	MALE	1184	1148	1172	1132	1312	1369	1458	1688	1454	1429	1147	765	15258
		FEMALE	678	674	664	729	736	769	824	903	807	855	666	509	8814
		OTHER	2	2	0	0	0	0	0	1	1	0	0	0	6
3	DELHI CANTT	MALE	110	84	86	96	63	90	101	103	94	86	100	109	1122
		FEMALE	63	52	57	37	57	47	53	58	62	63	71	79	699
		OTHER	0	0	0	0	0	0	0	0	0	0	0	0	0
		<b>TOTAL</b>	<b>11935</b>	<b>9434</b>	<b>9128</b>	<b>8949</b>	<b>9401</b>	<b>9540</b>	<b>8950</b>	<b>10093</b>	<b>8811</b>	<b>9641</b>	<b>8989</b>	<b>9268</b>	<b>114139</b>

TABLE: D-4															
DEATHS BY SEX AND MONTH OF OCCURRENCE (RURAL)															
SL. NO.	LOCAL BODIES	SEX	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEP	OCT	NOV	DEC	ALL
1	MCD	MALE	442	347	365	342	351	371	356	406	371	399	386	373	4509
		FEMALE	227	176	174	205	199	173	197	191	192	222	225	233	2414
		OTHER	0	1	0	0	0	1	0	0	0	0	0	0	2
2	NDMC	MALE	325	439	434	398	366	347	266	307	303	460	591	310	4546
		FEMALE	152	203	241	229	213	190	140	167	194	245	332	175	2481
		OTHER	0	0	0	0	1	0	0	0	0	0	0	0	1
3	DELHI CANTT	MALE	0	2	2	0	2	1	0	0	0	0	0	1	8
		FEMALE	1	1	2	1	1	0	0	0	0	0	0	0	6
		OTHER	0	0	0	0	0	0	0	0	0	0	0	0	0
		<b>TOTAL</b>	<b>1147</b>	<b>1169</b>	<b>1218</b>	<b>1175</b>	<b>1133</b>	<b>1083</b>	<b>959</b>	<b>1071</b>	<b>1060</b>	<b>1326</b>	<b>1534</b>	<b>1092</b>	<b>13967</b>

TABLE: D-5						
DEATHS BY TYPE OF ATTENTION AT DEATH (URBAN)						
SL. NO.	DISTRICT	INSTITUTIONAL	OTHER THAN INSTITUTIONAL	NO MEDICAL ATTENTION	NOT STATED	ALL
1	MCD	42883	1874	43483	0	88240
2	NDMC	23702	7	268	101	24078
3	DELHI CANTT	1685	0	136	0	1821
	<b>TOTAL</b>	<b>68270</b>	<b>1881</b>	<b>43887</b>	<b>101</b>	<b>114139</b>

TABLE: D-5						
DEATHS BY TYPE OF ATTENTION AT DEATH (RURAL)						
SL. NO.	DISTRICT	INSTITUTIONAL	OTHER THAN INSTITUTIONAL	NO MEDICAL ATTENTION	NOT STATED	ALL
1	MCD	4112	373	2440	0	6925
2	NDMC	6981	2	43	2	7028
3	DELHI CANTT	11	0	3	0	14
	<b>TOTAL</b>	<b>11104</b>	<b>375</b>	<b>2486</b>	<b>2</b>	<b>13967</b>

TABLE: D-6																									
DEATHS BY AGE, SEX AND RELIGION OF THE DECEASED (URBAN)																									
SL. NO.	AGE (Years)	HINDU				MUSLIM				CHRISTIAN				SIKH				OTHER				ALL			
		MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL
1	BELOW 1 YEAR	2504	1747	13	4264	1052	717	4	1773	4	12	0	16	13	8	0	21	16	11	0	27	3589	2495	17	6101
2	1 TO 4	541	443	0	984	215	184	0	399	5	4	0	9	5	2	0	7	3	2	0	5	769	635	0	1404
3	5 TO 14	671	642	0	1313	216	210	0	426	6	4	0	10	3	6	0	9	6	7	0	13	902	869	0	1771
4	15 TO 24	2013	1519	1	3533	447	370	0	817	5	3	0	8	15	11	0	26	37	24	1	62	2517	1927	2	4446
5	25 TO 34	4041	1674	1	5716	625	433	0	1058	30	17	0	47	61	24	0	85	161	38	0	199	4918	2186	1	7105
6	35 TO 44	6325	2280	4	8609	859	479	0	1338	39	23	0	62	117	39	0	156	247	55	1	303	7587	2876	5	10468
7	45 TO 54	8881	3969	7	12857	1382	771	1	2154	76	39	0	115	204	84	0	288	246	79	0	325	10789	4942	8	15739
8	55 TO 64	10564	5592	4	16160	1611	914	0	2525	92	55	0	147	357	219	0	576	212	155	0	367	12836	6935	4	19775
9	65 TO 69	5469	3373	0	8842	759	450	1	1210	51	21	0	72	221	171	0	392	114	80	0	194	6614	4095	1	10710
10	70 AND ABOVE	15978	14229	6	30213	1564	1154	1	2719	120	132	0	252	1009	1034	0	2043	328	310	0	638	18999	16859	7	35865
11	NOT STATED	350	207	1	558	97	70	1	168	2	0	0	2	4	6	0	10	16	1	0	17	469	284	2	755
	<b>ALL</b>	<b>57337</b>	<b>35675</b>	<b>37</b>	<b>93049</b>	<b>8827</b>	<b>5752</b>	<b>8</b>	<b>14587</b>	<b>430</b>	<b>310</b>	<b>0</b>	<b>740</b>	<b>2009</b>	<b>1604</b>	<b>0</b>	<b>3613</b>	<b>1386</b>	<b>762</b>	<b>2</b>	<b>2150</b>	<b>69989</b>	<b>44103</b>	<b>47</b>	<b>114139</b>

TABLE: D-6																									
DEATHS BY AGE, SEX AND RELIGION OF THE DECEASED (RURAL)																									
SL. NO.	AGE (Years)	HINDU				MUSLIM				CHRISTIAN				SIKH				OTHER				ALL			
		MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL
1	BELOW 1 YEAR	490	256	1	747	193	111	0	304	0	0	0	0	1	0	0	1	1	1	0	2	685	368	1	1054
2	1 TO 4	181	98	0	279	61	43	0	104	0	0	0	0	0	0	0	0	0	0	1	1	242	141	1	384
3	5 TO 14	202	138	0	340	55	43	0	98	0	0	0	0	1	1	0	2	2	0	0	2	260	182	0	442
4	15 TO 24	487	322	0	809	92	65	0	157	0	2	0	2	0	3	0	3	6	12	0	18	585	404	0	989
5	25 TO 34	745	330	0	1075	101	71	0	172	4	1	0	5	3	1	0	4	8	21	0	29	861	424	0	1285
6	35 TO 44	978	384	0	1362	120	79	0	199	6	0	0	6	3	4	0	7	7	15	0	22	1114	482	0	1596
7	45 TO 54	1282	505	0	1787	177	90	0	267	2	2	0	4	9	1	0	10	18	15	0	33	1488	613	0	2101
8	55 TO 64	1384	647	0	2031	149	111	0	260	9	3	0	12	6	7	0	13	31	22	0	53	1579	790	0	2369
9	65 TO 69	661	295	0	956	87	38	0	125	2	1	0	3	5	0	0	5	7	20	0	27	762	354	0	1116
10	70 AND ABOVE	1258	996	0	2254	105	62	0	167	4	5	0	9	17	15	0	32	35	30	0	65	1419	1108	0	2527
11	NOT STATED	49	25	1	75	17	10	0	27	0	0	0	0	0	0	0	0	2	0	0	2	68	35	1	104
	<b>ALL</b>	<b>7717</b>	<b>3996</b>	<b>2</b>	<b>11715</b>	<b>1157</b>	<b>723</b>	<b>0</b>	<b>1880</b>	<b>27</b>	<b>14</b>	<b>0</b>	<b>41</b>	<b>45</b>	<b>32</b>	<b>0</b>	<b>77</b>	<b>117</b>	<b>136</b>	<b>1</b>	<b>254</b>	<b>9063</b>	<b>4901</b>	<b>3</b>	<b>13967</b>

TABLE: D-7

## DEATHS BY AGE, OCCUPATION AND SEX (RURAL)

SL. NO.	OCCUPATION	SEX	AGE									
			<15 YRS	15-24	25-34	35-44	45-54	55-64	65-69	70 and above	Not Stated	ALL
1	PROFESSIONAL / TECHNICAL RELATED WORKERS	MALE	0	1	1	9	2	3	2	7	0	25
		FEMALE	1	0	0	1	1	1	0	2	0	6
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	1	1	1	10	3	4	2	9	0	31
2	ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKERS	MALE	0	0	16	30	67	78	5	15	1	212
		FEMALE	0	0	2	2	5	3	0	1	0	13
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	18	32	72	81	5	16	1	225
3	CLERICAL WORKERS	MALE	0	0	0	0	0	0	0	0	0	0
		FEMALE	0	0	0	0	0	0	0	0	0	0
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	0	0	0	0	0	0	0	0
4	SALE WORKERS	MALE	0	0	0	0	1	0	0	1	0	2
		FEMALE	0	0	0	0	0	0	0	0	0	0
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	0	0	1	0	0	1	0	2
5	SERVICE WORKERS	MALE	0	13	33	78	103	80	22	28	1	358
		FEMALE	0	0	1	4	8	1	0	2	0	16
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	13	34	82	111	81	22	30	1	374
6	FARMERS / FISHERMEN / HUNTERS	MALE	0	0	0	0	0	0	0	0	0	0
		FEMALE	0	0	0	0	0	0	0	0	0	0
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	0	0	0	0	0	0	0	0
7	PRODUCTION AND OTHER RELATED WORKERS	MALE	0	0	13	21	33	34	9	14	0	124
		FEMALE	0	1	2	0	1	0	0	0	0	4
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	1	15	21	34	34	9	14	0	128
8	HOUSEWIFE / NON-WORKERS	MALE	29	2	3	9	8	43	36	62	2	194
		FEMALE	16	8	40	64	106	175	93	369	2	873
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	45	10	43	73	114	218	129	431	4	1067
9	OTHERS	MALE	1158	569	795	967	1274	1341	688	1292	64	8148
		FEMALE	674	395	379	411	492	610	261	734	33	3989
		OTHER	2	0	0	0	0	0	0	0	1	3
		TOTAL	1834	964	1174	1378	1766	1951	949	2026	98	12140
10	TOTAL	MALE	1187	585	861	1114	1488	1579	762	1419	68	9063
		FEMALE	691	404	424	482	613	790	354	1108	35	4901
		OTHER	2	0	0	0	0	0	0	0	1	3
		TOTAL	1880	989	1285	1596	2101	2369	1116	2527	104	13967

TABLE: D-8

## DEATHS BY AGE, OCCUPATION AND SEX (URBAN)

SL. NO.	OCCUPATION	SEX	AGE									
			<15 YRS	15-24	25-34	35-44	45-54	55-64	65-69	70 and above	Not Stated	ALL
1	PROFESSIONAL / TECHNICAL RELATED WORKERS	MALE	25	31	88	153	213	243	55	148	2	958
		FEMALE	21	16	51	68	137	107	9	36	3	448
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	46	47	139	221	350	350	64	184	5	1406
2	ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKERS	MALE	4	4	50	143	385	563	84	236	10	1479
		FEMALE	1	2	7	16	62	70	10	30	0	198
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	5	6	57	159	447	633	94	266	10	1677
3	CLERICAL WORKERS	MALE	0	0	0	0	1	1	0	0	0	2
		FEMALE	0	0	0	0	0	0	0	0	0	0
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	0	0	1	1	0	0	0	2
4	SALE WORKERS	MALE	0	0	0	206	167	142	0	8	0	523
		FEMALE	1	0	0	0	0	0	0	0	0	1
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	1	0	0	206	167	142	0	8	0	524
5	SERVICE WORKERS	MALE	13	108	641	890	1245	940	276	539	14	4666
		FEMALE	1	12	48	49	46	40	12	18	0	226
		OTHER	0	0	0	1	1	0	0	0	0	2
		TOTAL	14	120	689	940	1292	980	288	557	14	4894
6	FARMERS / FISHERMEN / HUNTERS	MALE	0	0	0	0	0	0	0	0	0	0
		FEMALE	0	0	0	0	0	0	0	0	0	0
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	0	0	0	0	0	0	0	0
7	PRODUCTION AND OTHER RELATED WORKERS	MALE	1	19	97	211	243	159	56	80	6	872
		FEMALE	0	3	7	14	8	10	3	4	1	50
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	1	22	104	225	251	169	59	84	7	922
8	HOUSEWIFE / NON-WORKERS	MALE	137	16	36	75	85	269	263	697	15	1593
		FEMALE	109	102	381	739	1620	2510	1620	7105	36	14222
		OTHER	0	0	0	0	1	0	0	2	0	3
		TOTAL	246	118	417	814	1706	2779	1883	7804	51	15818
9	OTHERS	MALE	5080	2339	4006	5909	8450	10519	5880	17291	422	59896
		FEMALE	3866	1792	1692	1990	3069	4198	2441	9666	244	28958
		OTHER	17	2	1	4	6	4	1	5	2	42
		TOTAL	8963	4133	5699	7903	11525	14721	8322	26962	668	88896
10	TOTAL	MALE	5260	2517	4918	7587	10789	12836	6614	18999	469	69989
		FEMALE	3999	1927	2186	2876	4942	6935	4095	16859	284	44103
		OTHER	17	2	1	5	8	4	1	7	2	47
		TOTAL	9276	4446	7105	10468	15739	19775	10710	35865	755	114139

TABLE: D-9

## DEATHS BY AGE, OCCUPATION AND SEX (ALL AREAS)

SL. NO.	OCCUPATION	SEX	AGE									
			<15 YRS	15-24	25-34	35-44	45-54	55-64	65-69	70 and above	Not Stated	ALL
1	PROFESSIONAL / TECHNICAL RELATED WORKERS	MALE	25	32	89	162	215	246	57	155	2	983
		FEMALE	22	16	51	69	138	108	9	38	3	454
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	47	48	140	231	353	354	66	193	5	1437
2	ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKERS	MALE	4	4	66	173	452	641	89	251	11	1691
		FEMALE	1	2	9	18	67	73	10	31	0	211
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	5	6	75	191	519	714	99	282	11	1902
3	CLERICAL WORKERS	MALE	0	0	0	0	1	1	0	0	0	2
		FEMALE	0	0	0	0	0	0	0	0	0	0
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	0	0	1	1	0	0	0	2
4	SALE WORKERS	MALE	0	0	0	206	168	142	0	9	0	525
		FEMALE	1	0	0	0	0	0	0	0	0	1
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	1	0	0	206	168	142	0	9	0	526
5	SERVICE WORKERS	MALE	13	121	674	968	1348	1020	298	567	15	5024
		FEMALE	1	12	49	53	54	41	12	20	0	242
		OTHER	0	0	0	1	1	0	0	0	0	2
		TOTAL	14	133	723	1022	1403	1061	310	587	15	5268
6	FARMERS / FISHERMEN / HUNTERS	MALE	0	0	0	0	0	0	0	0	0	0
		FEMALE	0	0	0	0	0	0	0	0	0	0
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	0	0	0	0	0	0	0	0	0	0
7	PRODUCTION AND OTHER RELATED WORKERS	MALE	1	19	110	232	276	193	65	94	6	996
		FEMALE	0	4	9	14	9	10	3	4	1	54
		OTHER	0	0	0	0	0	0	0	0	0	0
		TOTAL	1	23	119	246	285	203	68	98	7	1050
8	HOUSEWIFE / NON-WORKERS	MALE	166	18	39	84	93	312	299	759	17	1787
		FEMALE	125	110	421	803	1726	2685	1713	7474	38	15095
		OTHER	0	0	0	0	1	0	0	2	0	3
		TOTAL	291	128	460	887	1820	2997	2012	8235	55	16885
9	OTHERS	MALE	6238	2908	4801	6876	9724	11860	6568	18583	486	68044
		FEMALE	4540	2187	2071	2401	3561	4808	2702	10400	277	32947
		OTHER	19	2	1	4	6	4	1	5	3	45
		TOTAL	10797	5097	6873	9281	13291	16672	9271	28988	766	101036
10	TOTAL	MALE	6447	3102	5779	8701	12277	14415	7376	20418	537	79052
		FEMALE	4690	2331	2610	3358	5555	7725	4449	17967	319	49004
		OTHER	19	2	1	5	8	4	1	7	3	50
		TOTAL	11156	5435	8390	12064	17840	22144	11826	38392	859	128106

**TABLE : D-10 (PROVISIONAL)**

**DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR ALL DEATHS (MEDICALLY CERTIFIED OR NOT) - 2022**

**AGE IN YEARS**

SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
I	CERTAIN INFECTIOUS AND PARASITIC DISEASES (A00-B99)	Male	659	154	251	693	1179	1787	2324	2622	1297	3492	59	14517
		Female	438	158	269	800	687	767	1113	1557	856	2939	25	9609
		Other	0	0	0	1	0	2	2	0	1	4	0	10
II	NEOPLASMS(C00-D48)	Male	18	59	104	146	205	418	674	1079	599	1038	0	4340
		Female	13	30	60	87	162	344	613	744	310	718	1	3082
		Other	0	1	0	0	0	0	0	0	0	0	0	1
III	DISEASES OF THE BLOOD & BLOOD FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (D50-D89)	Male	23	21	54	60	68	87	125	142	68	228	3	879
		Female	12	18	24	53	52	41	67	79	51	239	1	637
		Other	0	0	0	0	0	0	0	1	0	0	0	1
IV	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES (E00-E90)	Male	15	9	9	28	52	120	242	342	168	458	1	1444
		Female	6	13	9	28	46	72	180	279	166	485	2	1286
		Other	0	0	0	0	0	1	2	0	0	0	0	3
V	MENTAL AND BEHAVIOURAL DISORDERS (F01-F99)	Male	4	1	3	12	17	25	26	33	10	19	0	150
		Female	0	1	2	0	4	2	2	7	4	16	0	38
		Other	0	0	0	0	0	0	0	0	0	0	0	0
VI	DISEASES OF THE NERVOUS SYSTEM (G00-G98)	Male	115	80	56	96	119	143	156	161	67	209	2	1204
		Female	100	36	61	78	65	69	76	91	45	197	0	818
		Other	0	0	0	0	0	0	0	0	0	0	1	1
VII	DISEASES OF THE EYE AND ADNEXA (H00-H59)	Male	0	0	0	0	0	1	1	0	1	0	0	3
		Female	1	0	0	0	0	0	0	1	0	1	0	3
		Other	0	0	0	0	0	0	0	0	0	0	0	0
VIII	DISEASES OF THE EAR AND MASTOID PROCESS (H60-H95)	Male	0	0	1	1	0	2	4	7	2	5	0	22
		Female	0	0	0	0	2	0	4	3	0	3	0	12
		Other	0	0	0	0	0	0	0	0	0	0	0	0
IX	DISEASES OF THE CIRCULATORY SYSTEM (I00-I99)	Male	256	91	100	359	830	1426	2629	3304	1643	3053	21	13712
		Female	193	58	94	261	359	616	1191	1737	967	2494	14	7984
		Other	1	0	0	0	0	1	0	0	0	1	0	3
X	DISEASES OF THE RESPIRATORY SYSTEM (J00-J98)	Male	360	131	100	181	267	404	762	1024	575	1597	17	5418
		Female	290	100	102	164	205	248	429	553	313	1227	19	3650
		Other	0	0	0	0	0	0	1	0	0	0	0	1
XI	DISEASES OF THE DIGESTIVE SYSTEM (K00-K92)	Male	64	34	56	119	518	1027	1073	735	251	429	4	4310
		Female	26	22	54	93	127	157	211	251	142	296	1	1380
		Other	0	0	0	0	0	0	0	0	0	0	0	0



TABLE : D-10 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR ALL DEATHS (MEDICALLY CERTIFIED OR NOT) - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
XII	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (L00-L98)	Male	0	0	1	3	4	9	7	6	1	13	0	44
		Female	3	0	1	1	1	4	5	5	1	4	0	25
		Other	0	0	0	0	0	0	0	0	0	0	0	0
XIII	DISEASES OF THE MUSCULOSKELETAL SYSTEM CONNECTIVE TISSUE (M00-M99)	Male	2	1	0	6	1	9	15	15	4	4	0	57
		Female	2	1	3	3	4	9	11	9	5	19	0	66
		Other	0	0	0	0	0	0	0	0	0	0	0	0
XIV	DISEASES OF THE GENITOURINARY SYSTEM (N00 - N99)	Male	40	9	31	72	132	215	315	429	202	460	0	1905
		Female	25	4	21	67	98	151	220	284	134	359	0	1363
		Other	0	0	0	0	0	0	0	3	0	0	0	3
XV	PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (O00-O99)	Male	0	0	0	0	0	0	0	0	0	0	0	0
		Female	0	0	0	53	69	18	8	0	0	0	0	148
		Other	0	0	0	0	0	0	0	0	0	0	0	0
XVI	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	Male	1530	0	0	0	0	0	0	0	0	0	106	1636
		Female	965	0	0	0	0	0	0	0	0	0	35	1000
		Other	7	0	0	0	0	0	0	0	0	0	0	7
XVII	CONGENITAL MALFORMATIONS, DEFORMATIONS & CHROMOSOMAL ABNORMALITIES (Q00-Q99)	Male	236	52	19	10	6	4	5	3	5	8	4	352
		Female	130	23	14	9	1	2	4	7	3	10	5	208
		Other	1	0	0	0	0	0	0	0	0	0	0	1
XVIII	SYMPTOMS, SIGNS AND ABNORMAL CLINICAL & LABORATORY FINDING NOT ELSEWHERE CLASSIFIED (R00-R99)	Male	875	237	252	750	1442	2164	3159	3808	2177	8564	296	23724
		Female	609	197	246	426	502	623	1161	1838	1297	8314	206	15419
		Other	9	0	0	1	1	1	3	0	0	2	2	19
XIX	INJURY, POISONING AND CERTAIN OTHER (S00-T98)	Male	15	97	83	347	448	380	314	285	100	255	3	2327
		Female	13	89	46	119	111	111	110	113	53	249	1	1015
		Other	0	0	0	0	0	0	0	0	0	0	0	0
XX	EXTERNAL CAUSES OF MORBIDITY AND MORTALITY (V01-Y89)	Male	39	26	30	200	461	418	340	243	104	246	20	2127
		Female	27	22	29	70	95	82	101	89	50	181	7	753
		Other	0	0	0	0	0	0	0	0	0	0	0	0
XXI	CODES FOR SPECIAL PURPOSES (U00-U49)	Male	23	9	12	19	30	62	106	177	102	340	1	881
		Female	10	4	16	19	20	42	49	78	52	216	2	508
		Other	0	0	0	0	0	0	0	0	0	0	0	0
	<b>Total</b>	<b>Male</b>	<b>4274</b>	<b>1011</b>	<b>1162</b>	<b>3102</b>	<b>5779</b>	<b>8701</b>	<b>12277</b>	<b>14415</b>	<b>7376</b>	<b>20418</b>	<b>537</b>	<b>79052</b>
		<b>Female</b>	<b>2863</b>	<b>776</b>	<b>1051</b>	<b>2331</b>	<b>2610</b>	<b>3358</b>	<b>5555</b>	<b>7725</b>	<b>4449</b>	<b>17967</b>	<b>319</b>	<b>49004</b>
		<b>Other</b>	<b>18</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>1</b>	<b>5</b>	<b>8</b>	<b>4</b>	<b>1</b>	<b>7</b>	<b>3</b>	<b>50</b>
		<b>All</b>	<b>Total</b>	<b>7155</b>	<b>1788</b>	<b>2213</b>	<b>5435</b>	<b>8390</b>	<b>12064</b>	<b>17840</b>	<b>22144</b>	<b>11826</b>	<b>38392</b>	<b>859</b>

Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
I	<b>CERTAIN INFECTIOUS AND PARASITIC DISEASES (A00-B99)</b>													
I	CERTAIN INFECTIOUS AND PARASITIC DISEASES (A00-B99)	M	659	153	239	623	966	1337	1592	1780	817	1920	50	10136
		F	438	154	253	750	641	652	866	1099	547	1556	17	6973
		O	0	0	0	1	0	1	2	0	1	3	0	8
1	INTESTINAL INFECTIOUS DISEASES (A00-A09)	M	46	19	12	8	11	13	29	22	3	23	2	188
		F	42	15	9	16	8	11	17	21	8	24	1	172
		O	0	0	0	0	0	0	0	0	0	0	1	0
1	Cholera (A00)	M	0	1	0	0	0	0	1	1	0	0	0	3
		F	2	0	0	0	0	0	0	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Typhoid and paratyphoid fevers(A01)	M	0	1	2	1	1	1	2	0	0	4	0	12
		F	0	2	1	3	1	0	1	2	0	1	0	11
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Food Poisoning (A02,A05)	M	0	0	0	1	0	0	4	0	0	0	0	5
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Shigellosis (A03)	M	0	0	1	1	4	4	2	3	0	1	1	17
		F	0	0	0	0	0	0	0	0	0	0	1	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Amoebiasis (A06)	M	0	0	0	0	0	0	0	0	0	1	1	2
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	Diarrhoea and gastroenteritis of presumed infectious origin (A09)	M	38	15	8	4	6	8	18	17	2	15	1	132
		F	36	13	6	12	6	11	15	17	8	18	0	142
		O	0	0	0	0	0	0	0	0	0	0	0	0
7	Other intestinal infectious diseases (A04,A07-A08)	M	8	2	1	1	0	0	2	1	0	2	0	17
		F	4	0	2	1	1	0	1	2	0	5	0	16
		O	0	0	0	0	0	0	0	0	0	1	0	1
2	Tuberculosis (A15-A19)	M	105	25	51	211	323	358	369	354	149	242	1	2188
		F	58	25	102	336	206	130	161	138	59	134	0	1349
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Respiratory Tuberculosis (A15-16)	M	95	4	12	135	214	264	271	279	109	182	0	1565
		F	49	2	40	196	119	83	102	99	48	108	0	846
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Tuberculosis of nervous system (A17)	M	5	15	21	23	38	37	26	30	16	20	0	231
		F	5	17	25	58	39	21	29	16	2	10	0	222
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
3	Tuberculosis of other organs & miliary Tuberculosis (A18-A19)	M	5	6	18	53	71	57	72	45	24	40	1	392
		F	4	6	37	82	48	26	30	23	9	16	0	281
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other bacterial diseases (A20-A49)	M	487	88	101	325	536	861	1109	1334	644	1610	47	7142
		F	322	94	91	352	370	454	644	902	468	1364	16	5077
		O	0	0	0	1	0	1	1	0	1	2	0	6
1	Plague (A20)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Leprosy (A30)	M	0	0	0	0	0	0	0	0	0	0	1	0
		F	0	0	0	0	0	0	1	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Neontorum Tetanus (A33)	M	1	0	0	0	0	0	0	0	0	0	0	1
		F	1	0	0	0	0	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Other Tetanus (A34-A35)	M	0	1	4	1	0	0	1	0	0	0	0	7
		F	0	2	1	1	0	0	0	0	0	0	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Diphtheria (A36)	M	1	4	3	0	0	0	0	0	0	0	0	8
		F	0	1	1	0	0	0	0	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	Whooping cough (A37)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	1	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
7	Meningococcal infection (A39)	M	1	0	2	0	0	1	1	0	0	1	0	6
		F	5	0	1	1	1	1	1	0	0	0	0	10
		O	0	0	0	0	0	0	0	0	0	0	0	0
8	Septicaemia (A40-A41)	M	462	79	87	324	534	857	1106	1332	643	1605	45	7074
		F	310	90	86	350	368	452	642	901	468	1362	16	5045
		O	0	0	0	1	0	1	1	0	1	2	0	6
9	All other types of bacterial Diseases (A21-A28,A31-A32,A38,A42-A49)	M	22	4	5	0	2	3	1	2	1	3	2	45
		F	6	1	2	0	1	1	0	1	0	1	0	13
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Infections with a predominantly sexual mode of transmission (A50-A64)	M	0	0	0	0	0	1	0	0	0	1	0	2
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Syphilis (A50-53)	M	0	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
2	Other Types of infections with a predominately sexual mode of transmission (A54-A64)	M	0	0	0	0	0	1	0	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Viral diseases (A70-A74 & A80-B34)	M	20	20	71	72	88	93	73	54	15	39	0	545
		F	15	19	46	40	51	50	37	33	8	30	0	329
		O	0	0	0	0	0	0	1	0	0	0	0	1
1	Acute Poliomyelitis (A80)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Rabies (A82)	M	0	0	4	0	2	2	0	0	0	0	0	8
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Japanese encephalitis (A83.0)	M	3	2	4	0	3	0	2	3	2	2	0	21
		F	0	2	1	0	0	0	0	1	0	1	0	5
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Other Viral encephalitis (A83.1-A83.9, A84-A86)	M	2	5	7	2	2	3	3	3	1	4	0	32
		F	2	5	1	1	0	0	1	0	2	3	0	15
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	*Dengue fever (A90)	M	9	8	42	39	31	38	22	13	5	14	0	221
		F	5	8	27	23	39	30	12	18	4	14	0	180
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	Other arthropod-borne viral fevers and viral haemorrhagic favers (A91-A94, A96-A99)	M	0	1	5	4	5	4	5	2	0	1	0	27
		F	1	0	5	3	0	3	0	0	1	2	0	15
		O	0	0	0	0	0	0	0	0	0	0	0	0
7	Smallpox (B03)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
8	Measles (B05)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	1	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
9	Acute Hepatitis B (B16)	M	1	0	1	5	2	10	9	9	6	3	0	46
		F	1	1	4	2	2	4	5	4	0	2	0	25
		O	0	0	0	0	0	0	1	0	0	0	0	1
10	Other viral hepatitis (B15, B17-B19)	M	1	2	6	5	10	12	12	11	1	10	0	70
		F	0	3	5	6	4	2	10	5	0	4	0	39
		O	0	0	0	0	0	0	0	0	0	0	0	0
11	Human immunodeficiency virus (HIV) disease (B20-B24)	M	0	0	2	15	32	23	19	11	0	2	0	104
		F	0	0	0	4	5	11	8	5	0	0	0	33
		O	0	0	0	0	0	0	0	0	0	0	0	0

\* Note:- Cases of deaths due to dengue may be either suspected or residing outside Delhi. Clarification/Confirmation from the local bodies is pending.

Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
12	All other types of viral diseases (A70-A74,A81, A87-A89,A95,B00-B02,B04,B06-B09 &B25-B34)	M	4	2	0	2	1	1	1	2	0	3	0	16
		F	6	0	3	1	1	0	1	0	1	3	0	16
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	Protozoal diseases (B50-B64)	M	0	0	4	6	4	4	4	3	2	0	0	27
		F	0	0	2	4	0	3	1	0	0	1	0	11
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Malaria (B50-B54)	M	0	0	4	6	4	4	3	3	2	0	0	26
		F	0	0	2	4	0	3	1	0	0	1	0	11
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	All other types of protozoal disease (B55-B64)	M	0	0	0	0	0	0	1	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
7	Other certain infectious and parasitic diseases & late effect of infectious and parasitic diseases (A65-A69 & A75-A79, B35-B49&B65-B99)	M	1	1	0	1	4	7	8	13	4	5	0	44
		F	1	1	3	2	6	4	6	5	4	3	0	35
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Filariasis (B74)	M	0	0	0	0	0	0	0	1	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Other helminthiasis (B65-B73,B75,B77-B83)	M	0	0	0	0	0	1	0	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other spirochaetal diseases and Rickettsioses (A65-A69 & A75-A79)	M	0	0	0	0	0	0	0	1	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	All other infectious and parasitic diseases & late effects of infectious and parasitic diseases (B35-B49,B76,B85-B99)	M	1	1	0	1	4	6	8	11	4	5	0	41
		F	1	1	3	2	6	4	6	5	4	3	0	35
		O	0	0	0	0	0	0	0	0	0	0	0	0
II	NEOPLASMS(C00-D48)	M	18	56	103	140	166	308	473	777	451	655	0	3147
		F	13	28	57	82	136	280	455	573	219	418	0	2261
		O	0	1	0	0	0	0	0	0	0	0	0	1
8	Malignant neoplasms of lip. Oral cavity cavity and pharynx (C00-C14)	M	0	0	0	2	14	50	83	81	31	44	0	305
		F	2	1	0	1	3	3	8	17	3	10	0	48
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	M	0	0	0	2	14	50	83	81	31	44	0	305
		F	2	1	0	1	3	3	8	17	3	10	0	48
		O	0	0	0	0	0	0	0	0	0	0	0	0
9	Malignant neoplasms of digestive organs (C15-C26)	M	3	5	3	7	30	68	135	252	133	193	0	829
		F	4	0	1	10	27	63	115	182	78	161	0	641
		O	0	0	0	0	0	0	0	0	0	0	0	0

**Table D-11 (PROVISIONAL)**

**DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022**

**AGE IN YEARS**

SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
1	Malignant neoplasm of oesophagus (C15)	M	1	0	0	0	0	6	17	38	18	25	0	105
		F	0	0	0	0	2	4	10	18	6	22	0	62
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of stomach (C16)	M	0	1	1	2	6	13	31	84	46	87	0	271
		F	3	0	0	4	11	13	20	57	35	70	0	213
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Malignant neoplasm of small intestine including deodenum (C17)	M	0	0	0	0	1	0	2	3	4	1	0	11
		F	0	0	0	0	1	0	1	2	1	4	0	9
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Malignant neoplasm of colon (C18)	M	2	1	0	3	5	5	14	20	20	14	0	84
		F	0	0	0	3	4	7	9	7	6	11	0	47
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Malignant neoplasm of rectosigmoid junction, rectum, anus and anal canal (C19-C21)	M	0	0	0	1	11	9	5	18	5	11	0	60
		F	1	0	0	1	5	3	9	9	2	4	0	34
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	Malignant neoplasm of liver and intrahepatic bile ducts (C22)	M	0	3	1	0	5	11	15	31	10	19	0	95
		F	0	0	1	1	1	6	11	20	4	13	0	57
		O	0	0	0	0	0	0	0	0	0	0	0	0
7	Malignant neoplasm of pancreas (C25)	M	0	0	1	1	1	11	17	34	15	24	0	104
		F	0	0	0	1	1	4	7	26	14	16	0	69
		O	0	0	0	0	0	0	0	0	0	0	0	0
8	Other malignant neoplasms of digestive organs (C23-C24, C26)	M	0	0	0	0	1	13	34	24	15	12	0	99
		F	0	0	0	0	2	26	48	43	10	21	0	150
		O	0	0	0	0	0	0	0	0	0	0	0	0
10	Malignant neoplasm of respiratory and intrathoracic organs (C30-C39)	M	2	3	1	8	5	25	92	203	129	150	0	618
		F	2	0	0	3	2	16	34	49	15	33	0	154
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasm of larynx (C32)	M	0	0	0	0	0	1	13	26	19	22	0	81
		F	0	0	0	0	0	0	5	2	0	1	0	8
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of trachea, bronchus and lung (C33-C34)	M	0	3	1	6	4	21	76	173	108	124	0	516
		F	1	0	0	2	2	15	28	45	15	30	0	138
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other malignant neoplasm of respiratory and intrathoracic organs (C30-C31, C37-C39)	M	2	0	0	2	1	3	3	4	2	4	0	21
		F	1	0	0	1	0	1	1	2	0	2	0	8
		O	0	0	0	0	0	0	0	0	0	0	0	0
11	Malignant neoplasms of bone, mesothelial and soft tissue, skin and breast (C40-C50)	M	1	1	2	7	6	10	7	9	2	4	0	49
		F	2	2	4	7	35	67	91	86	34	42	0	370
		O	0	0	0	0	0	0	0	0	0	0	0	0

**Table D-11 (PROVISIONAL)**

**DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022**

**AGE IN YEARS**

SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
1	Malignant neoplasm of bone & articular cartilage (C40-C41)	M	1	0	2	6	1	4	2	1	1	1	0	19
		F	1	1	3	1	4	1	3	2	0	0	0	16
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant melanoma of skin (C43)	M	0	0	0	0	2	2	0	2	0	2	0	8
		F	0	0	0	0	1	1	2	0	0	0	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other malignant neoplasms of skin (C44)	M	0	0	0	1	1	2	3	2	0	0	0	9
		F	0	0	0	0	0	1	0	4	1	0	0	6
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Malignant neoplasms of mesothelial and soft tissue (C45-C49)	M	0	1	0	0	2	2	2	4	1	1	0	13
		F	1	1	1	2	1	1	2	2	0	0	0	11
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Malignant neoplasm of breast (C50)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	4	29	63	84	78	33	42	0	333
		O	0	0	0	0	0	0	0	0	0	0	0	0
<b>12</b>	<b>Malignant neoplasms of genitourinary organs (C51-C68)</b>	<b>M</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>4</b>	<b>13</b>	<b>20</b>	<b>67</b>	<b>56</b>	<b>107</b>	<b>0</b>	<b>271</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>16</b>	<b>46</b>	<b>97</b>	<b>113</b>	<b>46</b>	<b>76</b>	<b>0</b>	<b>401</b>
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1	Malignant neoplasm of cervix uteri (C53)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	3	14	34	30	16	16	0	113
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of other and unspecified parts of uterus (C54-C55)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	4	10	3	8	0	25
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Malignant neoplasm of ovary (C56)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	7	12	22	36	47	15	31	0	170
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Malignant neoplasm of placenta (C58)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Other malignant neoplasms of female genital organs (C51-C52,C57)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	1	7	1	1	0	10
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	Malignant neoplasm of prostate (C61)	M	0	0	0	0	0	0	2	20	27	68	0	117
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
7	Other malignant neoplasms of male genital organs (C60,C62-C63)	M	0	0	0	1	2	4	4	5	2	3	0	21
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
8	Malignant neoplasm of bladder (C67)	M	0	0	0	0	1	5	11	33	22	30	0	102
		F	0	0	0	0	1	8	18	16	11	20	0	74
		O	0	0	0	0	0	0	0	0	0	0	0	0
9	Other malignant neoplasms of urinary tract (C64-C66,C68)	M	0	1	1	1	1	4	3	9	5	6	0	31
		F	0	0	0	0	0	2	4	3	0	0	0	9
		O	0	0	0	0	0	0	0	0	0	0	0	0
13	Malignant neoplasms of eye, brain and other parts of central nervous system (C69-C72)	M	3	9	6	3	7	18	14	10	3	9	0	82
		F	0	4	6	0	2	5	7	8	3	2	0	37
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasm of eye & adnexa (C69)	M	0	3	1	1	0	4	1	1	0	0	0	11
		F	0	2	0	0	0	1	0	0	0	1	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of meninges, brain and other parts of central nervous system (C70-C72)	M	3	6	5	2	7	14	13	9	3	9	0	71
		F	0	2	6	0	2	4	7	8	3	1	0	33
		O	0	0	0	0	0	0	0	0	0	0	0	0
14	Malignant neoplasms of other and unspecified sites (C73-C80 & C97)	M	0	0	2	1	2	5	9	8	6	12	0	45
		F	0	2	0	0	2	8	13	13	4	5	0	47
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasm of other, ill-defined, secondary, unspecified and multiple sites (C73-C80 & C97)	M	0	0	2	1	2	5	9	8	6	12	0	45
		F	0	2	0	0	2	8	13	13	4	5	0	47
		O	0	0	0	0	0	0	0	0	0	0	0	0
15	Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81-C96)	M	7	34	79	92	82	77	71	86	41	78	0	647
		F	2	16	38	44	36	51	50	62	23	45	0	367
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Hodgkin lymphoma (C81)	M	0	2	3	2	1	2	10	4	2	2	0	28
		F	0	0	0	4	2	3	1	4	1	2	0	17
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Non-Hodgkin lymphoma (C82-C85)	M	0	10	22	27	23	18	18	22	10	19	0	169
		F	1	6	8	5	7	7	15	19	6	9	0	83
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Multiple myeloma and malignant plasma cell neoplasms (C90)	M	0	0	0	0	1	2	7	19	5	24	0	58
		F	0	0	0	0	0	1	4	9	9	18	0	41
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Leukaemia (C91-C95)	M	7	22	54	62	57	54	34	40	22	29	0	381
		F	1	10	29	35	26	40	28	28	6	16	0	219
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Other malignant neoplasms of lymphoid, haematopoietic and related tissue (C88 & C96)	M	0	0	0	1	0	1	2	1	2	4	0	11
		F	0	0	1	0	1	0	2	2	1	0	0	7
		O	0	0	0	0	0	0	0	0	0	0	0	0



Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
16	Carcinoma in situ(D00-D09)	M	0	0	1	0	1	4	7	6	4	5	0	28
		F	0	0	0	0	1	0	3	2	1	7	0	14
		O	0	1	0	0	0	0	0	0	0	0	0	0
1	Carcinoma in situ (D00-D09)	M	0	0	1	0	1	4	7	6	4	5	0	28
		F	0	0	0	0	1	0	3	2	1	7	0	14
		O	0	1	0	0	0	0	0	0	0	0	0	0
17	Benign neoplasms (D10-D36)	M	2	3	6	15	13	26	14	20	8	11	0	118
		F	1	3	7	9	9	13	19	10	2	9	0	82
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Leiomyoma of uterus (D25)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	1	0	1	0	0	1	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	All other benign neoplasms (D10-D24, D26-D36)	M	2	3	6	15	13	26	14	20	8	11	0	118
		F	1	3	7	9	8	13	18	10	2	8	0	79
		O	0	0	0	0	0	0	0	0	0	0	0	0
18	Other & Unspecified neoplasm (D37-D48)	M	0	0	2	3	2	12	21	35	38	42	0	155
		F	0	0	1	1	3	8	18	31	10	28	0	100
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Other and unspecified neoplasm (D37-D48)	M	0	0	2	3	2	12	21	35	38	42	0	155
		F	0	0	1	1	3	8	18	31	10	28	0	100
		O	0	0	0	0	0	0	0	0	0	0	0	0
III	Diseases of the Blood & blood forming organs and certain disorders involving the immune mechanism (D50-D89)	M	23	21	52	53	47	42	56	51	16	27	0	388
		F	12	18	20	51	48	29	42	36	13	45	1	315
		O	0	0	0	0	0	0	0	0	0	0	0	0
19	Diseases of the Blood & blood forming organs and certain disorders involving the immune mechanism (D50-D89)	M	23	21	52	53	47	42	56	51	16	27	0	388
		F	12	18	20	51	48	29	42	36	13	45	1	315
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Thalassaemia (D56)	M	0	0	3	0	2	0	1	0	0	0	0	6
		F	0	1	1	3	0	0	1	0	0	0	0	6
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Other anaemias (D50-D55,D57-D64)	M	8	11	34	31	28	25	35	31	11	18	0	232
		F	4	9	11	30	31	18	25	26	10	38	0	202
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of blood and blood- forming organs (D65-D76)	M	14	9	13	17	16	15	19	16	5	4	0	128
		F	8	7	5	18	17	11	13	8	2	6	1	96
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Certain disorders involving the immune mechanism (D80-D89)	M	1	1	2	5	1	2	1	4	0	5	0	22
		F	0	1	3	0	0	0	3	2	1	1	0	11
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
IV	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES (E00-E90)	M	15	9	7	28	45	78	144	181	77	151	0	735
		F	6	13	7	26	45	55	127	155	79	160	1	674
		O	0	0	0	0	0	1	1	0	0	0	0	0
20	Malnutrition (E40-E46)	M	3	2	1	0	0	0	0	0	0	1	0	7
		F	0	3	1	0	0	0	0	1	0	0	0	5
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Kwashiorkor (E40)	M	1	0	1	0	0	0	0	0	0	1	0	3
		F	0	0	1	0	0	0	0	1	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Nutritional marasmus (E41)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other protein-energy malnutrition (E42-E46)	M	2	2	0	0	0	0	0	0	0	0	0	4
		F	0	3	0	0	0	0	0	0	0	0	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
21	Endocrine, other nutritional & metabolic diseases (E00-E34 & E50-E89)	M	12	7	6	28	45	78	144	181	77	150	0	728
		F	6	10	6	26	45	55	127	154	79	160	1	669
		O	0	0	0	0	0	1	1	0	0	0	0	0
1	Disorders of thyroid gland (E00-E07)	M	0	0	0	1	1	1	4	3	2	4	0	16
		F	0	0	0	1	2	5	13	11	5	4	0	41
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Diabetes mellitus (E10-E14)	M	0	0	1	4	4	24	66	104	42	98	0	343
		F	0	1	2	2	12	23	61	88	49	106	0	344
		O	0	0	0	0	0	1	0	0	0	0	0	0
3	All other nutritional deficiencies (E50-E64)	M	0	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	0	0	0	1	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	All other endocrine and metabolic diseases (E15-E34 & E65-E90)	M	12	7	5	23	40	53	74	74	33	47	0	368
		F	6	9	4	23	31	27	52	55	25	50	1	283
		O	0	0	0	0	0	0	1	0	0	0	0	0
V	Mental and Behavioural disorders (F01-F99)	M	4	1	3	1	15	18	16	22	5	4	0	89
		F	0	1	2	0	2	0	0	1	0	3	0	9
		O	0	0	0	0	0	0	0	0	0	0	0	0
22	Mental and Behavioural disorders (F01-F99)	M	4	1	3	1	15	18	16	22	5	4	0	89
		F	0	1	2	0	2	0	0	1	0	3	0	9
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Mental and behavioural disorders due to psychoactive substance use (F10-F19)	M	0	0	0	1	13	17	15	18	3	2	0	69
		F	0	0	0	0	1	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
2	Schizophrenia, schizotypal & delusional disorders (F20-F29)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	All other mental and behavioural disorders (F01-F09, F30-F99)	M	4	1	3	0	2	1	1	4	2	2	0	20
		F	0	1	2	0	1	0	0	1	0	3	0	8
		O	0	0	0	0	0	0	0	0	0	0	0	0
VI	Diseases of the Nervous System (G00-G98)	M	115	80	56	92	112	129	134	138	49	111	2	1018
		F	100	35	61	76	60	61	64	74	34	112	0	677
		O	0	0	0	0	0	0	0	0	0	0	1	1
23	Inflammatory diseases of the central nervous system (G00 - G09)	M	90	35	35	37	39	56	51	47	14	45	2	451
		F	82	18	33	35	22	22	19	26	10	58	0	325
		O	0	0	0	0	0	0	0	0	0	0	1	1
1	Meningitis (G00 & G03)	M	79	18	15	20	19	21	19	23	9	27	0	250
		F	72	11	16	20	11	15	11	16	5	32	0	209
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Encephalitis, myelitis and encephalomyelitis (G04)	M	5	10	10	7	2	4	2	5	1	3	0	49
		F	6	5	8	3	3	2	2	2	1	4	0	36
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other inflammatory diseases of the central nervous system (G06, G08-G09)	M	6	7	10	10	18	31	30	19	4	15	2	152
		F	4	2	9	12	8	5	6	8	4	22	0	80
		O	0	0	0	0	0	0	0	0	0	0	1	1
24	Other diseases of the Nervous system (G10-G98)	M	25	45	21	55	73	73	83	91	35	66	0	567
		F	18	17	28	41	38	39	45	48	24	54	0	352
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Alzheimer disease (G30)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	1	0	0	0	0	0	0	2	0	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Epilepsy (G40-G41)	M	4	8	1	9	11	6	11	7	3	5	0	65
		F	3	3	3	2	3	6	3	3	0	8	0	34
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of the nervous system (G10-G25, G31, G35-G37,G43-G98)	M	21	37	20	46	62	67	72	84	32	61	0	502
		F	15	13	25	39	35	33	42	45	22	46	0	315
		O	0	0	0	0	0	0	0	0	0	0	0	0
VII	Diseases of the eye and adnexa (H00-H59)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	1	0	0	0	0	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
25	Diseases of the eye and adnexa (H00-H59)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	1	0	0	0	0	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
1	Diseases of the eye and adnexa (H00-H59)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	1	0	0	0	0	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
VIII	Diseases of the ear and mastoid process (H60-H95)	M	0	0	1	0	0	0	0	0	0	0	0	1
		F	0	0	0	0	1	0	2	0	0	0	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
26	Diseases of the ear and mastoid process (H60-H95)	M	0	0	1	0	0	0	0	0	0	0	0	1
		F	0	0	0	0	1	0	2	0	0	0	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
IX	Diseases of the circulatory system (I00-I99)	M	256	90	99	340	711	1136	2031	2594	1258	2009	18	10542
		F	193	56	93	255	343	537	1023	1497	796	1630	14	6437
		O	1	0	0	0	0	1	0	0	0	1	0	3
27	Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	M	5	3	13	20	41	40	61	73	33	54	1	344
		F	2	3	13	14	29	50	73	69	27	54	0	334
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Acute rheumatic fever (I00-I02)	M	0	0	0	0	1	3	6	25	17	19	0	71
		F	0	0	0	0	3	0	2	11	5	20	0	41
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Chronic rheumatic heart diseases (I05-I09)	M	5	3	13	20	40	37	55	48	16	35	1	273
		F	2	3	13	14	26	50	71	58	22	34	0	293
		O	0	0	0	0	0	0	0	0	0	0	0	0
28	Hypertensive disease (I10 - I15)	M	7	2	1	15	43	102	212	210	122	238	0	952
		F	3	1	1	14	16	54	131	213	93	281	0	807
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Hypertensive heart disease (I11)	M	3	0	1	3	20	50	98	91	48	85	0	399
		F	2	0	0	8	5	22	61	97	38	120	0	353
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	All other hypertensive diseases (I10, I12-I15)	M	4	2	0	12	23	52	114	119	74	153	0	553
		F	1	1	1	6	11	32	70	116	55	161	0	454
		O	0	0	0	0	0	0	0	0	0	0	0	0
29	Ischaemic heart diseases (I20-I25)	M	8	4	3	14	44	128	252	405	180	407	0	1445
		F	3	1	1	10	18	46	103	232	115	315	0	844
		O	0	0	0	0	0	1	0	0	0	0	0	1
1	Acute myocardial infarction (I21-I22)	M	3	1	2	7	21	49	93	131	47	144	0	498
		F	2	1	0	3	7	14	31	79	48	141	0	326
		O	0	0	0	0	0	1	0	0	0	0	0	1
2	All other ischaemic heart diseases (I20 & I23-I25)	M	5	3	1	7	23	79	159	274	133	263	0	947
		F	1	0	1	7	11	32	72	153	67	174	0	518
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table D-11 (PROVISIONAL)															
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022															
AGE IN YEARS															
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
30	Diseases of pulmonary circulation and other forms of heart disease (I26- I58)	M	227	66	72	235	483	635	1117	1425	732	932	16	5940	
		F	175	42	73	200	226	306	538	764	456	659	14	3453	
		O	1	0	0	0	0	0	0	0	0	0	1	0	2
1	Pulmonary heart disease and diseases (I26-I28)	M	18	6	4	38	51	81	130	157	91	214	0	790	
		F	14	5	6	21	29	43	58	78	52	162	0	468	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Other forms of heart diseases (I30-I58)	M	209	60	68	197	432	554	987	1268	641	718	16	5150	
		F	161	37	67	179	197	263	480	686	404	497	14	2985	
		O	1	0	0	0	0	0	0	0	0	0	1	0	2
31	Cerebrovascular diseases (I60-I69)	M	8	11	9	46	84	218	357	430	158	307	1	1629	
		F	8	9	4	12	45	77	162	189	90	244	0	840	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Cerebrovascular diseases (I60-I69)	M	8	11	9	46	84	218	357	430	158	307	1	1629	
		F	8	9	4	12	45	77	162	189	90	244	0	840	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
32	Other diseases of the circulatory system (I70-I99)	M	1	4	1	10	16	13	32	51	33	71	0	232	
		F	2	0	1	5	9	4	16	30	15	77	0	159	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Atherosclerosis (I70)	M	0	0	0	0	0	0	1	1	1	0	0	3	
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Arterial embolism and thrombosis (I74)	M	0	0	0	0	0	1	1	2	3	2	0	9	
		F	1	0	0	2	1	0	1	0	1	1	0	7	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Other diseases of arteries, arterioles & capillaries (I71-I73 & I77-I78)	M	0	1	1	1	7	4	5	14	2	12	0	47	
		F	0	0	0	1	2	0	3	3	1	9	0	19	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
4	Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)	M	1	1	0	0	2	1	1	1	1	2	0	10	
		F	0	0	1	1	4	2	3	0	1	0	0	12	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
5	All other diseases of the circulatory system (I83-I99)	M	0	2	0	9	7	7	24	33	26	55	0	163	
		F	1	0	0	1	2	2	9	27	12	67	0	121	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
X	DISEASES OF THE RESPIRATORY SYSTEM (J00-J98)	M	360	130	100	175	250	355	653	824	434	1115	16	4412	
		F	290	100	102	161	195	230	373	469	252	830	17	3019	
		O	0	0	0	0	0	0	1	0	0	0	0	0	1
33	DISEASES OF THE UPPER RESPIRATORY TRACT (J00-J06 & J30-J39)	M	7	0	1	2	5	3	8	12	6	15	1	60	
		F	1	0	1	1	2	3	3	3	4	12	2	32	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0

**Table D-11 (PROVISIONAL)**

**DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022**

**AGE IN YEARS**

SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
1	Acute pharyngitis and acute tonsillitis (J02-J03)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Acute laryngitis and tracheitis (J04)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other acute upper respiratory infections (J00-J01, J05-J06)	M	1	0	1	1	2	1	3	3	5	7	0	24
		F	0	0	1	0	1	1	3	2	2	6	0	16
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	All other diseases of upper respiratory tract (J30-J39)	M	6	0	0	1	3	2	5	9	1	8	1	36
		F	1	0	0	1	1	2	0	1	2	6	2	16
		O	0	0	0	0	0	0	0	0	0	0	0	0
<b>34</b>	<b>Lower respiratory diseases (J20-J22 &amp; J40-J47)</b>	<b>M</b>	<b>17</b>	<b>8</b>	<b>10</b>	<b>29</b>	<b>60</b>	<b>83</b>	<b>200</b>	<b>334</b>	<b>168</b>	<b>378</b>	<b>0</b>	<b>1287</b>
		<b>F</b>	<b>15</b>	<b>4</b>	<b>8</b>	<b>27</b>	<b>47</b>	<b>71</b>	<b>129</b>	<b>164</b>	<b>85</b>	<b>311</b>	<b>0</b>	<b>861</b>
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1	Acute bronchitis and acute bronchiolitis (J20-J21)	M	6	2	1	5	11	10	16	24	15	64	0	154
		F	9	1	1	5	7	6	13	13	10	71	0	136
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Bronchitis, chronic and unspecified, emphysema (J40-J43)	M	4	1	0	0	0	1	4	2	2	7	0	21
		F	2	1	0	0	0	0	2	1	1	3	0	10
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Asthma (J45-J46)	M	1	1	1	6	1	6	11	22	7	19	0	75
		F	0	0	3	2	3	7	13	20	7	30	0	85
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Other lower respiratory disorders (J22, J44 & J47)	M	6	4	8	18	48	66	169	286	144	288	0	1037
		F	4	2	4	20	37	58	101	130	67	207	0	630
		O	0	0	0	0	0	0	0	0	0	0	0	0
<b>35</b>	<b>Other diseases of the respiratory system (J10-J18, J60-J98)</b>	<b>M</b>	<b>336</b>	<b>122</b>	<b>89</b>	<b>144</b>	<b>185</b>	<b>269</b>	<b>445</b>	<b>478</b>	<b>260</b>	<b>722</b>	<b>15</b>	<b>3065</b>
		<b>F</b>	<b>274</b>	<b>96</b>	<b>93</b>	<b>133</b>	<b>146</b>	<b>156</b>	<b>241</b>	<b>302</b>	<b>163</b>	<b>507</b>	<b>15</b>	<b>2126</b>
		<b>O</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>
1	Influenza (J10-J11)	M	0	0	0	0	0	1	2	0	0	2	0	5
		F	1	0	0	0	0	0	2	1	0	0	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Pneumonia (J12-J18)	M	232	77	34	55	75	86	143	161	88	327	0	1278
		F	179	59	46	47	49	59	74	117	60	195	0	885
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Pleurisy (J90)	M	1	0	0	1	0	5	1	2	1	0	0	11
		F	3	0	0	2	0	3	1	1	3	1	0	14
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
4	All other diseases of the respiratory system (J60-J86, J92-J98)	M	103	45	55	88	110	177	299	315	171	393	15	1771
		F	91	37	47	84	97	94	164	183	100	311	15	1223
		O	0	0	0	0	0	0	1	0	0	0	0	1
XI	DISEASES OF THE DIGESTIVE SYSTEM (K00-K92)	M	64	34	55	116	483	932	928	610	186	238	0	3646
		F	26	21	54	91	121	142	182	190	101	173	0	1101
		O	0	0	0	0	0	0	0	0	0	0	0	0
36	Diseases of oral cavity, salivary glands and jaws (K00-K14)	M	0	0	1	1	1	0	1	3	0	1	0	8
		F	0	0	0	2	0	1	2	0	1	1	0	7
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Diseases of oral cavity, salivary glands and jaws (K00-K14)	M	0	0	1	1	1	0	1	3	0	1	0	8
		F	0	0	0	2	0	1	2	0	1	1	0	7
		O	0	0	0	0	0	0	0	0	0	0	0	0
37	Diseases of the other parts of digestive system (K20-K92)	M	64	34	54	115	482	932	927	607	186	237	0	3638
		F	26	21	54	89	121	141	180	190	100	172	0	1094
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Gastric and duodenal ulcer (K25-K27)	M	0	0	0	1	1	0	0	1	0	2	0	5
		F	0	0	0	1	1	0	0	1	1	2	0	6
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Gastritis and duodenitis (K29)	M	0	0	1	0	0	1	2	1	1	0	0	6
		F	1	1	0	1	0	0	2	1	0	0	0	6
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Diseases of appendix (K35-K38)	M	0	0	0	2	1	0	3	1	1	1	0	9
		F	1	0	0	1	2	1	0	1	1	0	0	7
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Hernia (K40-K46)	M	6	0	1	0	1	3	6	4	1	5	0	27
		F	0	0	0	0	1	0	1	1	1	3	0	7
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Paralytic ileus and intestinal obstruction without hernia (K56)	M	1	2	1	3	0	7	0	7	2	8	0	31
		F	1	0	2	3	3	4	4	3	5	6	0	31
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	Peritonitis (K65)	M	12	2	5	31	40	35	44	34	16	22	0	241
		F	7	4	13	28	23	14	19	18	7	18	0	151
		O	0	0	0	0	0	0	0	0	0	0	0	0
7	Diseases of the liver (K70-K76)	M	31	27	45	52	374	809	815	493	141	162	0	2949
		F	11	16	32	41	67	93	115	125	66	99	0	665
		O	0	0	0	0	0	0	0	0	0	0	0	0
8	Cholelithiasis and cholecystitis (K80-K81)	M	0	0	0	0	1	0	3	2	0	5	0	11
		F	0	0	0	0	1	4	2	7	2	8	0	24
		O	0	0	0	0	0	0	0	0	0	0	0	0

<b>Table D-11 (PROVISIONAL)</b>														
<b>DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022</b>														
<b>AGE IN YEARS</b>														
<b>SL. No.</b>	<b>NAME OF THE DISEASE</b>	<b>SEX</b>	<b>&lt;1</b>	<b>1-4</b>	<b>5-14</b>	<b>15-24</b>	<b>25-34</b>	<b>35-44</b>	<b>45-54</b>	<b>55-64</b>	<b>65-69</b>	<b>&gt;=70</b>	<b>NOT STATED</b>	<b>TOTAL</b>
<b>(1)</b>	<b>(2)</b>	<b>(3)</b>	<b>(4)</b>	<b>(5)</b>	<b>(6)</b>	<b>(7)</b>	<b>(8)</b>	<b>(9)</b>	<b>(10)</b>	<b>(11)</b>	<b>(12)</b>	<b>(13)</b>	<b>(14)</b>	<b>(15)</b>
9	Disorders of the pancreas (K85-K86)	M	1	1	0	15	40	35	22	21	9	5	0	149
		F	0	0	1	9	12	15	18	12	6	7	0	80
		O	0	0	0	0	0	0	0	0	0	0	0	0
10	All other diseases of the other parts of digestive system (K20-K22, K28, K30-K31, K50-K55, K57-K63, K66, K82-K83 & K90-K92)	M	13	2	1	11	24	42	32	43	15	27	0	210
		F	5	0	6	5	11	10	19	21	11	29	0	117
		O	0	0	0	0	0	0	0	0	0	0	0	0
XII	Diseases of the skin and subcutaneous tissue (L00-L99)	M	0	0	1	3	3	9	5	5	1	10	0	37
		F	3	0	0	1	1	3	4	4	0	3	0	19
		O	0	0	0	0	0	0	0	0	0	0	0	0
38	Diseases of the skin and subcutaneous tissue (L00-L99)	M	0	0	1	3	3	9	5	5	1	10	0	37
		F	3	0	0	1	1	3	4	4	0	3	0	19
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Infections of the skin and subcutaneous tissue (L00-L08)	M	0	0	1	2	2	4	2	4	1	4	0	20
		F	2	0	0	0	1	0	3	4	0	2	0	12
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	All other diseases of the skin and subcutaneous tissue (L10-L99)	M	0	0	0	1	1	5	3	1	0	6	0	17
		F	1	0	0	1	0	3	1	0	0	1	0	7
		O	0	0	0	0	0	0	0	0	0	0	0	0
XIII	Diseases of the Musculoskeletal system connective tissue (M00-M99)	M	2	1	0	3	1	8	13	13	3	3	0	47
		F	2	1	2	2	4	9	8	8	4	6	0	46
		O	0	0	0	0	0	0	0	0	0	0	0	0
39	Diseases of the Musculoskeletal system connective tissue (M00-M99)	M	2	1	0	3	1	8	13	13	3	3	0	47
		F	2	1	2	2	4	9	8	8	4	6	0	46
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Rheumatoid arthritis and other inflammatory polyarthropathies (M05-M13)	M	1	0	0	1	0	0	1	1	0	0	0	4
		F	0	0	0	0	0	3	2	3	1	1	0	10
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Osteomyelitis (M86)	M	0	0	0	0	0	0	1	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of the musculoskeletal system and connective tissue (M00-M02, M15-M43-M85, M87-M99)	M	1	1	0	2	1	8	11	12	3	3	0	42
		F	2	1	2	2	4	6	6	5	3	5	0	36
		O	0	0	0	0	0	0	0	0	0	0	0	0
XIV	DISEASES OF THE GENITOURINARY SYSTEM (N00 - N99)	M	40	9	28	67	118	171	256	332	148	319	0	1488
		F	25	4	21	66	92	133	190	238	110	264	0	1143
		O	0	0	0	0	0	0	0	3	0	0	0	3



Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
40	Disease of urinary system (N00-N39)	M	40	9	28	67	118	171	254	330	148	316	0	1481
		F	24	4	20	63	92	132	188	236	110	262	0	1131
		O	0	0	0	0	0	0	0	3	0	0	0	3
1	Glomerular diseases (including Nephritic Syndrome) (N00-N07)	M	0	0	4	2	0	0	2	2	3	1	0	14
		F	0	0	0	0	0	0	1	0	0	0	5	6
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Renal tubulo-interstitial diseases (N10-N15)	M	1	1	1	1	2	2	1	1	0	0	0	10
		F	0	0	0	3	2	1	1	2	1	1	0	11
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Renal failure (N17-N19)	M	35	8	20	52	96	119	182	239	102	210	0	1063
		F	24	4	14	45	62	96	123	150	68	163	0	749
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Urolithiasis (N20-N23)	M	0	0	0	0	0	0	2	1	0	2	0	5
		F	0	0	0	0	2	0	0	1	0	1	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Other disorders of kidney and ureter (N25-N29)	M	4	0	1	10	18	47	62	76	37	82	0	337
		F	0	0	6	13	22	31	53	65	27	63	0	280
		O	0	0	0	0	0	0	0	3	0	0	0	3
6	All other diseases of urinary system (N30-N39)	M	0	0	2	2	2	3	5	11	6	21	0	52
		F	0	0	0	2	4	3	11	18	14	29	0	81
		O	0	0	0	0	0	0	0	0	0	0	0	0
41	Other diseases of the genitourinary system (N40-N99)	M	0	0	0	0	0	0	2	2	0	3	0	7
		F	1	0	1	3	0	1	2	2	0	2	0	12
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Hyperplasia of prostate (N40)	M	0	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	All other diseases of male genital organs (N41-N50)	M	0	0	0	0	0	0	2	2	0	2	0	6
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Salpingitis and oophoritis (N70)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	1	0	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	All other diseases of female genital organs (N60-N64, N71-N76, N80-N99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	1	0	1	2	0	1	2	2	0	2	0	11
		O	0	0	0	0	0	0	0	0	0	0	0	0
XV	PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (O00-O99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	53	67	15	3	0	0	0	0	138
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
42	Pregnancy with abortive outcome (O00-O08)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	2	0	0	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Spontaneous abortion (O03)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	1	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Medical abortion (O04)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other pregnancies with abortive outcome (O00-O02 & O05-O08)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	1	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
43	Other direct obstetric deaths (O10-O92)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	15	18	3	1	0	0	0	0	37
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium (O10-O16)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	3	2	0	1	0	0	0	0	6
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Infections of genitourinary tract in pregnancy (O23)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Obstructed labour (O64-O66)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Complications pre-dominantly related to the puerperium (O85-O92)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	3	3	0	0	0	0	0	0	6
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Other complications of pregnancy and delivery (O20-O22,O24-O63 & O67-O84)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	9	13	3	0	0	0	0	0	25
		O	0	0	0	0	0	0	0	0	0	0	0	0
44	Other obstetric conditions, not elsewhere classified (O95-O99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	38	47	12	2	0	0	0	0	99
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Indirect obstetric deaths (O98-O99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	38	46	12	2	0	0	0	0	98
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	All other obstetric conditions, not elsewhere classified (O95-O97)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	1	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
XVI	Certain conditions originating in the perinatal period (P00-P96)	M	1510	0	0	0	0	0	0	0	0	0	0	1510
		F	957	0	0	0	0	0	0	0	0	0	0	957
		O	7	0	0	0	0	0	0	0	0	0	0	7
45	Certain conditions originating in the perinatal period (P00-P96)	M	1510	0	0	0	0	0	0	0	0	0	0	1510
		F	957	0	0	0	0	0	0	0	0	0	0	957
		O	7	0	0	0	0	0	0	0	0	0	0	7
1	Slow fetal growth, fetal malnutrition and immaturity (P05-P07)	M	578	0	0	0	0	0	0	0	0	0	0	578
		F	342	0	0	0	0	0	0	0	0	0	0	342
		O	5	0	0	0	0	0	0	0	0	0	0	5
2	Birth trauma (P10-P15)	M	15	0	0	0	0	0	0	0	0	0	0	15
		F	8	0	0	0	0	0	0	0	0	0	0	8
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Hypoxia, birth asphyxia and other respiratory conditions (P20-P28)	M	598	0	0	0	0	0	0	0	0	0	0	598
		F	383	0	0	0	0	0	0	0	0	0	0	383
		O	2	0	0	0	0	0	0	0	0	0	0	2
4	Haemolytic disease of fetus and new born (P55)	M	3	0	0	0	0	0	0	0	0	0	0	3
		F	2	0	0	0	0	0	0	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Other perinatal Jaundice (P58-P59)	M	15	0	0	0	0	0	0	0	0	0	0	15
		F	13	0	0	0	0	0	0	0	0	0	0	13
		O	0	0	0	0	0	0	0	0	0	0	0	0
6	All other conditions originating in the perinatal period (P00-P04,P08,P29-P54,P56-P57,P60-P96)	M	301	0	0	0	0	0	0	0	0	0	0	301
		F	209	0	0	0	0	0	0	0	0	0	0	209
		O	0	0	0	0	0	0	0	0	0	0	0	0
XVII	Congenital Malformations, Deformations & chromosomal abnormalities (Q00-Q99)	M	236	52	19	10	6	2	1	0	1	1	4	332
		F	130	23	14	9	1	2	1	3	0	1	5	189
		O	1	0	0	0	0	0	0	0	0	0	0	1
46	Congenital Malformations, Deformations & chromosomal abnormalities (Q00-Q99)	M	236	52	19	10	6	2	1	0	1	1	4	332
		F	130	23	14	9	1	2	1	3	0	1	5	189
		O	1	0	0	0	0	0	0	0	0	0	0	1
1	Spina bifida (Q05)	M	6	1	0	1	1	0	0	0	0	0	0	9
		F	3	0	0	0	0	0	0	0	0	0	0	3
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Congenital malformations of the circulatory sytem (Q20-Q28)	M	112	41	14	5	2	2	0	0	1	0	3	180
		F	55	18	9	5	0	0	1	3	0	0	0	91
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Cleft lip and cleft palate (Q35-Q37)	M	1	0	0	0	0	0	0	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0

**Table D-11 (PROVISIONAL)**

**DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022**

**AGE IN YEARS**

SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
4	All other congenital malformations, deformations, and chromosomal abnormalities, not elsewhere classified (Q00-Q04, Q06-Q18, Q30-Q34 & Q38-Q99)	M	117	10	5	4	3	0	1	0	0	1	1	142	
		F	72	5	5	4	1	2	0	0	0	0	1	5	95
		O	1	0	0	0	0	0	0	0	0	0	0	0	1
XVIII	Symptoms, Signs and abnormal clinical &Laboratory finding not elsewhere classified (R00-R99)	M	874	225	238	618	951	1148	1230	1200	498	2054	282	9318	
		F	609	193	226	365	383	359	439	577	301	1605	194	5251	
		O	9	0	0	1	1	0	1	0	0	0	0	2	14
47	Symptoms, Signs and abnormal clinical &Laboratory finding not elsewhere classified (R00-R99)	M	874	225	238	618	951	1148	1230	1200	498	2054	282	9318	
		F	609	193	226	365	383	359	439	577	301	1605	194	5251	
		O	9	0	0	1	1	0	1	0	0	0	0	2	14
1	Abdominal and pelvic pain (R10)	M	0	0	0	0	2	1	1	0	0	0	0	0	4
		F	0	0	0	1	0	0	0	1	1	1	1	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Ascites (R18)	M	0	0	0	0	2	3	2	0	0	2	1	10	
		F	0	1	0	0	0	0	1	0	0	3	0	5	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Somnolence, stupor and coma (R40)	M	0	0	0	0	0	0	0	1	0	0	0	1	
		F	0	0	0	0	0	1	0	0	0	0	0	1	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
4	Fever of unknown origin (R50)	M	3	3	11	28	28	21	28	22	5	9	0	158	
		F	1	4	14	23	12	16	9	10	7	7	0	103	
		O	1	0	0	0	0	0	0	0	0	0	0	0	1
5	Senility (R54)	M	0	0	0	0	0	0	0	1	3	36	0	40	
		F	0	0	0	0	0	0	0	5	6	25	0	36	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
6	Syncope and collapse (R55)	M	2	0	0	0	0	0	0	1	0	0	0	3	
		F	0	0	0	0	0	0	1	0	0	0	0	1	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
7	Convulsions, not elsewhere classified (R56)	M	2	1	0	2	3	5	5	4	3	8	0	33	
		F	6	0	0	3	2	2	3	3	0	3	0	22	
		O	0	0	0	0	0	0	0	0	0	0	0	0	0
8	Shock, not elsewhere classified (R57)	M	522	111	127	125	166	243	333	374	159	1303	175	3638	
		F	378	107	119	92	112	116	149	239	117	1050	116	2595	
		O	3	0	0	0	0	0	1	0	0	0	0	0	4
9	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R09, R11-R17,R19-R39,R41-R49,R51-R53,R58-R99)	M	345	110	100	463	750	875	861	797	328	696	106	5431	
		F	224	81	93	246	257	224	276	319	170	516	78	2484	
		O	5	0	0	1	1	0	0	0	0	0	2	9	

Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
XIX	Injury, poisoning and certain other consequences of external causes (S00-T98)	M	15	97	83	341	437	359	277	212	58	93	0	1972
		F	13	89	46	115	108	102	91	86	32	90	0	772
		O	0	0	0	0	0	0	0	0	0	0	0	0
48	Fractures (S02,S12,S22,S32,S42,S52,S62 S72,S82,S92,T02,T08,T10,T12)	M	1	2	1	21	41	31	33	20	8	13	0	171
		F	0	3	0	4	5	8	5	5	3	18	0	51
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Fracture of skull and facial bones (S02)	M	0	0	0	3	2	1	0	0	0	1	0	7
		F	0	1	0	0	0	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Fracture of neck, thorax or pelvis (S12,S22,S32 & T08)	M	0	1	0	5	9	6	5	1	1	4	0	32
		F	0	2	0	1	2	2	0	0	0	2	0	9
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Fracture of upper limb (S42,S52,S62 & T10)	M	1	0	0	0	2	1	1	0	0	0	0	5
		F	0	0	0	0	0	0	0	1	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Fractures of lower limb (S72,S82,S92 & T12)	M	0	0	1	13	28	23	27	19	7	8	0	126
		F	0	0	0	3	3	6	5	4	3	16	0	40
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Fractures involving multiple body regions and of unspecified body region (T02)	M	0	1	0	0	0	0	0	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
49	Dislocations, sprains and strains of specified and multiple body regions (S03, S13, S23, S33, S43, S53, S63, S73, S83, S93, T03)	M	0	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
50	Intracranial and internal injuries, including nerves (S04, S06, S14, S24, S26-S27, S34, S36-S37, S44, S54, S64, S74, S84 & S94)	M	3	10	10	47	62	84	68	62	17	37	0	400
		F	3	17	7	6	11	23	19	25	9	27	0	147
		O	0	0	0	0	0	0	0	0	0	0	0	0
51	Crushing injuries and traumatic amputations of specified and multiple body regions (S07-S08, S17-S18, S28, S38, S47-S48, S57-S58, S67-S68,S77-S78, S87-S88, S97-S98, T04-T05)	M	0	1	0	1	4	1	1	1	0	0	0	9
		F	0	1	0	1	0	0	0	1	1	1	0	5
		O	0	0	0	0	0	0	0	0	0	0	0	0
52	Other injuries of specified, unspecified and multiple body regions (S00-S01, S05, S09-S11, S15-S16, S19-S21, S25, S29-S31, S35, S39-S41, S45-S46, S49-S51, S55-S56, S59-S61, S65-S66, S69-S71, S75-S76, S79-S81, S85-S86, S89-S91, S95-S96, S99, T00-T01, T06-T14)	M	7	36	40	154	205	160	115	89	22	27	0	855
		F	3	21	16	18	15	25	28	28	5	12	0	171
		O	0	0	0	0	0	0	0	0	0	0	0	0
53	Effects of foreign body entering through natural orifice (T15-T19)	M	1	0	1	0	1	0	0	0	0	0	0	3
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0

**Table D-11 (PROVISIONAL)**

**DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022**

**AGE IN YEARS**

SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
54	Burns and Corrosions (T20-T32)	M	1	40	20	69	72	51	33	21	5	10	0	322
		F	6	40	13	56	65	41	26	24	8	29	0	308
		O	0	0	0	0	0	0	0	0	0	0	0	0
55	Poisonings by drugs & biological substances and Toxic effects of substances chiefly nonmedicinal as to source (T36-T50 & T51-T65)	M	0	2	5	20	22	16	10	10	4	5	0	94
		F	0	2	4	15	5	2	9	0	2	0	0	39
		O	0	0	0	0	0	0	0	0	0	0	0	0
56	Other and unspecified effects of external causes and certain early complications of trauma (T33-T35, T66-T79)	M	0	0	1	10	5	2	3	0	0	0	0	21
		F	0	0	2	7	3	0	1	0	1	0	0	14
		O	0	0	0	0	0	0	0	0	0	0	0	0
57	Complications of Surgical and Medical care, not elsewhere classified (T80-T88)	M	1	0	0	3	0	0	1	0	0	0	0	5
		F	0	0	0	0	0	0	0	0	1	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
58	Late effects of injuries, of poisoning and of other consequences of external causes (T90-T98)	M	1	6	5	16	25	14	13	9	2	0	0	91
		F	1	5	4	8	4	3	3	3	2	3	0	36
		O	0	0	0	0	0	0	0	0	0	0	0	0
			0	0	0	0	0	0	0	0	0	0	0	0
XX	External causes of Morbidity and Mortality (V01-Y89)	M	39	26	29	84	144	144	162	156	63	163	19	1029
		F	27	21	21	33	41	50	67	64	34	91	7	456
		O	0	0	0	0	0	0	0	0	0	0	0	0
E48	Transport Accidents (V01-V99)	M	1	1	3	37	54	45	49	24	11	14	0	239
		F	0	1	1	3	6	11	9	9	2	9	0	51
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Railway accidents (V05, V15, V80.6, V81,V82.2,V87.6 & V88.6)	M	0	0	0	1	2	0	2	0	0	0	0	5
		F	0	0	0	0	0	0	0	0	0	1	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Motor vehicle traffic accidents (V02-V04, V09.2-V09.3, V12-V14, V19.4-V19.6, V19.9,V20-V28,V29.4-V29.6,V29.9, V30-V38,V39.4-V39.6,V39.9,V40-V48,V49.4-V49.6,V49.9,V50-58,V59.4-V59.6,V59.9, V60-V68,V69.4-V69.6, V69.9, V70-V78,V79.4-V79.6,V79.9, V80.3-V80.5, V82.1, V87.0-V87.5, V87.7-V87.9 V89.2-V89.3)	M	0	1	1	10	11	10	14	6	2	4	0	59
		F	0	0	0	1	0	1	2	2	0	4	0	10
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Other road vehicle accidents (V01,V06,V09.9,V10-V11,V16-V18,V19.8,V29.8,V39.8,V49.8,V59.8, V69.8,V79.8,V80.0-V80.2,V80.7-V80.9,V82.3-V82.7,V82.9 & V89.1)	M	1	0	2	24	40	35	33	17	8	9	0	169
		F	0	1	1	2	6	10	6	7	2	4	0	39
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Water transport accidents (V90-V94)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	Air & Space transport accidents (V95-V97)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0

**Table D-11 (PROVISIONAL)**

**DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022**

**AGE IN YEARS**

SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
6	All other transport accidents (V09.0-V09.1,V19.0-V19.3,V29.0-V29.3, V39.0-V39.3,V49.0-V49.3,V59.0-V59.3,V69.0-V69.3,V79.0-V79.3,V82.0,V82.8, V83-V86,V88.0-V88.5,V88.7-V88.9, V89.0,V89.9 & V98-V99)	M	0	0	0	2	1	0	0	1	1	1	0	6
		F	0	0	0	0	0	0	1	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
E49	Accidental Falls (W00-W19)	M	1	9	8	12	25	12	16	9	4	12	0	108
		F	0	8	6	7	4	3	3	4	3	7	0	45
		O	0	0	0	0	0	0	0	0	0	0	0	0
E50	Accidental drowning and submersion (W65-W74)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
E51	Exposure to smoke, fire and flames (X00-X09)	M	0	0	0	1	1	0	0	0	0	0	0	2
		F	0	0	0	0	0	0	0	1	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
E52	Accidental poisoning by and exposure to noxious substances (X40-X49)	M	0	2	0	4	7	7	2	1	0	2	0	25
		F	0	0	0	3	3	2	0	0	0	1	0	9
		O	0	0	0	0	0	0	0	0	0	0	0	0
E53	Intentional self-harm (Suicide-attempted) (X60-X84)	M	0	0	0	2	5	2	1	2	0	1	0	13
		F	0	0	2	3	5	1	1	0	0	0	0	12
		O	0	0	0	0	0	0	0	0	0	0	0	0
E54	Assault (Homicide) (X85-Y09)	M	0	0	0	1	6	4	2	0	0	0	0	13
		F	0	0	0	0	0	1	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
E55	Other Violence (Y10-Y36)	M	0	0	0	0	0	0	0	1	0	0	0	1
		F	0	0	0	1	0	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Event of undetermined intent (Y10-Y34)	M	0	0	0	0	0	0	0	1	0	0	0	1
		F	0	0	0	1	0	0	0	0	0	0	0	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Legal intervention (Y35)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Operations of war (Y36)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
E56	Complications of medical and surgical care (Y40-Y84)	M	0	0	0	1	0	1	1	1	0	2	0	6
		F	0	0	1	1	1	0	0	1	0	0	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Drugs, medicaments and biological substances causing adverse effects in therapeutic use (Y40-Y59)	M	0	0	0	1	0	0	0	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0

Table D-11 (PROVISIONAL)														
DEATHS BY CAUSE OF DEATHS, AGE AND SEX FOR MEDICALLY CERTIFIED DEATHS - 2022														
AGE IN YEARS														
SL. No.	NAME OF THE DISEASE	SEX	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	>=70	NOT STATED	TOTAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
2	Misadven during surgical & medical care, adverse adverse incidents in diagnostic and therapeutic use, abnormal reactions and late complications (Y60-Y69,Y70-Y82 & Y83-Y84)	M	0	0	0	0	0	1	1	1	0	2	0	5
		F	0	0	1	1	1	0	0	1	0	0	0	4
		O	0	0	0	0	0	0	0	0	0	0	0	0
E57	Other external causes of accidental injury not elsewhere classified (W20-W64, W75-W99, X10-X39, X50-X59)	M	37	14	18	26	46	73	91	118	48	132	19	622
		F	27	12	11	15	22	32	54	49	29	74	7	332
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	Accidents caused by machinery, and by cutting & piercing instruments (W24-W31)	M	0	0	0	1	0	0	0	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	Accidents caused by firearm missile (W32-W34)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
3	Bites of snakes & other venomous animals (X20-X27)	M	0	0	0	0	2	3	0	2	0	0	0	7
		F	0	0	1	1	0	0	0	0	0	0	0	2
		O	0	0	0	0	0	0	0	0	0	0	0	0
4	Sun stroke (X32)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	1	1
		O	0	0	0	0	0	0	0	0	0	0	0	0
5	All other accidents including late effects (W20-W23, W35-W64, W75-W99, X10-X19, X28-X31, X33-X39 & X50-X59)	M	37	14	18	25	44	70	91	116	48	132	19	614
		F	27	12	10	14	22	32	54	49	29	73	7	329
		O	0	0	0	0	0	0	0	0	0	0	0	0
E58	Late effects of external causes of morbidity and mortality (Y85-Y89)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		O	0	0	0	0	0	0	0	0	0	0	0	0
XXII	Codes for Special Purposes (U00-U49)	M	23	9	12	19	30	53	99	160	97	316	1	819
		F	10	4	16	19	20	41	47	75	47	201	2	482
		O	0	0	0	0	0	0	0	0	0	0	0	0
	Provisional Assignment of New Diseases of Uncertain Etiology or Emergency use (U01-U49)	M	23	9	12	19	30	53	99	160	97	316	1	819
		F	10	4	16	19	20	41	47	75	47	201	2	482
		O	0	0	0	0	0	0	0	0	0	0	0	0
1	*COVID-19 Virus Identified (U07.1)	M	20	9	12	19	28	49	98	149	88	291	1	764
		F	9	4	14	17	19	39	42	69	44	191	2	450
		O	0	0	0	0	0	0	0	0	0	0	0	0
2	*COVID-19 Virus not Identified (U07.2)	M	3	0	0	0	2	4	1	11	9	25	0	55
		F	1	0	2	2	1	2	5	6	3	10	0	32
		O	0	0	0	0	0	0	0	0	0	0	0	0
	Total	M	4253	993	1125	2713	4485	6229	8070	9055	4162	9189	392	50666
		F	2855	761	995	2155	2309	2700	3984	5149	2569	7188	258	30923
		O	18	1	0	2	1	3	5	3	1	4	3	41
	All	T	7126	1755	2120	4870	6795	8932	12059	14207	6732	16381	653	81630

\* Note:- Cases of deaths due to COVID-19 Virus may be either identified or not identified. Clarification/Confirmation from the local bodies is pending.



**TABLE: D-12 & D-13**

**INFANT DEATHS BY PLACE OF OCCURRENCE, DISTRICTS (URBAN)**

SL. NO.	DISTRICT	INSTITUTIONAL				DOMICILIARY				ALL			
		MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL
1	MCD	2172	1606	13	3791	18	8	0	26	2190	1614	13	3817
2	NDMC	1352	859	4	2215	0	0	0	0	1352	859	4	2215
3	DELHI CANTT	46	22	0	68	1	0	0	1	47	22	0	69
	<b>ALL</b>	<b>3570</b>	<b>2487</b>	<b>17</b>	<b>6074</b>	<b>19</b>	<b>8</b>	<b>0</b>	<b>27</b>	<b>3589</b>	<b>2495</b>	<b>17</b>	<b>6101</b>

**TABLE: D-12 & D-13**

**INFANT DEATHS BY PLACE OF OCCURRENCE, DISTRICTS (RURAL)**

SL. NO.	DISTRICT	INSTITUTIONAL				DOMICILIARY				ALL			
		MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL
1	MCD	303	153	1	457	2	0	0	2	305	153	1	459
2	NDMC	380	214	0	594	0	0	0	0	380	214	0	594
3	DELHI CANTT	0	1	0	1	0	0	0	0	0	1	0	1
	<b>ALL</b>	<b>683</b>	<b>368</b>	<b>1</b>	<b>1052</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>685</b>	<b>368</b>	<b>1</b>	<b>1054</b>

**TABLE :D-14**

**INFANTS DEATHS BY AGE AND SEX**

SL. NO.	AGE	URBAN				RURAL				ALL			
		MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL	MALE	FEMALE	OTHER	ALL
1	< 7 DAYS	1908	1222	16	3146	295	169	1	465	2203	1391	17	3611
2	7-28 DAYS	564	407	1	972	92	51	0	143	656	458	1	1115
3	28 DAYS TO 1 YEAR	1117	866	0	1983	298	148	0	446	1415	1014	0	2429
	<b>ALL</b>	<b>3589</b>	<b>2495</b>	<b>17</b>	<b>6101</b>	<b>685</b>	<b>368</b>	<b>1</b>	<b>1054</b>	<b>4274</b>	<b>2863</b>	<b>18</b>	<b>7155</b>

TABLE : D-15											
PREGNANCY RELATED DEATHS BY AGE GROUP OF THE DECEASED (MOTHER) AND CAUSE OF DEATH FOR MEDICALLY CERTIFIED DEATHS (URBAN)											
SL. NO .	CAUSE	DESCRIPTION	AGE OF MOTHER								ALL
			< 15 yr	15-19	20-24	25-29	30-34	35-39	40-44	45 AND ABOVE	
1	O00-O08	PREGNANCY, WITH ABORTIVE OUTCOME	0	0	0	1	1	0	0	0	2
2	O10-O92	OTHER DIRECT OBSTRIC DEATHS	0	1	14	8	9	2	1	1	36
3	O95-O99	OTHER OBSTRIC CONDITIONS N.E.C.	0	3	30	26	16	8	3	2	88
		<b>ALL</b>	<b>0</b>	<b>4</b>	<b>44</b>	<b>35</b>	<b>26</b>	<b>10</b>	<b>4</b>	<b>3</b>	<b>126</b>

TABLE : D-15											
PREGNANCY RELATED DEATHS BY AGE GROUP OF THE DECEASED (MOTHER) AND CAUSE OF DEATH FOR MEDICALLY CERTIFIED DEATHS (RURAL)											
SL. NO .	CAUSE	DESCRIPTION	AGE OF MOTHER								ALL
			< 15 yr	15-19	20-24	25-29	30-34	35-39	40-44	45 AND ABOVE	
1	O00-O08	PREGNANCY, WITH ABORTIVE OUTCOME	0	0	0	0	0	0	0	0	0
2	O10-O92	OTHER DIRECT OBSTRIC DEATHS	0	0	0	1	0	0	0	0	1
3	O95-O99	OTHER OBSTRIC CONDITIONS N.E.C.	0	0	5	3	2	0	1	0	11
		<b>ALL</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>12</b>

TABLE : D-16											
PREGNANCY RELATED DEATHS BY AGE GROUP OF THE DECEASED (MOTHER) AND CAUSE OF DEATH FOR MEDICALLY CERTIFIED OR NOT DEATHS (URBAN)											
SL. NO.	CAUSE	DESCRIPTION	AGE OF MOTHER								ALL
			< 15 yr	15-19	20-24	25-29	30-34	35-39	40-44	45 AND ABOVE	
1	O00-O08	PREGNANCY, WITH ABORTIVE OUTCOME	0	0	0	1	1	0	0	0	2
2	O10-O92	OTHER DIRECT OBSTRIC DEATHS	0	1	14	8	9	3	2	3	40
3	O95-O99	OTHER OBSTRIC CONDITIONS N.E.C.	0	3	30	28	16	8	4	5	94
		<b>ALL</b>	<b>0</b>	<b>4</b>	<b>44</b>	<b>37</b>	<b>26</b>	<b>11</b>	<b>6</b>	<b>8</b>	<b>136</b>

TABLE : D-16											
PREGNANCY RELATED DEATHS BY AGE GROUP OF THE DECEASED (MOTHER) AND CAUSE OF DEATH FOR MEDICALLY CERTIFIED OR NOT DEATHS (RURAL)											
SL. NO.	CAUSE	DESCRIPTION	AGE OF MOTHER								ALL
			< 15 yr	15-19	20-24	25-29	30-34	35-39	40-44	45 AND ABOVE	
1	O00-O08	PREGNANCY, WITH ABORTIVE OUTCOME	0	0	0	0	0	0	0	0	0
2	O10-O92	OTHER DIRECT OBSTRIC DEATHS	0	0	0	1	0	0	0	0	1
3	O95-O99	OTHER OBSTRIC CONDITIONS N.E.C.	0	0	5	3	2	0	1	0	11
		<b>ALL</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>12</b>

TABLE: D-18										
PREGNANCY RELATED DEATHS BY AGE AND OCCUPATION (URBAN)										
SL. NO.	OCCUPATION	AGE GROUP								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND ABOVE	ALL
1	PROFESSIONAL / TECHNICAL RELATED WORKERS	0	0	0	0	0	0	0	0	0
2	ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL WORKERS	0	0	0	0	0	0	0	0	0
3	CLERICAL WORKERS	0	0	0	0	0	0	0	0	0
4	SALE WORKERS	0	0	0	0	0	0	0	0	0
5	SERVICE WORKERS	0	0	0	0	1	0	0	0	1
6	FARMERS, FISHERMEN, HUNTERS etc	0	0	0	0	0	0	0	0	0
7	PRODUCTION AND OTHER RELATED WORKERS	0	0	0	0	0	0	0	0	0
8	HOUSEWIFE / NON WORKERS	0	0	2	4	2	0	2	4	14
9	OTHERS/NOT STATED	0	4	42	33	23	11	4	4	121
	<b>ALL</b>	<b>0</b>	<b>4</b>	<b>44</b>	<b>37</b>	<b>26</b>	<b>11</b>	<b>6</b>	<b>8</b>	<b>136</b>

TABLE: D-18										
PREGNANCY RELATED DEATHS BY AGE AND OCCUPATION (RURAL)										
SL. NO.	OCCUPATION	AGE GROUP								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND ABOVE	ALL
1	PROFESSIONAL / TECHNICAL RELATED WORKERS	0	0	0	0	0	0	0	0	0
2	ADMINISTRATIVE, EXECUTIVE AND MANAGERIAL	0	0	0	0	0	0	0	0	0
3	CLERICAL WORKERS	0	0	0	0	0	0	0	0	0
4	SALE WORKERS	0	0	0	0	0	0	0	0	0
5	SERVICE WORKERS	0	0	0	0	0	0	0	0	0
6	FARMERS, FISHERMEN, HUNTERS etc	0	0	0	0	0	0	0	0	0
7	PRODUCTION AND OTHER RELATED WORKERS	0	0	0	0	0	0	0	0	0
8	HOUSEWIFE / NON WORKERS	0	0	0	0	0	0	0	0	0
9	OTHERS/NOT STATED	0	0	5	4	2	0	1	0	12
	<b>All</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>12</b>

TABLE : S-1													
STILL BIRTH BY PLACE OF OCCURRENCE IN DISTRICT (URBAN)													
SL. NO.	DISTRICT	PLACE OF OCCURRENCE											
		INSTITUTIONAL				DOMICILIARY				ALL			
		MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL
1	*MCD	866	724	15	1605	2	1	0	3	868	725	15	1608
2	NDCM	210	160	8	378	0	0	0	0	210	160	8	378
3	DELHI CANTT	2	9	0	11	0	0	0	0	2	9	0	11
	<b>ALL</b>	<b>1078</b>	<b>893</b>	<b>23</b>	<b>1994</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>1080</b>	<b>894</b>	<b>23</b>	1997

TABLE: S-1													
STILL BIRTH BY PLACE OF OCCURRENCE IN DISTRICT (RURAL)													
SL. NO.	DISTRICT	PLACE OF OCCURRENCE											
		INSTITUTIONAL				DOMICILIARY				ALL			
		MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL	MALE	FEMALE	OTHER	TOTAL
1	MCD	0	0	0	0	0	0	0	0	0	0	0	0
2	NDCM	223	202	3	428	0	0	0	0	223	202	3	428
3	DELHI CANTT	0	0	0	0	0	0	0	0	0	0	0	0
	<b>ALL</b>	<b>223</b>	<b>202</b>	<b>3</b>	<b>428</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>223</b>	<b>202</b>	<b>3</b>	<b>428</b>

\* Note:- Total cases of Still Births in MCD include both Rural and Urban cases.

**-: SECTION SIX :-**  
**ANNEXURE**

**CONCEPTS & DEFINITIONS****Some important concepts used in this Annual Report are defined as follows:**

1. **Birth**: “Birth” means live-birth or still birth.
2. **Live Birth**: “Live-Birth” means the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life, and each product of such birth is considered live-born.
3. **Still-Birth**: “Still-Birth” means foetal death where a product of conception has attained at least the prescribed period of gestation.
4. **Death**: “Death” means the permanent disappearance of all evidence of life at any time after live-birth has taken place.
5. **Foetal Death**: “Foetal Death” means absence of all evidence of life prior to the complete expulsion or extraction from its mother of a product of conception irrespective of the duration of pregnancy.
6. **Infant Death**: “Infant Death” means death of a child less than one year old.
7. **Level of Registration**: The level of registration, defined as the percentage of registered births/ deaths to the births/ deaths estimated through SRS, determines the performance of a State/ Union Territory with regard to functioning of Civil Registration System.

$$\text{Level of Registration (LOR)} = \frac{\text{Number of events registered during the year}}{\text{Number of estimated events for the year}} \times 100$$

$$\text{Number of estimated events for the year} = \text{Mid-year population} \times \text{SRS Rate}$$

8. **Mid-year Population**: “Mid- year population” means, population at the mid-point of the year, i.e. 1<sup>st</sup> July of the year.

$$\text{Sex Ratio at Birth} = \frac{\text{No. of female births registered during the year}}{\text{No. of male births registered during the year}} \times 1000$$

Delayed Registered Birth events of more than one year have been duly deducted for arriving the sex ratio at birth.

9. **Birth Rate**: Birth rate acts as an index of the relative speed at which additions are being made to the population through child-birth. It is only a live birth that signifies an addition to the existing population, excluding still births.

The annual birth rate is defined as:

$$\text{Birth Rate} = \frac{\text{No. of Births in a year}}{\text{Mid-year Population}} \times 1000$$



10. **Death Rate:** The death rate for a given year tells us at what rate deaths have depleted the population over the course of the year.

The death rate, which measures the decrease in a population due to deaths, is perhaps the most widely used of any vital statistics rate because of its value as an index in numerous demographic & public health problems.

The Annual Death Rate is defined as :

$$\text{Death Rate} = \frac{\text{No. of Deaths in a Year}}{\text{Mid-year Population}} \times 1000$$

11. **Infant Mortality Rate:** Infant mortality rate serves as one of the best indices to the general “healthiness” of a society. It is similar to age-specific death rate for infants under 1 year of age.

The annual infant mortality rate is defined as :

$$\text{Infant Mortality Rate} = \frac{\text{No. of deaths under 1 year of age which occurred among the population}}{\text{No. of live births which occurred among the population}} \times 1000$$

12. **Maternal Death Rate:** Maternal death rate is defined as maternal deaths per thousand live births.

$$\text{Maternal Death Rate} = \frac{\text{No. of Maternal Deaths}}{\text{No. of live births}} \times 1000$$

13. **Neo Natal Mortality Rate:** The neo-natal mortality rate, like the infant mortality rate, is similar to an age specific rate. It is a rate used to measure the risk of death during the first month of life and is defined as:

$$\text{Neo-Natal Mortality Rate} = \frac{\text{No. of deaths of infants under the age of 1 month which occurred among the population}}{\text{No. of live births which occurred among the population}} \times 1000$$

14. **Post Natal Mortality Rate:** The post natal mortality rate, like the infant mortality rate, is similar to an age specific rate. It is a rate used to measure the risk of death during 28 days to 12 months of life and is defined as:

$$\text{Post-Natal Mortality Rate} = \frac{\text{No. of deaths of infants during the age of 28 days to 12 months which occurred among the population}}{\text{No. of live births which occurred among the population}} \times 1000$$

**Note:** — Indicates not available